

2013 Corn Grain Top 30 Harvest Report

Nebraska Southeast [NESE] BURR
Mike Pietzyk, Otoe County, NE 68324



Test by: Agri Seed Research, LLC, Bucyrus, KS

PREV. CROP/HERB: Soybean
SOIL DESCRIPTION: Wymore silty clay, mod. well drained, conventional w/ fall till, non-irrigated
SOIL CONDITION: Mod. High P, mod. high K, 6.7 pH, 2.2% OM
PEST MANAGEMENT: Prequel, Atrazine, Halex GT
FERTILITY - Applied N: 160 Spring
Applied N-P-K (units): 160-0-0
SEEDED - RATE - ROW: May 14 28,900 /A 30" spacing
HARVESTED - STAND: Oct 10 27,200 /A

Early-Season Test

107 - 112 Day CRM
B2013NESE09a

Top 30 of 36

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Curry | 630-42 | HX,RR2 | MQ,C2,R | 110 | 174.3 | 18.9 | 0 | 26.9 | 767 | 1 |
| Producers | 7268STXRIB | STX,B | AC,P5V | 112 | 173.4 | 20.5 | 0 | 28.2 | 756 | 2 |
| AgriGold | A6499STX | STX | AC,P5V | 112 | 170.4 | 19.9 | 0 | 26.6 | 746 | 3 |
| Kruger | KR-7709 | VT3P,B | AC,P5V | 109 | 168.2 | 18.9 | 0 | 26.9 | 741 | 4 |
| NuTech/G2 Gen | 5Z-612 | OI | MQ,P1V,R | 112 | 168.1 | 19.9 | 0 | 27.6 | 736 | 6 |
| Augusta | A4658GT3110 | 3110 | CE,C2 | 108 | 167.7 | 18.5 | 0 | 26.9 | 740 | 5 |
| Mycogen | 2V717 | STX,B | CM,C2 | 111 | 167.6 | 19.7 | 0 | 27.9 | 735 | 7 |
| Renk | RK860VT3P | VT3P | AC,P2 | 111 | 163.2 | 17.7 | 0 | 27.6 | 723 | 8 |
| Mycogen | 2V709 | STX,B | CM,C2 | 110 | 162.1 | 17.9 | 0 | 27.2 | 718 | 9 |
| NuTech | 5B-410 | GT/CB/LL | MQ,C2 | 110 | 159.8 | 19.2 | 0 | 26.9 | 702 | 12 |
| AgriGold | A6416STX | STX | AC,P5V | 107 | 159.6 | 16.7 | 0 | 26.6 | 711 | 10 |
| Channel | 211-24STXRIB | STX,B | AC,P5V | 111 | 157.3 | 19.0 | 0 | 27.2 | 692 | 14 |
| NuTech/G2 Gen | 5H-610 | HX,RR2 | MQ,P1V,R | 110 | 157.1 | 17.8 | 0 | 26.9 | 696 | 13 |
| Augusta | A5658GTCBLL | GT/CB/LL | CE,C2 | 108 | 156.3 | 18.9 | 0 | 26.2 | 688 | 17 |
| Pioneer | P0987HR GC | HX,RR2 | MQ,C2 | 109 | 156.1 | 18.2 | 0 | 27.6 | 690 | 15 |
| Stine | 9740VT3Pro | VT3P | CM,C2 | 110 | 156.0 | 18.2 | 0 | 27.6 | 690 | 16 |
| Kruger | K4R-9512 | STX,B | AC,P5V | 112 | 153.1 | 19.6 | 0 | 27.6 | 671 | 19 |
| Titan Pro | TP 36-12 2P | VT2P | AC,P2,Z | 112 | 151.9 | 20.9 | 0 | 28.2 | 661 | 24 |
| AgriGold | A6486VT2PRIB | VT2P,B | AC,P5V | 111 | 151.3 | 17.4 | 0 | 27.2 | 672 | 18 |
| NuTech/G2 Gen | 5Z-1008 | OI | MQ,P1V,R | 111 | 150.9 | 17.7 | 0 | 27.2 | 669 | 20 |
| LG Seeds | LG2602VT3PRIB | VT3P,B | AC,P5V | 112 | 150.9 | 18.2 | 0 | 26.9 | 667 | 21 |
| Channel | 210-95STXRIB | STX,B | AC,P5V | 110 | 150.5 | 17.8 | 0 | 26.9 | 667 | 22 |
| Renk | RK809GTCBLLRW | 3000GT | CE,C2 | 110 | 150.4 | 19.4 | 0 | 27.2 | 660 | 25 |
| LG Seeds | LG5607VT3P | VT3P | AC,P5V | 111 | 150.2 | 21.5 | 0 | 27.6 | 651 | 29 |
| Titan Pro | TP 39-09 SS | STX | AC,P2,Z | 109 | 149.3 | 16.3 | 0 | 27.2 | 667 | 23 |
| NuTech/G2 Gen | 5F-811AM | AM,B | MQ,C2 | 111 | 149.1 | 18.4 | 0 | 26.9 | 658 | 26 |
| Renk | RK866SSTX | STX | AC,P2 | 111 | 148.7 | 18.7 | 0 | 27.2 | 655 | 28 |
| Kruger | K4R-9708 | STX,B | AC,P5V | 108 | 148.2 | 17.3 | 0 | 27.9 | 658 | 27 |
| Kruger | K4R-9911 | STX,B | AC,P5V | 110 | 147.3 | 18.9 | 0 | 27.6 | 648 | 30 |
| AgriGold | A6408VT3PRIB | VT3P,B | AC,P5V | 107 | 144.4 | 16.8 | 0 | 27.2 | 643 | 31 |
| Dekalb | DKC61-88 CK | VT3P | AC,P2 | 111 | 158.7 | 17.9 | 0 | 26.6 | 703 | 11 |

adam.stuteville@firstseedtests.com, (913) 206-6080

Test Average = **155.3** **18.5** **0** **27.2** **685**
LSD (0.10) = 13.1 1.3 ns
C.V. = 6.2 5.0

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = \$4.50 Local GMO
n/a non-GMO

Test Comments: *This site emerged very well and looked good early in the season. It went through a dry spell in June, that stressed it for a couple weeks. Rains in July and August helped with pollination and grain fill. Plants were standing well at harvest. Ears were filled with kernels to the tip, with most hybrids having deep kernels.*

† See last page for footnote information. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average. **Italicized** brands exceed the grain moisture limit for this test. **GC** = grower comparison product, **ns** = not significantly different

Additional reports and searchable database available at www.firstseedtests.com

AgSCI Copyright 2013

Report date: 10/11/2013 Revised:

2013 Corn Grain Top 30 Harvest Report

Nebraska Southeast [NESE] BURR
Mike Pietzyk, Otoe County, NE 68324



Test by: Agri Seed Research, LLC, Bucyrus, KS

PREV. CROP/HERB: Soybean
SOIL DESCRIPTION: Wymore silty clay, mod. well drained, conventional w/ fall till, non-irrigated
SOIL CONDITION: Mod. High P, mod. high K, 6.7 pH, 2.2% OM
PEST MANAGEMENT: Prequel, Atrazine, Halex GT
FERTILITY - Applied N: 160 Spring
Applied N-P-K (units): 160-0-0
SEEDED - RATE - ROW: May 14 28,900 /A 30" spacing
HARVESTED - STAND: Oct 10 27,100 /A

Full-Season Test
113 - 116 Day CRM
B2013NESE09b

Top 30 of 36
For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Kruger | KR-7913 | VT3P,B | AC,P5V | 113 | 173.0 | 20.9 | 0 | 27.9 | 753 | 2 |
| Pioneer | P1498HR GC | HX,RR2 | MQ,C2 | 114 | 172.7 | 19.8 | 0 | 26.9 | 756 | 1 |
| Dyna-Gro | D55VP77 | VT3P | AC,P5V | 115 | 170.3 | 21.2 | 0 | 26.6 | 740 | 3 |
| Channel | 213-40VT3PRIB | VT3P,B | AC,P5V | 113 | 168.6 | 19.8 | 0 | 27.2 | 738 | 4 |
| Mycogen | 2C797 | STX | CM,C2 | 114 | 166.7 | 19.8 | 0 | 26.9 | 730 | 5 |
| Kruger | K4R-9315 | STX,B | AC,P5V | 115 | 166.2 | 21.9 | 0 | 27.6 | 719 | 7 |
| AgriGold | A6659VT3Pro | VT3P | AC,P5V | 116 | 166.2 | 22.5 | 0 | 26.2 | 717 | 8 |
| Kruger | KR-7414 | VT3P,B | AC,P5V | 114 | 165.4 | 19.9 | 0 | 26.6 | 724 | 6 |
| Titan Pro | 2M13-2P | VT2P,B | AC,P2,Z | 113 | 163.1 | 19.2 | 0 | 26.9 | 717 | 9 |
| Renk | RK930VT3P | VT3P | AC,P2 | 115 | 161.6 | 20.8 | 0 | 28.2 | 704 | 10 |
| NuTech/G2 Gen | 5Z-1505 | OI | MQ,P1V,R | 115 | 159.2 | 20.1 | 0 | 28.2 | 696 | 11 |
| Dyna-Gro | D53VP61 | VT3P | AC,P5V | 113 | 156.6 | 18.8 | 0 | 27.2 | 690 | 12 |
| Augusta | A5565VT3Pro | VT3P | M,D,P5 | 114 | 156.4 | 20.8 | 0 | 26.6 | 681 | 15 |
| Renk | RK920SSTX | STX,B | AC,P2 | 115 | 156.3 | 21.4 | 0 | 26.9 | 678 | 16 |
| AgriGold | A6517VT3PRIB | VT3P,B | AC,P5V | 113 | 155.8 | 18.8 | 0 | 26.9 | 686 | 13 |
| Renk | RK941VT3P | VT3P | AC,P2 | 114 | 154.7 | 21.3 | 0 | 27.6 | 672 | 17 |
| Titan Pro | 82A13GLV | 3111 | CM,C2,Z | 113 | 154.6 | 17.6 | 0 | 27.2 | 686 | 14 |
| LG Seeds | LG5618STX | STX | AC,P5V | 113 | 153.1 | 20.2 | 0 | 27.2 | 669 | 18 |
| Renk | RK922SSTX | STX,B | AC,P5V | 114 | 151.4 | 21.2 | 0 | 26.6 | 658 | 20 |
| Producers | 7224VT3PRIB | VT3P,B | AC,P5V | 113 | 151.3 | 19.2 | 0 | 26.9 | 665 | 19 |
| Augusta | A4564GENSS | STX | M,D,P5 | 114 | 150.8 | 21.0 | 0 | 26.9 | 656 | 22 |
| AgriGold | A6553VT3PRIB | VT3P,B | AC,P5V | 114 | 149.2 | 18.9 | 0 | 26.9 | 657 | 21 |
| NuTech/G2 Gen | 5H-216 | HX,RR2 | MQ,P1V,R | 116 | 149.2 | 21.6 | 0 | 26.9 | 647 | 25 |
| Kruger | K4R-9813 | STX,B | AC,P5V | 113 | 148.4 | 19.2 | 0 | 27.2 | 652 | 23 |
| Channel | 215-82VT3PRIB | VT3P,B | AC,P5V | 115 | 148.0 | 18.9 | 0 | 27.2 | 652 | 24 |
| Stine | R9739VT3Pro | VT3P,B | AC,P2 | 113 | 148.0 | 20.6 | 0 | 26.9 | 645 | 26 |
| Titan Pro | 2M14-SS | STX,B | AC,P5V,Z | 114 | 147.5 | 21.8 | 0 | 28.2 | 639 | 30 |
| Mycogen | 2Y767 | STX,B | CM,C2 | 113 | 146.9 | 19.8 | 0 | 27.6 | 643 | 28 |
| NuTech/G2 Gen | 3F-515AM | AM-R,B | MQ,C2 | 115 | 146.7 | 19.2 | 0 | 26.9 | 645 | 27 |
| NuTech/G2 Gen | 3F-513AM | AM-R,B | MQ,C2 | 115 | 143.6 | 21.2 | 0 | 27.2 | 624 | 31 |
| Dekalb | DKC61-88 CK | VT3P | AC,P2 | 111 | 145.7 | 18.7 | 0 | 26.6 | 642 | 29 |

adam.stuteville@firstseedtests.com, (913) 206-6080

Test Average = **152.7** **20.1** **0** **27.1** **668**
LSD (0.10) = 17.7 1.4 ns
C.V. = 8.5 5.3

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = $\frac{\$4.50}{n/a}$ Local GMO non-GMO

Test Comments: *This site emerged very well and looked good early in the season. It went through a dry spell in June, that stressed it for a couple weeks. Rains in July and August helped with pollination and grain fill. Plants were standing well at harvest. Ears were filled with kernels to the tip, with most hybrids having deep kernels.*

† See last page for footnote information. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average. **Italicized** brands exceed the grain moisture limit for this test. **GC** = grower comparison product, **ns** = not significantly different

Additional reports and searchable database available at www.firstseedtests.com

AgSCI Copyright 2013

Report date: 10/11/2013 Revised:

Early-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|---------------|---------------|----------|----------|-----|---------------|---------------|----------|----------|----|
| AgriGold | A6408VT3PRIB | VT3P,B | AC,P5V | 107 | | | | | |
| AgriGold | A6416STX | STX | AC,P5V | 107 | | | | | |
| AgriGold | A6486VT2PRIB | VT2P,B | AC,P5V | 111 | | | | | |
| AgriGold | A6499STX | STX | AC,P5V | 112 | | | | | |
| Augusta | A4658GT3110 | 3110 | CE,C2 | 108 | | | | | |
| Augusta | A5658GTCBLL | GT/CB/LL | CE,C2 | 108 | | | | | |
| Channel | 210-95STXRIB | STX,B | AC,P5V | 110 | | | | | |
| Channel | 211-24STXRIB | STX,B | AC,P5V | 111 | | | | | |
| Curry | 630-42 | HX,RR2 | MQ,C2,R | 110 | | | | | |
| Dekalb | DKC61-88 CK | VT3P | AC,P2 | 111 | | | | | |
| Kruger | K4R-9512 | STX,B | AC,P5V | 112 | | | | | |
| Kruger | K4R-9708 | STX,B | AC,P5V | 108 | | | | | |
| Kruger | K4R-9911 | STX,B | AC,P5V | 110 | | | | | |
| Kruger | KR-7709 | VT3P,B | AC,P5V | 109 | | | | | |
| LG Seeds | LG2602VT3PRIB | VT3P,B | AC,P5V | 112 | | | | | |
| LG Seeds | LG5607VT3P | VT3P | AC,P5V | 111 | | | | | |
| Mycogen | 2V709 | STX,B | CM,C2 | 110 | | | | | |
| Mycogen | 2V717 | STX,B | CM,C2 | 111 | | | | | |
| NuTech | 5B-410 | GT/CB/LL | MQ,C2 | 110 | | | | | |
| NuTech/G2 Gen | 5F-811AM | AM,B | MQ,C2 | 111 | | | | | |
| NuTech/G2 Gen | 5H-610 | HX,RR2 | MQ,P1V,R | 110 | | | | | |
| NuTech/G2 Gen | 5Z-1008 | OI | MQ,P1V,R | 111 | | | | | |
| NuTech/G2 Gen | 5Z-612 | OI | MQ,P1V,R | 112 | | | | | |
| Pioneer | P0987HR GC | HX,RR2 | MQ,C2 | 109 | | | | | |
| Producers | 6884VT3PRIB | VT3P,B | AC,P5V | 107 | | | | | |
| Producers | 7268STXRIB | STX,B | AC,P5V | 112 | | | | | |
| Renk | RK809GTCBLLRW | 3000GT | CE,C2 | 110 | | | | | |
| Renk | RK860VT3P | VT3P | AC,P2 | 111 | | | | | |
| Renk | RK866SSTX | STX | AC,P2 | 111 | | | | | |
| Renk | RK880SSTX | STX,B | AC,P5V | 112 | | | | | |
| Stine | 9631VT3Pro | VT3P | CM,C2 | 109 | | | | | |
| Stine | 9740VT3Pro | VT3P | CM,C2 | 110 | | | | | |
| Titan Pro | 2M07-SS | STX,B | AC,P5V,Z | 107 | | | | | |
| Titan Pro | TP 36-12 2P | VT2P | AC,P2,Z | 112 | | | | | |
| Titan Pro | TP 39-09 SS | STX | AC,P2,Z | 109 | | | | | |
| Titan Pro | x81A10 | CB/LL/RW | CM,C2,Z | 110 | | | | | |

2013 Corn Grain - Nebraska Southeast [NESE]



Full-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|---------------|---------------|----------|----------|-----|---------------|---------------|----------|----------|----|
| AgriGold | A6517VT3PRIB | VT3P,B | AC,P5V | 113 | | | | | |
| AgriGold | A6553VT3PRIB | VT3P,B | AC,P5V | 114 | | | | | |
| AgriGold | A6573VT3PRIB | VT3P,B | AC,P5V | 114 | | | | | |
| AgriGold | A6659VT3Pro | VT3P | AC,P5V | 116 | | | | | |
| Augusta | A4564GENSS | STX | M,D,P5 | 114 | | | | | |
| Augusta | A5565VT3Pro | VT3P | M,D,P5 | 114 | | | | | |
| Channel | 213-40VT3PRIB | VT3P,B | AC,P5V | 113 | | | | | |
| Channel | 215-82VT3PRIB | VT3P,B | AC,P5V | 115 | | | | | |
| Curry | 833-85 | AMX-R,B | MQ,C2,R | 113 | | | | | |
| Dekalb | DKC61-88 CK | VT3P | AC,P2 | 111 | | | | | |
| Dyna-Gro | D53VP61 | VT3P | AC,P5V | 113 | | | | | |
| Dyna-Gro | D55VP77 | VT3P | AC,P5V | 115 | | | | | |
| Kruger | K4R-9315 | STX,B | AC,P5V | 115 | | | | | |
| Kruger | K4R-9813 | STX,B | AC,P5V | 113 | | | | | |
| Kruger | KR-7414 | VT3P,B | AC,P5V | 114 | | | | | |
| Kruger | KR-7913 | VT3P,B | AC,P5V | 113 | | | | | |
| LG Seeds | LG2620VT3PRIB | VT3P,B | AC,P5V | 113 | | | | | |
| LG Seeds | LG5618STX | STX | AC,P5V | 113 | | | | | |
| Mycogen | 2C797 | STX | CM,C2 | 114 | | | | | |
| Mycogen | 2Y767 | STX,B | CM,C2 | 113 | | | | | |
| NuTech/G2 Gen | 3F-513AM | AM-R,B | MQ,C2 | 115 | | | | | |
| NuTech/G2 Gen | 3F-515AM | AM-R,B | MQ,C2 | 115 | | | | | |
| NuTech/G2 Gen | 5H-216 | HX,RR2 | MQ,P1V,R | 116 | | | | | |
| NuTech/G2 Gen | 5Z-1505 | OI | MQ,P1V,R | 115 | | | | | |
| Pioneer | 33D49 GC | HX,RR2 | MQ,C2 | 115 | | | | | |
| Pioneer | P1498HR GC | HX,RR2 | MQ,C2 | 114 | | | | | |
| Producers | 7224VT3PRIB | VT3P,B | AC,P5V | 113 | | | | | |
| Producers | 7394VT3PRIB | VT3P,B | AC,P5V | 113 | | | | | |
| Renk | RK920SSTX | STX,B | AC,P2 | 115 | | | | | |
| Renk | RK922SSTX | STX,B | AC,P5V | 114 | | | | | |
| Renk | RK930VT3P | VT3P | AC,P2 | 115 | | | | | |
| Renk | RK941VT3P | VT3P | AC,P2 | 114 | | | | | |
| Stine | R9739VT3Pro | VT3P,B | AC,P2 | 113 | | | | | |
| Titan Pro | 2M13-2P | VT2P,B | AC,P2,Z | 113 | | | | | |
| Titan Pro | 2M14-SS | STX,B | AC,P5V,Z | 114 | | | | | |
| Titan Pro | 82A13GLV | 3111 | CM,C2,Z | 113 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|---|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. HPT® brand seed is distributed by Hoegemeyer Hybrids, Inc. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaXX® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaXX® and XL® are registered trademarks of DuPont Pioneer. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by F.I.R.S.T. when space permits. |

Corn Technologies*

| | | | |
|----------|--|----------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | GT/CB/LL | Agrisure® GT/CB/LL |
| 3011A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXRW | Herculex® rootworm, contains LL |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | LL | LibertyLink® |
| AM-R | Optimum® AcreMax® (YGCB,HX,RR2) | None | conventional corn |
| AM1 | Optimum® AcreMax®1 (HXT,LL,RR2) | OI | Optimum® Intrasect® (YGCB,HX,LL,RR2) |
| AMRW | Optimum® AcreMax® Rootworm (HXRW,LL,RR2) | OIX | Optimum® Intrasect® Xtra (YGCB,HXT,LL,RR2) |
| AMRW-R | Optimum® AcreMax® Rootworm (HXRW,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | OT | Optimum® TRIssect® (HX,RW,LL,RR2) |
| AMX-R | Optimum® AcreMax® Xtra (YGCB,HXT,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,LL,RR2) | STX | SmartStax® (VT3P,HXX) |
| B | Blended seed (i.e. refuge blend) | VT2P | Genuity® VT Double Pro® |
| CB/LL | Agrisure® CB/LL | VT3 | YieldGard VT Triple® |
| CB/LL/RW | Agrisure® CB/LL/RW | VT3P | Genuity® VT Triple Pro® |
| GT | Agrisure® GT | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | MQ | Maxim Quattro® |
| A | Allegiance® | None | untreated |
| AC | Acceleron® fungicide products | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® (tebuconazole) |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | SStd | SureStand™ |
| CE | Cruiser Extreme® | St | Stamina® (pyraclostrobin) |
| CM | CruiserMaxx® Corn | T | Trilex® (trifloxystrobin) |
| D | Dynasty® (azoxystrobin) | V | Votivo® |
| Es | Escalate® | Z | zinc |
| M | Maxim XL® | | |

** Seed treatments may include unspecified plant health promoting components.