

2013 Corn Grain Top 30 Harvest Report

Ohio West Central [OHWC] LEWISTOWN
 Rich & Sam Kinney / R&K Farms, Logan County, OH 43333



Test by: F.I.R.S.T. NECB, Inc., Chadwick, IL

PREV. CROP/HERB: Soybean / Roundup
 SOIL DESCRIPTION: Sandy clay loam, well drained, no-till, non-irrigated
 SOIL CONDITION: Mod. High P, mod. high K, 6.8 pH, 3% OM
 PEST MANAGEMENT: SureStart
 FERTILITY - Applied N: 20 Planter, 190 Side
 Applied N-P-K (units): 210-92-120
 SEEDED - RATE - ROW: May 17 35,000 /A 30" spacing
 HARVESTED - STAND: Nov 8 32,500 /A

Early-Season Test
105 - 110 Day CRM
 B2013OHWC28a

Top 30 of 42
 For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|-----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Steyer | 11004GENSS RIB | STX,B | SStd | 110 | 252.6 | 21.8 | 1 | 31.9 | 1,132 | 1 |
| Buckeye | RR8788SSRIB | STX,B | AC,P2 | 107 | 232.1 | 22.2 | 1 | 34.8 | 1,037 | 2 |
| LG Seeds | LG5533VT3P | VT3P | AC,P5V | 107 | 230.6 | 22.2 | 1 | 32.9 | 1,031 | 4 |
| Rupp | xrJ07-20 | STX,B | AC,P2 | 107 | 229.8 | 21.7 | 1 | 31.6 | 1,030 | 5 |
| Ebberts | 9488SSX | STX | AC,P5 | 108 | 227.7 | 22.0 | 1 | 31.9 | 1,019 | 6 |
| NuTech/G2 Gen | 5Z-709 | OI | MQ,P1V,R | 109 | 227.2 | 22.2 | 1 | 32.2 | 1,016 | 7 |
| Dekalb | DKC57-75RIB | STX,B | AC,P5V | 107 | 226.2 | 22.0 | 1 | 32.6 | 1,012 | 8 |
| NuTech/G2 Gen | 5F-008AM | AM,B | MQ,C2 | 108 | 225.7 | 22.6 | 1 | 33.5 | 1,007 | 12 |
| Stine | 9631VT3Pro | VT3P | CM,C2 | 109 | 225.4 | 22.1 | 1 | 33.2 | 1,008 | 11 |
| Doebblers | RPM 633HXR^ | HX,RR2 | MQ,C2 | 110 | 225.3 | 21.7 | 1 | 32.6 | 1,010 | 10 |
| Augusta | A5658GTCBLL | GT/CB/LL | CE,C2 | 108 | 225.0 | 21.1 | 1 | 32.5 | 1,012 | 9 |
| Buckeye | RR9171VT3PRIB | VT3P,B | AC,P2 | 110 | 225.0 | 22.6 | 1 | 33.2 | 1,004 | 13 |
| Pfister | 2524SS | STX | CM,C2 | 108 | 223.4 | 21.5 | 1 | 31.9 | 1,003 | 14 |
| Rupp | xrJ10-91 | STX,B | AC,P2 | 110 | 220.5 | 21.9 | 1 | 31.9 | 987 | 15 |
| Buckeye | RR9021VT3PRIB | VT3P,B | AC,P2 | 110 | 219.4 | 21.8 | 1 | 31.9 | 983 | 16 |
| Stine | R9534VT3Pro | VT3P,B | AC,P2 | 106 | 219.3 | 22.3 | 1 | 32.6 | 980 | 18 |
| FS InVISION | FS 55ZV4 RIB | VT3P,B | AC,P2,Z | 105 | 219.2 | 22.0 | 1 | 31.9 | 981 | 17 |
| LG Seeds | LG2549VT3PRIB | VT3P,B | AC,P5V | 109 | 216.2 | 21.7 | 1 | 33.2 | 969 | 19 |
| NuTech | 5B-410 | GT/CB/LL | MQ,C2 | 110 | 216.1 | 22.5 | 1 | 32.6 | 964 | 22 |
| Buckeye | RR9128VT3PRIB | VT3P,B | AC,P2 | 110 | 215.9 | 21.6 | 1 | 31.6 | 968 | 20 |
| Pfister | 2413RA | STX,B | CM,C2 | 105 | 215.9 | 21.8 | 1 | 30.6 | 967 | 21 |
| Great Lakes | 5525VT3PRO | VT3P | AC,P5V | 105 | 215.2 | 21.9 | 1 | 31.9 | 964 | 23 |
| LG Seeds | LG2575VT3PRIB | VT3P,B | AC,P5V | 110 | 213.1 | 21.9 | 1 | 30.9 | 954 | 24 |
| Doebblers | RPM 657AM^ | AM,B | MQ,P1V | 112 | 213.0 | 22.1 | 1 | 31.2 | 953 | 25 |
| Great Lakes | 6087VT3PRIB | VT3P,B | AC,P5V | 110 | 211.5 | 21.9 | 1 | 32.9 | 947 | 27 |
| Pfister | 2547RA | STX,B | CM,C2 | 108 | 211.3 | 21.5 | 1 | 31.9 | 948 | 26 |
| Pfister | 2574RA | STX,B | CM,C2 | 110 | 209.3 | 21.9 | 1 | 32.9 | 937 | 29 |
| Augusta | A4658GT3110 | 3110 | CE,C2 | 108 | 209.3 | 22.1 | 1 | 32.9 | 936 | 30 |
| Steyer | 10702VIP3111 | 3111 | SStd | 107 | 209.1 | 21.5 | 1 | 33.9 | 938 | 28 |
| Steyer | 10803GENSS RIB | STX,B | SStd | 108 | 208.8 | 22.0 | 1 | 33.5 | 934 | 31 |
| Golden Harvest | G12J11-3011A CK | 3011A | AVC,C5 | 112 | 232.1 | 22.8 | 1 | 33.5 | 1,034 | 3 |
| Test Average = | | | | | 216.4 | 21.9 | 1 | 32.5 | 969 | |
| LSD (0.10) = | | | | | 17.6 | 0.8 | ns | | | |
| C.V. = | | | | | 6.0 | 2.6 | | | | |

Rich Schleuning
 firstnecb@hotmail.com, (815) 985-3577

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = \$4.65 Local GMO
 n/a non-GMO

Test Comments: *This location had a nice eye appealing color and even emergence from the start. Standability was good at harvest with light plant disease present. The lake bed soil of Indian lake was able to absorb this seasons rains. This soil type did make for some variability as sand bars showed during dry conditions. Rich commented, that there have been record yields recorded in the area this year.*

† See last page for footnote information. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average. **Italicized** brands exceed the grain moisture limit for this test. **GC** = grower comparison product, **ns** = not significantly different

Additional reports and searchable database available at www.firstseedtests.com

AgSCI Copyright 2013

Report date: 11/8/2013 Revised:

2013 Corn Grain Top 30 Harvest Report
 Ohio West Central [OHWC] LEWISTOWN
 Rich & Sam Kinney / R&K Farms, Logan County, OH 43333



PREV. CROP/HERB: Soybean / Roundup
 SOIL DESCRIPTION: Sandy clay loam, well drained, no-till, non-irrigated
 SOIL CONDITION: Mod. High P, mod. high K, 6.8 pH, 3% OM
 PEST MANAGEMENT: SureStart
 FERTILITY - Applied N: 20 Planter, 190 Side
 Applied N-P-K (units): 210-92-120
 SEEDED - RATE - ROW: May 17 35,000 /A 30" spacing
 HARVESTED - STAND: Nov 8 32,300 /A

Full-Season Test
111 - 114 Day CRM
 B2013OHWC28b

Top 30 of 36
 For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|------------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Steyer | 1140VT3PRO RIB | VT3P,B | SStd | 114 | 289.6 | 22.5 | 1 | 31.5 | 1,292 | 1 |
| Ebberts | 6411VT2P | VT2P | AC,P5 | 111 | 263.4 | 22.8 | 1 | 32.2 | 1,173 | 2 |
| Augusta | A5565VT3Pro | VT3P | M,D,P5 | 114 | 255.0 | 23.5 | 1 | 31.9 | 1,132 | 4 |
| Integra | 9642VT3PRO | VT3P | AC,P2 | 114 | 254.8 | 23.2 | 1 | 32.9 | 1,133 | 3 |
| Pfister | 2770RA | STX,B | CM,C2 | 113 | 253.1 | 22.4 | 1 | 31.9 | 1,130 | 5 |
| Rupp | xrD11-13 | VT2P,B | AC,P2 | 111 | 245.9 | 22.8 | 1 | 32.2 | 1,095 | 6 |
| Pfister | 2674RA | STX,B | CM,C2 | 112 | 244.0 | 22.8 | 1 | 31.5 | 1,087 | 7 |
| Steyer | 11208VT3PRO RIB | VT3P,B | SStd | 112 | 243.4 | 23.3 | 1 | 31.5 | 1,081 | 8 |
| Seed Consultants | SCS 1131YHR | OI | MQ,P1V | 113 | 237.7 | 22.5 | 1 | 32.5 | 1,061 | 9 |
| NuTech/G2 Gen | 5F-811AM | AM,B | MQ,C2 | 111 | 237.1 | 23.0 | 1 | 32.5 | 1,055 | 10 |
| Rupp | xrD12-32 | VT2P,B | AC,P2 | 112 | 234.0 | 22.2 | 1 | 32.9 | 1,046 | 11 |
| Pfister | 2595RA | STX,B | CM,C2 | 111 | 233.3 | 22.7 | 1 | 31.5 | 1,040 | 12 |
| Ebberts | 7222VT3P | VT3P | AC,P5 | 112 | 232.9 | 22.5 | 1 | 32.5 | 1,039 | 13 |
| Augusta | A4564GENSS | STX | M,D,P5 | 114 | 232.7 | 23.3 | 1 | 32.5 | 1,034 | 14 |
| NuTech/G2 Gen | 5Z-612 | OI | MQ,P1V,R | 112 | 231.7 | 23.1 | 1 | 33.2 | 1,030 | 15 |
| FS InVISION | FS 61JX1 | STX | AC,P5V | 111 | 229.9 | 22.7 | 1 | 33.2 | 1,025 | 17 |
| Steyer | 11103GENSS RIB | STX,B | SStd | 111 | 229.8 | 22.6 | 1 | 31.9 | 1,025 | 18 |
| LG Seeds | LG5618STX | STX | AC,P5V | 113 | 229.7 | 22.0 | 1 | 32.2 | 1,028 | 16 |
| Steyer | 11304GENSS RIB | STX,B | SStd | 113 | 225.7 | 22.6 | 1 | 31.2 | 1,007 | 19 |
| Great Lakes | 6232VT3PRIB | VT3P,B | AC,P5V | 112 | 224.4 | 22.2 | 1 | 33.9 | 1,003 | 21 |
| Beck | XL 6175AMX^ GC | AMX,B | Es | 112 | 224.2 | 22.7 | 1 | 31.5 | 999 | 22 |
| Ebberts | 7712VT3P | VT3P | AC,P5 | 112 | 224.2 | 23.0 | 1 | 33.2 | 998 | 23 |
| FS InVISION | FS 63SX1 RIB | STX,B | AC,P5V,Z | 113 | 224.1 | 23.2 | 1 | 31.9 | 996 | 24 |
| Pfister | 2672RA | STX,B | CM,C2 | 112 | 223.6 | 23.0 | 1 | 32.9 | 995 | 25 |
| LG Seeds | LG2636VT3PRIB | VT3P,B | AC,P5V | 114 | 222.4 | 23.1 | 1 | 33.2 | 989 | 27 |
| NuTech/G2 Gen | 5Z-1205 | OI | MQ,P1V,R | 112 | 222.3 | 22.6 | 1 | 32.2 | 991 | 26 |
| LG Seeds | LG2620VT3PRIB | VT3P,B | AC,P5V | 113 | 221.5 | 22.4 | 1 | 31.9 | 989 | 28 |
| NK Brand | N71U-3122 GC | 3122,B | AVC,C5 | 113 | 220.7 | 21.9 | 1 | 31.9 | 988 | 29 |
| Golden Harvest | G14R38-3000GT GC | 3000GT | AVC,C5 | 114 | 214.8 | 22.6 | 1 | 31.9 | 958 | 30 |
| Stine | R9739VT3Pro | VT3P,B | AC,P2 | 113 | 214.6 | 22.7 | 1 | 31.5 | 957 | 31 |
| Golden Harvest | G12J11-3011A CK | 3011A | AVC,C5 | 112 | 224.9 | 22.2 | 1 | 33.2 | 1,005 | 20 |
| Test Average = | | | | | 230.6 | 22.7 | 1 | 32.3 | 1,028 | |
| LSD (0.10) = | | | | | 28.2 | 0.8 | ns | | | |
| C.V. = | | | | | 9.0 | 2.7 | | | | |

Rich Schleuning
 firstnecb@hotmail.com, (815) 985-3577

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = $\frac{\$4.65}{n/a}$ Local GMO non-GMO

Test Comments: *This location had a nice eye appealing color and even emergence from the start. Standability was good at harvest with light plant disease present. The lake bed soil of Indian lake was able to absorb this seasons rains. This soil type did make for some variability as sand bars showed during dry conditions. Rich commented, that there have been record yields recorded in the area this year.*

† See last page for footnote information. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average. **Italicized** brands exceed the grain moisture limit for this test. **GC** = grower comparison product, **ns** = not significantly different

Additional reports and searchable database available at www.firstseedtests.com

AgSCI Copyright 2013

Report date: 11/8/2013 Revised:

Early-Season Test Products (42 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|----------------|-----------------|----------|----------|-----|---------------|---------------|----------|----------|----|
| Augusta | A4658GT3110 | 3110 | CE,C2 | 108 | | | | | |
| Augusta | A5658GTCBLL | GT/CB/LL | CE,C2 | 108 | | | | | |
| Buckeye | RR8788SSRIB | STX,B | AC,P2 | 107 | | | | | |
| Buckeye | RR9021VT3PRIB | VT3P,B | AC,P2 | 110 | | | | | |
| Buckeye | RR9128VT3PRIB | VT3P,B | AC,P2 | 110 | | | | | |
| Buckeye | RR9171VT3PRIB | VT3P,B | AC,P2 | 110 | | | | | |
| Dekalb | DKC57-75RIB | STX,B | AC,P5V | 107 | | | | | |
| Doebblers | RPM 603XRR^ | RR2 | MQ,C2 | 108 | | | | | |
| Doebblers | RPM 633HXR^ | HX,RR2 | MQ,C2 | 110 | | | | | |
| Doebblers | RPM 657AM^ | AM,B | MQ,P1V | 112 | | | | | |
| Ebberts | 7109VT3P | VT3P | AC,P5 | 108 | | | | | |
| Ebberts | 7909VT3P | VT3P | AC,P5 | 108 | | | | | |
| Ebberts | 9470SSX | STX | AC,P5 | 110 | | | | | |
| Ebberts | 9488SSX | STX | AC,P5 | 108 | | | | | |
| FS InVISION | FS 55ZV4 RIB | VT3P,B | AC,P2,Z | 105 | | | | | |
| Golden Harvest | G12J11-3011A CK | 3011A | AVC,C5 | 112 | | | | | |
| Great Lakes | 5525VT3PRO | VT3P | AC,P5V | 105 | | | | | |
| Great Lakes | 5785VT3PRIB | VT3P,B | AC,P5V | 107 | | | | | |
| Great Lakes | 5939VT3PRIB | VT3P,B | AC,P5V | 109 | | | | | |
| Great Lakes | 6087VT3PRIB | VT3P,B | AC,P5V | 110 | | | | | |
| LG Seeds | LG2549VT3PRIB | VT3P,B | AC,P5V | 109 | | | | | |
| LG Seeds | LG2575VT3PRIB | VT3P,B | AC,P5V | 110 | | | | | |
| LG Seeds | LG5533VT3P | VT3P | AC,P5V | 107 | | | | | |
| NuTech | 5B-410 | GT/CB/LL | MQ,C2 | 110 | | | | | |
| NuTech/G2 Gen | 5F-008AM | AM,B | MQ,C2 | 108 | | | | | |
| NuTech/G2 Gen | 5H-610 | HX,RR2 | MQ,P1V,R | 110 | | | | | |
| NuTech/G2 Gen | 5Z-109 | OI | MQ,P1V,R | 109 | | | | | |
| NuTech/G2 Gen | 5Z-709 | OI | MQ,P1V,R | 109 | | | | | |
| Pfister | 2413RA | STX,B | CM,C2 | 105 | | | | | |
| Pfister | 2524SS | STX | CM,C2 | 108 | | | | | |
| Pfister | 2547RA | STX,B | CM,C2 | 108 | | | | | |
| Pfister | 2574RA | STX,B | CM,C2 | 110 | | | | | |
| Rupp | xr8034 | 3000GT | CM,C2 | 105 | | | | | |
| Rupp | xrJ07-20 | STX,B | AC,P2 | 107 | | | | | |
| Rupp | xrJ10-91 | STX,B | AC,P2 | 110 | | | | | |
| Steyer | 10702VIP3111 | 3111 | SStd | 107 | | | | | |
| Steyer | 10703GENSS RIB | STX,B | SStd | 107 | | | | | |
| Steyer | 10803GENSS RIB | STX,B | SStd | 108 | | | | | |
| Steyer | 11004GENSS RIB | STX,B | SStd | 110 | | | | | |
| Stine | 9631VT3Pro | VT3P | CM,C2 | 109 | | | | | |
| Stine | R9534VT3Pro | VT3P,B | AC,P2 | 106 | | | | | |
| Stine | R9632SS | STX,B | CM,C2 | 107 | | | | | |

2013 Corn Grain - Ohio West Central [OHWC]



Full-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|------------------|------------------|----------|----------|-----|---------------|---------------|----------|----------|----|
| Augusta | A4564GENSS | STX | M,D,P5 | 114 | | | | | |
| Augusta | A5565VT3Pro | VT3P | M,D,P5 | 114 | | | | | |
| Beck | XL 6175AMX^ GC | AMX,B | Es | 112 | | | | | |
| Doebblers | 698GRQ | 3000GT | MQ,C2 | 114 | | | | | |
| Doebblers | RPM 689AMXT^ | AMXT,B | MQ,C2 | 113 | | | | | |
| Ebberts | 6411VT2P | VT2P | AC,P5 | 111 | | | | | |
| Ebberts | 7222VT3P | VT3P | AC,P5 | 112 | | | | | |
| Ebberts | 7712VT3P | VT3P | AC,P5 | 112 | | | | | |
| Ebberts | 9451SSX | STX | AC,P5 | 111 | | | | | |
| FS InVISION | FS 61JX1 | STX | AC,P5V | 111 | | | | | |
| FS InVISION | FS 63SX1 RIB | STX,B | AC,P5V,Z | 113 | | | | | |
| Golden Harvest | G12J11-3011A CK | 3011A | AVC,C5 | 112 | | | | | |
| Golden Harvest | G14R38-3000GT GC | 3000GT | AVC,C5 | 114 | | | | | |
| Great Lakes | 6232VT3PRIB | VT3P,B | AC,P5V | 112 | | | | | |
| Great Lakes | 6354VT3PRIB | VT3P,B | AC,P5V | 113 | | | | | |
| Integra | 9642VT3PRO | VT3P | AC,P2 | 114 | | | | | |
| LG Seeds | LG2620VT3PRIB | VT3P,B | AC,P5V | 113 | | | | | |
| LG Seeds | LG2636VT3PRIB | VT3P,B | AC,P5V | 114 | | | | | |
| LG Seeds | LG5618STX | STX | AC,P5V | 113 | | | | | |
| NK Brand | N71U-3122 GC | 3122,B | AVC,C5 | 113 | | | | | |
| NuTech/G2 Gen | 5F-811AM | AM,B | MQ,C2 | 111 | | | | | |
| NuTech/G2 Gen | 5Z-113 | OI | MQ,P1V,R | 113 | | | | | |
| NuTech/G2 Gen | 5Z-1205 | OI | MQ,P1V,R | 112 | | | | | |
| NuTech/G2 Gen | 5Z-612 | OI | MQ,P1V,R | 112 | | | | | |
| Pfister | 2595RA | STX,B | CM,C2 | 111 | | | | | |
| Pfister | 2672RA | STX,B | CM,C2 | 112 | | | | | |
| Pfister | 2674RA | STX,B | CM,C2 | 112 | | | | | |
| Pfister | 2770RA | STX,B | CM,C2 | 113 | | | | | |
| Rupp | xrD11-13 | VT2P,B | AC,P2 | 111 | | | | | |
| Rupp | xrD12-32 | VT2P,B | AC,P2 | 112 | | | | | |
| Seed Consultants | SCS 1131YHR | OI | MQ,P1V | 113 | | | | | |
| Steyer | 11103GENSS RIB | STX,B | SStd | 111 | | | | | |
| Steyer | 11208VT3PRO RIB | VT3P,B | SStd | 112 | | | | | |
| Steyer | 11304GENSS RIB | STX,B | SStd | 113 | | | | | |
| Steyer | 11407VT3PRO RIB | VT3P,B | SStd | 114 | | | | | |
| Stine | R9739VT3Pro | VT3P,B | AC,P2 | 113 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|---|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. HPT® brand seed is distributed by Hoegemeyer Hybrids, Inc. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaXX® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaXX® and XL® are registered trademarks of DuPont Pioneer. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by F.I.R.S.T. when space permits. |

Corn Technologies*

| | | | |
|----------|--|----------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | GT/CB/LL | Agrisure® GT/CB/LL |
| 3011A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXRW | Herculex® rootworm, contains LL |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | LL | LibertyLink® |
| AM-R | Optimum® AcreMax® (YGCB,HX,RR2) | None | conventional corn |
| AM1 | Optimum® AcreMax®1 (HXT,LL,RR2) | OI | Optimum® Intrasect® (YGCB,HX,LL,RR2) |
| AMRW | Optimum® AcreMax® Rootworm (HXRW,LL,RR2) | OIX | Optimum® Intrasect® Xtra (YGCB,HXT,LL,RR2) |
| AMRW-R | Optimum® AcreMax® Rootworm (HXRW,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | OT | Optimum® TRIssect® (HX,RW,LL,RR2) |
| AMX-R | Optimum® AcreMax® Xtra (YGCB,HXT,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,LL,RR2) | STX | SmartStax® (VT3P,HXX) |
| B | Blended seed (i.e. refuge blend) | VT2P | Genuity® VT Double Pro® |
| CB/LL | Agrisure® CB/LL | VT3 | YieldGard VT Triple® |
| CB/LL/RW | Agrisure® CB/LL/RW | VT3P | Genuity® VT Triple Pro® |
| GT | Agrisure® GT | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | MQ | Maxim Quattro® |
| A | Allegiance® | None | untreated |
| AC | Acceleron® fungicide products | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® (tebuconazole) |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | SStd | SureStand™ |
| CE | Cruiser Extreme® | St | Stamina® (pyraclostrobin) |
| CM | CruiserMaxx® Corn | T | Trilex® (trifloxystrobin) |
| D | Dynasty® (azoxystrobin) | V | Votivo® |
| Es | Escalate® | Z | zinc |
| M | Maxim XL® | | |

** Seed treatments may include unspecified plant health promoting components.