

2014 Corn Grain Top 30 Harvest Report

Indiana North [INNO] HOWE
John Larimer, La Grange County, IN 46746



Test by: F.I.R.S.T. NECB, Inc., Chadwick, IL

PREV. CROP/HERB: Soybean / glyphosate
SOIL DESCRIPTION: Sandy loam, well drained, conventional w/ fall till, non-irrigated
SOIL CONDITION: Moderate P, moderate K, 6.3 pH, 1.8% OM
PEST MANAGEMENT: Lumax, glyphosate, Force
FERTILITY - Applied N: 18 Spring, 9 Planter, 170 Sidedress
Applied N-P-K (units): 197-18-9
SEEDED - RATE - ROW: May 27 35,500 /A 30" spacing
HARVESTED - STAND: Nov 3 33,900 /A

Early-Season Test
103 - 108 Day CRM
B2014INNO06a

Top 30 of 54
For Gross Income (Sorted by Yield)
Average of (2) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| TA Seeds | TA566-00 | None | CM,C2 | 106 | 212.5 | 25.5 | 5 | 34.2 | 688 | 1 |
| Seed Consultants | SCS 10HR43^ | HX,RR2 | MQ,P1V | 104 | 211.3 | 24.9 | 0 | 33.2 | 687 | 2 |
| Ebberts | 9488SSX | STX | AC,P5V | 108 | 196.9 | 25.3 | 0 | 35.2 | 638 | 4 |
| Select | 4534SM RIB | STX,B | AC,P5V | 106 | 194.7 | 23.6 | 0 | 34.2 | 640 | 3 |
| Seed Consultants | SCS 1074AMX-R^ | AMX-R,B | MQ,C2 | 107 | 192.0 | 25.6 | 0 | 33.2 | 621 | 5 |
| Great Lakes | 5755STXRIB | STX,B | AC,P5V | 107 | 191.3 | 28.1 | 2 | 34.2 | 607 | 8 |
| Specialty | 36A794 | STX,B | AC,P5V | 106 | 189.7 | 25.6 | 0 | 35.2 | 614 | 6 |
| Partners Brand | PB 7962VT2P | VT2P | CM,C2 | 109 | 188.4 | 26.8 | 0 | 35.2 | 604 | 9 |
| NuTech/G2 Gen | 5H-806^ | HX,RR2 | CM,C2 | 106 | 185.5 | 25.0 | 3 | 34.2 | 603 | 10 |
| Seed Consultants | SCS 10HQ34^ | HXT,RR2 | MQ,C2 | 103 | 185.4 | 23.1 | 0 | 31.2 | 611 | 7 |
| Steyer | 10703GENSS RIB | STX,B | CM,C2 | 107 | 185.4 | 25.4 | 0 | 32.2 | 601 | 11 |
| NuTech/G2 Gen | 5F-008AM^ | AM,AQ,B | MQ,P5V | 108 | 184.6 | 26.3 | 0 | 34.2 | 594 | 12 |
| Ebberts | 7109VT3PRIB | VT3P,B | AC,P5 | 109 | 183.6 | 28.1 | 0 | 33.2 | 582 | 18 |
| M & W Seeds | 44D82 | STX,B | AC,P5V | 105 | 183.4 | 25.4 | 1 | 32.2 | 594 | 13 |
| Armor | 0700Pro2 | VT2P,B | AC,P5V | 107 | 182.6 | 25.9 | 0 | 33.2 | 589 | 15 |
| Stine | R9631VT3Pro | VT3P,B | AC,P2 | 109 | 182.2 | 25.2 | 0 | 34.2 | 591 | 14 |
| Ebberts | 6587VT2P | VT2P | AC,P5 | 107 | 180.4 | 25.6 | 0 | 35.2 | 584 | 16 |
| TA Seeds | TA583-22DPRIB | VT2P,B | CM,C2 | 108 | 178.0 | 24.0 | 1 | 34.2 | 583 | 17 |
| Dairyland | DS9307SSX | STX | CM,C2 | 107 | 177.6 | 25.1 | 0 | 34.2 | 577 | 19 |
| LG Seeds | LG5523STX | STX | AC,P5V | 105 | 175.1 | 23.3 | 0 | 33.2 | 577 | 20 |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C5 | 107 | 174.9 | 26.1 | 0 | 32.2 | 564 | 23 |
| NuTech/G2 Gen | 5F-805^ | AM,B | MQ,P5V | 105 | 174.6 | 23.9 | 1 | 35.2 | 572 | 21 |
| Specialty | 38A573 | STX,B | AC,P5V | 108 | 171.3 | 26.6 | 0 | 36.2 | 550 | 28 |
| Golden Harvest | G03B39-3111 | 3111 | AVC,C5 | 107 | 171.1 | 24.7 | 2 | 32.2 | 557 | 27 |
| Partners Brand | PB 7841VIP3111 | 3111 | CM,C2 | 108 | 170.2 | 23.8 | 0 | 32.2 | 558 | 26 |
| Beck | XL 5131AM^ | AM,B | Es,P1V | 105 | 169.6 | 22.7 | 1 | 35.2 | 561 | 25 |
| Select | 3829VP RIB | VT3P,B | AC,P2 | 103 | 169.3 | 20.3 | 3 | 36.2 | 570 | 22 |
| AgriGold | A6351STX | STX | AC,P5V | 105 | 169.1 | 22.0 | 1 | 34.2 | 562 | 24 |
| Dairyland | DS6905 | STX | CM,C2 | 105 | 169.0 | 25.3 | 2 | 33.2 | 548 | 29 |
| M & W Seeds | 44P09 | VT2P | CM,C2 | 108 | 161.7 | 19.7 | 0 | 34.2 | 547 | 30 |
| Pioneer | P0636AM CK | AM,AQ,B | MQ,P1V,R | 106 | 164.6 | 23.3 | 0 | 32.2 | 542 | 34 |
| Test Average = | | | | | 172.0 | 24.4 | 1 | 33.9 | 561 | |
| LSD (0.10) = | | | | | 26.8 | 2.6 | 3 | | | |
| LSD (0.25) = | | | | | 18.6 | 1.8 | 2 | | | |
| C.V. = | | | | | 9.3 | 6.4 | | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = $\frac{\$3.50 \text{ Local GMO}}{\$3.50 \text{ non-GMO}}$

Test Comments: *Yields were under expectations, especially for being irrigated. The cool conditions this season combined with a later planting date did not help. Foliar, stalk and ear disease was present. Ear rots included diplodia, fusarium and cladosporium. Some anthracnose stalk rot and leaf blight as well as gray leaf spot were also noted. The dust and mold rolled out of the combine like you were cutting soybeans.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

AgSCI Copyright 2014

Report date: 11/10/2014 Revised: 11/11/2014 TA566-31 changed to TA566-00, technology now None.

2014 Corn Grain Top 30 Harvest Report

Indiana North [INNO] HOWE

John Larimer, La Grange County, IN 46746



Test by: F.I.R.S.T. NECB, Inc., Chadwick, IL

PREV. CROP/HERB: Soybean / glyphosate
 SOIL DESCRIPTION: Sandy loam, well drained, conventional w/ fall till, non-irrigated
 SOIL CONDITION: Moderate P, moderate K, 6.3 pH, 1.8% OM
 PEST MANAGEMENT: Lumax, glyphosate, Force
 FERTILITY - Applied N: 18 Spring, 9 Planter, 170 Sidedress
 Applied N-P-K (units): 197-18-9
 SEEDED - RATE - ROW: May 27 35,500 /A 30" spacing
 HARVESTED - STAND: Nov 3 33,900 /A

Full-Season Test

109 - 112 Day CRM

B2014INNO06b

Top 30 of 54

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Steyer | 11004GENSS RIB | STX,B | CM,C2 | 110 | 198.6 | 27.2 | 0 | 34.9 | 635 | 1 |
| Select | 4995SM RIB | STX,B | AC,P5V | 110 | 190.9 | 29.7 | 0 | 34.2 | 598 | 5 |
| NuTech/G2 Gen | 5F-811AM^ | AM,B | MQ,P5V | 111 | 189.9 | 27.9 | 0 | 32.9 | 603 | 2 |
| AgriGold | A6472VT3PRIB | VT3P,B | AC,P5V | 110 | 188.7 | 27.6 | 0 | 31.5 | 601 | 4 |
| Specialty | 42D843 | VT2P,B | AC,P5V | 112 | 188.6 | 27.4 | 0 | 34.2 | 602 | 3 |
| Seed Consultants | SCS 1094AM-R^ | AM-R,AQ,B | MQ,C2 | 109 | 186.5 | 26.8 | 0 | 34.9 | 598 | 6 |
| Rupp | xrJ10-91 | STX,B | AC,P5V | 110 | 186.5 | 27.6 | 1 | 32.9 | 594 | 8 |
| NuTech/G2 Gen | 5F-709^ | AM,AQ,B | MQ,P5V | 109 | 186.4 | 29.0 | 0 | 34.2 | 587 | 12 |
| Specialty | 4611GENVT3PRIB | VT3P,B | AC,P5V | 110 | 186.1 | 26.6 | 0 | 34.9 | 597 | 7 |
| TA Seeds | TA647-22DPRIB | VT2P,B | CM,C2 | 111 | 184.9 | 26.9 | 3 | 35.5 | 592 | 9 |
| Rupp | xrD11-13 | VT2P,B | AC,P2 | 111 | 184.0 | 28.7 | 0 | 35.5 | 581 | 14 |
| NK Brand | N63R-3000GT | 3000GT | AVC,C5 | 109 | 183.8 | 26.9 | 0 | 34.2 | 589 | 11 |
| AgriGold | A6499STXRIB | STX,B | AC,P5V | 112 | 182.8 | 27.6 | 0 | 32.9 | 582 | 13 |
| Specialty | 41A743 | STX,B | AC,P5V | 111 | 182.2 | 28.8 | 0 | 34.2 | 575 | 17 |
| Channel | 210-95STXRIB | STX,B | AC,P5V | 110 | 181.1 | 24.7 | 0 | 34.9 | 590 | 10 |
| Ebberts | 7222VT3PRIB | VT3P,B | AC,P5 | 112 | 180.6 | 27.6 | 0 | 33.5 | 575 | 18 |
| Steyer | 11103GENSS RIB | STX,B | CM,C2 | 111 | 180.0 | 26.6 | 0 | 33.5 | 578 | 16 |
| Select | 5186SM RIB | STX,B | AC,P5V | 111 | 179.8 | 26.1 | 0 | 34.2 | 579 | 15 |
| Partners Brand | PB 8242VIP3111 | 3111 | CM,C2 | 112 | 178.7 | 26.3 | 0 | 34.9 | 575 | 19 |
| Seed Consultants | SCS 1093AAM-R^ | AM-R,B | MQ,C2 | 110 | 176.7 | 25.9 | 0 | 33.5 | 570 | 20 |
| Seed Consultants | SCS 1125YXR^ | OIX,B | MQ,C2 | 112 | 176.6 | 29.0 | 0 | 34.2 | 556 | 24 |
| Steyer | 10904GENSSRIB | STX,B | CM,C2 | 109 | 175.8 | 26.2 | 0 | 32.9 | 566 | 21 |
| TA Seeds | TA683-13VPRIB | VT3P,B | CM,C2 | 112 | 174.6 | 29.1 | 0 | 34.2 | 550 | 28 |
| LG Seeds | LG5618STXRIB | STX,B | AC,P5V | 112 | 174.2 | 28.8 | 0 | 34.2 | 550 | 29 |
| Golden Harvest | G11U58-3122 | 3122,B | AVC,C5 | 111 | 173.4 | 26.5 | 0 | 33.5 | 557 | 23 |
| Beck | XL 5828AM^ | AM,AQ,B | Es,P1V | 110 | 173.0 | 27.5 | 0 | 30.8 | 551 | 27 |
| Great Lakes | 6068STXRIB | STX,B | AC,P5V | 110 | 172.5 | 28.0 | 1 | 34.2 | 548 | 30 |
| AgriGold | A6517VT3PRIB | VT3P,B | AC,P5V | 113 | 172.2 | 26.0 | 0 | 34.9 | 555 | 25 |
| Golden Harvest | G10S30-3110 | 3110 | AVC,C5 | 110 | 171.5 | 24.0 | 2 | 34.2 | 562 | 22 |
| NK Brand | N67S-3110 | 3110 | AVC,C5 | 110 | 168.8 | 24.3 | 0 | 32.2 | 552 | 26 |
| Pioneer | P0636AM CK | AM,AQ,B | MQ,P1V,R | 106 | 167.3 | 24.6 | 0 | 34.2 | 545 | 31 |

Test Average = **170.7** **26.9** **1** **33.9** **546**

LSD (0.10) = 24.7 2.6 3

LSD (0.25) = 17.2 1.8 2

C.V. = 10.7 7.2

Rich Schleuning

firstnecb@hotmail.com, (815) 985-3577

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = $\frac{\$3.50}{\$3.50}$ Local GMO non-GMO

Test Comments: *Yields were under expectations, especially for being irrigated. The cool conditions this season combined with a later planting date did not help. Foliar, stalk and ear disease was present. Ear rots included diplodia, fusarium and cladosporium. Some anthracnose stalk rot and leaf blight as well as gray leaf spot were also noted. The dust and mold rolled out of the combine like you were cutting soybeans.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

AgSCI Copyright 2014

Report date: 11/10/2014 Revised:

2014 Corn Grain - Indiana North [INNO]



Early-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|------------------|-----------------|----------|----------|-----|---------------|----------------|----------|----------|-----|
| AgriGold | A6351STX | STX | AC,P5V | 105 | Specialty | 34A413 | STX,B | AC,P5V | 104 |
| AgriGold | A6408VT3PRIB | VT3P,B | AC,P5V | 107 | Specialty | 36A794 | STX,B | AC,P5V | 106 |
| AgriGold | A6416STXRIB | STX,B | AC,P5V | 107 | Specialty | 38A573 | STX,B | AC,P5V | 108 |
| Armor | 0700Pro2 | VT2P,B | AC,P5V | 107 | Specialty | 4383GENVT3PRIB | VT3P,B | AC,P5V | 105 |
| Beck | XL 5131AM^ | AM,B | Es,P1V | 105 | Steyer | 10703GENSS RIB | STX,B | CM,C2 | 107 |
| Beck | XL 5475AMX^ | AMX,AQ,B | Es,P1V | 108 | Steyer | 10803GENSS RIB | STX,B | CM,C2 | 108 |
| Dairyland | DS6805 | STX | CM,C2 | 105 | Stine | R9631VT3Pro | VT3P,B | AC,P2 | 109 |
| Dairyland | DS6905 | STX | CM,C2 | 105 | TA Seeds | TA566-00 | None | CM,C2 | 106 |
| Dairyland | DS9307SSX | STX | CM,C2 | 107 | TA Seeds | TA583-22DPRIB | VT2P,B | CM,C2 | 108 |
| Ebberts | 6587VT2P | VT2P | AC,P5 | 107 | | | | | |
| Ebberts | 7109VT3PRIB | VT3P,B | AC,P5 | 109 | | | | | |
| Ebberts | 7909VT3P | VT3P | AC,P5 | 109 | | | | | |
| Ebberts | 9488SSX | STX | AC,P5V | 108 | | | | | |
| Golden Harvest | G03B39-3111 | 3111 | AVC,C5 | 107 | | | | | |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C5 | 107 | | | | | |
| Golden Harvest | G07F23-3111 (2) | 3111 | AVC,C5 | 107 | | | | | |
| Great Lakes | 5566STX | STX | AC,P5V | 105 | | | | | |
| Great Lakes | 5755STXRIB | STX,B | AC,P5V | 107 | | | | | |
| LG Seeds | LG5523STX | STX | AC,P5V | 105 | | | | | |
| LG Seeds | LG5533VT3PRIB | VT3P,B | AC,P5V | 107 | | | | | |
| LG Seeds | LG5541STXRIB | STX,B | AC,P5V | 108 | | | | | |
| M & W Seeds | 44D82 | STX,B | AC,P5V | 105 | | | | | |
| M & W Seeds | 44P09 | VT2P | CM,C2 | 108 | | | | | |
| Mycogen | 2G581 | GT | CM,C2 | 105 | | | | | |
| Mycogen | 2P659 | STX,B | CM,C2 | 108 | | | | | |
| NK Brand | N58S-3111 | 3111 | AVC,C5 | 106 | | | | | |
| NK Brand | N59B-3111A | 3111A | AVC,C5 | 107 | | | | | |
| NK Brand | N60F-3111 | 3111 | AVC,C5 | 107 | | | | | |
| NuTech/G2 Gen | 5F-008AM^ | AM,AQ,B | MQ,P5V | 108 | | | | | |
| NuTech/G2 Gen | 5F-805^ | AM,B | MQ,P5V | 105 | | | | | |
| NuTech/G2 Gen | 5H-806^ | HX,RR2 | CM,C2 | 106 | | | | | |
| NuTech/G2 Gen | 5X-806^ | HXT,RR2 | MQ,P5V | 106 | | | | | |
| Partners Brand | PB 7841VIP3111 | 3111 | CM,C2 | 108 | | | | | |
| Partners Brand | PB 7962VT2P | VT2P | CM,C2 | 109 | | | | | |
| Pioneer | P0636AM CK | AM,AQ,B | MQ,P1V,R | 106 | | | | | |
| Rupp | xrD05-04 | VT2P,B | AC,P2 | 105 | | | | | |
| Rupp | xrJ03-31 | STX,B | AC,P5V | 103 | | | | | |
| Rupp | xrJ07-20 | STX,B | AC,P5V | 107 | | | | | |
| Seed Consultants | SCS 1074AMX-R^ | AMX-R,B | MQ,C2 | 107 | | | | | |
| Seed Consultants | SCS 10HQ34^ | HXT,RR2 | MQ,C2 | 103 | | | | | |
| Seed Consultants | SCS 10HR43^ | HX,RR2 | MQ,P1V | 104 | | | | | |
| Select | 3829VP RIB | VT3P,B | AC,P2 | 103 | | | | | |
| Select | 4134SM RIB | STX,B | AC,P5V | 104 | | | | | |
| Select | 4534SM RIB | STX,B | AC,P5V | 106 | | | | | |
| Select | 4823SM RIB | STX,B | AC,P5V | 108 | | | | | |

2014 Corn Grain - Indiana North [INNO]



Full-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|------------------|----------------|-----------|----------|-----|---------------|----------------|----------|----------|-----|
| AgriGold | A6472VT3PRIB | VT3P,B | AC,P5V | 110 | Select | 5186SM RIB | STX,B | AC,P5V | 111 |
| AgriGold | A6499STXRIB | STX,B | AC,P5V | 112 | Specialty | 41A743 | STX,B | AC,P5V | 111 |
| AgriGold | A6517VT3PRIB | VT3P,B | AC,P5V | 113 | Specialty | 42D843 | VT2P,B | AC,P5V | 112 |
| Armor | 1262Pro2 | VT2P | AC,P5V | 112 | Specialty | 4611GENVT3PRIB | VT3P,B | AC,P5V | 110 |
| Armor | AXC4110SS | STX,B | AC,P5V | 110 | Steyer | 10904GENSSRIB | STX,B | CM,C2 | 109 |
| Beck | XL 5828AM^ | AM,AQ,B | Es,P1V | 110 | Steyer | 11004GENSS RIB | STX,B | CM,C2 | 110 |
| Channel | 209-53STXRIB | STX,B | AC,P5V | 109 | Steyer | 11103GENSS RIB | STX,B | CM,C2 | 111 |
| Channel | 210-95STXRIB | STX,B | AC,P5V | 110 | TA Seeds | TA647-22DPRIB | VT2P,B | CM,C2 | 111 |
| Channel | 211-24STXRIB | STX,B | AC,P5V | 111 | TA Seeds | TA683-13VPRIB | VT3P,B | CM,C2 | 112 |
| Dairyland | DS9111RA | STX,B | CM,C2 | 111 | | | | | |
| Dairyland | DS9311RA | STX,B | CM,C2 | 111 | | | | | |
| Dairyland | DS9610 | 3000GT | CM,C2 | 110 | | | | | |
| Dairyland | DS9809RA | STX,B | CM,C2 | 109 | | | | | |
| Ebberts | 6292VT2P | VT2P | AC,P5 | 112 | | | | | |
| Ebberts | 7222VT3PRIB | VT3P,B | AC,P5 | 112 | | | | | |
| Ebberts | 7510VT3PRIB | VT3P,B | AC,P5 | 110 | | | | | |
| Ebberts | 9451SSX | STX | AC,P5V | 111 | | | | | |
| Golden Harvest | G10S30-3110 | 3110 | AVC,C5 | 110 | | | | | |
| Golden Harvest | G11U58-3122 | 3122,B | AVC,C5 | 111 | | | | | |
| Golden Harvest | G12J11-3011A | 3011A | AVC,C5 | 112 | | | | | |
| Great Lakes | 6068STXRIB | STX,B | AC,P5V | 110 | | | | | |
| Great Lakes | 6261STX | STX | AC,P5V | 112 | | | | | |
| LG Seeds | LG5603STX | STX | AC,P5V | 110 | | | | | |
| LG Seeds | LG5618STXRIB | STX,B | AC,P5V | 112 | | | | | |
| Mycogen | 2A698 | STX,B | CM,C2 | 112 | | | | | |
| Mycogen | 2G685 | 3000GT | CM,C2 | 109 | | | | | |
| Mycogen | 2V709 | STX,B | CM,C2 | 110 | | | | | |
| Mycogen | 2V717 | STX,B | CM,C2 | 111 | | | | | |
| NK Brand | N63R-3000GT | 3000GT | AVC,C5 | 109 | | | | | |
| NK Brand | N67S-3110 | 3110 | AVC,C5 | 110 | | | | | |
| NK Brand | N70J-3011A | 3011A | AVC,C5 | 112 | | | | | |
| NuTech/G2 Gen | 5F-709^ | AM,AQ,B | MQ,P5V | 109 | | | | | |
| NuTech/G2 Gen | 5F-811AM^ | AM,B | MQ,P5V | 111 | | | | | |
| NuTech/G2 Gen | 5Z-111^ | OI | MQ,P5V | 111 | | | | | |
| NuTech/G2 Gen | X5Z-0906^ | OI | MQ,P1V,R | 109 | | | | | |
| Partners Brand | PB 8242VIP3111 | 3111 | CM,C2 | 112 | | | | | |
| Pioneer | P0636AM CK | AM,AQ,B | MQ,P1V,R | 106 | | | | | |
| Rupp | xrD11-13 | VT2P,B | AC,P2 | 111 | | | | | |
| Rupp | xrJ10-91 | STX,B | AC,P5V | 110 | | | | | |
| Seed Consultants | SC 11AQ15 | 3000GT | MQ,C5 | 112 | | | | | |
| Seed Consultants | SCS 1093AAM-R^ | AM-R,B | MQ,C2 | 110 | | | | | |
| Seed Consultants | SCS 1094AM-R^ | AM-R,AQ,B | MQ,C2 | 109 | | | | | |
| Seed Consultants | SCS 1125YXR^ | OIX,B | MQ,C2 | 112 | | | | | |
| Select | 4984SM RIB | STX,B | AC,P5V | 110 | | | | | |
| Select | 4995SM RIB | STX,B | AC,P5V | 110 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|---|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. HPT® brand seed is distributed by Hoegemeyer Hybrids, Inc. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaXX® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaXX® and XL® are registered trademarks of DuPont Pioneer. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|----------|---|----------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | DG | Genuity® DroughtGard® |
| 3011A | Agrisure® Artesian® (CB,RW,LL,GT) | GT | Agrisure® GT |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | GT/CB/LL | Agrisure® GT/CB/LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 5122 | Agrisure® Duracade® 5122 (CB,HX,RW,RW2,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 5222 | Agrisure® Duracade® 5122 (Vip,CB,HX,RW,RW2,LL,GT) | HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| A | Agrisure® Artesian® | LL | LibertyLink® |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | None | conventional corn |
| AM-R | Optimum® AcreMax® (YGCB,HX,RR2) | OI | Optimum® Intrasect® (YGCB,HX,LL,RR2) |
| AM1 | Optimum® AcreMax®1 (HXT,LL,RR2) | OIX | Optimum® Intrasect® Xtra (YGCB,HXT,LL,RR2) |
| AMRW | Optimum® AcreMax® Rootworm (HXRW,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMRW-R | Optimum® AcreMax® Rootworm (HXRW,RR2) | OL | Optimum® Leptra® (Vip,YGCB,HX,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | OT | Optimum® TRIssect® (HX,RW,LL,RR2) |
| AMX-R | Optimum® AcreMax® Xtra (YGCB,HXT,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,LL,RR2) | STX | SmartStax® (VT3P,HXX) |
| AQ | Optimum® AQUAmax® | VT2P | Genuity® VT Double PRO® |
| B | Blended seed (i.e. refuge blend) | VT3 | YieldGard VT Triple® |
| CB/LL | Agrisure® CB/LL | VT3P | Genuity® VT Triple PRO® |
| CB/LL/RW | Agrisure® CB/LL/RW | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| A | Allegiance® | L | Lorsban® |
| AC | Accelaron® fungicide products | M | Maxim XL® |
| At | Actellic® | MQ | Maxim Quattro® |
| AVC | Avicta® Complete Corn | None | untreated |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CE | Cruiser Extreme® | R | Raxil® (tebuconazole) |
| CM | CruiserMaxx® Corn | St | Stamina® (pyraclostrobin) |
| D | Dynasty® (azoxystrobin) | V | Votivo® |
| Es | Escalate® | Z | zinc |

** Seed treatments may include unspecified plant health promoting components.