

2014 Corn Grain Top 30 Harvest Report

Missouri Northeast [MONE] PALMYRA
Shawn Kiefaber, Marion County, MO 63461



Test by: F.I.R.S.T. NCB, Inc., Lanark, IL

PREV. CROP/HERB: Soybean / Roundup, Salvo, Roundup
SOIL DESCRIPTION: Smileyville silt loam, mod. well drained, conventional w/o fall till, non-irrigated
SOIL CONDITION: Mod. High P, mod. high K, 6.6 pH, 2.5% OM
PEST MANAGEMENT: Lexar, Tombstone, Force
FERTILITY - Applied N: 200 Fall
Applied N-P-K (units): 200-105-184
SEEDED - RATE - ROW: Apr 22 32,400 /A 30" spacing
HARVESTED - STAND: Oct 9 30,300 /A

Early-Season Test
107 - 112 Day CRM
B2014MONE24a

Top 30 of 36
For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Renk | RK860VT3P | VT3P,B | AC,P2 | 111 | 258.0 | 18.0 | 1 | 28.8 | 931 | 1 |
| FS InVISION | FS 62SX1 RIB | STX,B | AC,P5V | 112 | 247.2 | 18.4 | 1 | 30.7 | 889 | 2 |
| Channel | 212-86STXRIB | STX,B | AC,P5V | 112 | 244.2 | 18.7 | 2 | 28.8 | 876 | 3 |
| Beck | XL 5828AM^ | AM,AQ,B | Es,P1V | 110 | 243.3 | 18.6 | 1 | 32.6 | 874 | 4 |
| Channel | 209-53STXRIB | STX,B | AC,P5V | 109 | 240.7 | 18.6 | 1 | 30.7 | 865 | 6 |
| AgriGold | A6472VT3PRIB | VT3P,B | AC,P5V | 110 | 240.6 | 18.3 | 1 | 31.6 | 866 | 5 |
| Renk | RK834SSTX | STX | AC,P2 | 111 | 240.5 | 18.6 | 1 | 33.5 | 864 | 7 |
| LG Seeds | LG5618STXRIB | STX,B | AC,P5V | 112 | 238.6 | 20.4 | 1 | 30.7 | 844 | 12 |
| AgriGold | A6499STXRIB | STX,B | AC,P5V | 112 | 238.3 | 18.6 | 1 | 31.6 | 856 | 8 |
| LG Seeds | LG5607VT2PRIB | VT2P,B | AC,P5V | 111 | 236.2 | 18.1 | 1 | 30.7 | 852 | 9 |
| AgriGold | A6458VT3PRIB | VT3P,B | AC,P5V | 110 | 234.0 | 17.3 | 1 | 31.6 | 850 | 10 |
| FS InVISION | FS 57QX1 RIB | STX,B | AC,P5V | 107 | 233.7 | 17.3 | 1 | 33.5 | 849 | 11 |
| Prairie Brand | 6305RA | STX,B | CM,C2 | 113 | 233.7 | 18.3 | 1 | 27.9 | 842 | 13 |
| Prairie Brand | 1121RA | STX,B | CM,C2 | 112 | 232.5 | 17.6 | 1 | 29.8 | 842 | 14 |
| Pfister | 2574RA | STX,B | CM,C2 | 110 | 230.9 | 17.7 | 2 | 28.8 | 836 | 15 |
| Augusta | A4658GT3110 | 3110 | CM,C5 | 108 | 229.1 | 16.8 | 1 | 28.8 | 835 | 16 |
| Augusta | A5658GT3000 | 3000GT | CM,C2 | 108 | 226.9 | 17.8 | 1 | 31.6 | 820 | 18 |
| AgriGold | A6408VT3PRIB | VT3P,B | AC,P5V | 107 | 226.5 | 16.2 | 1 | 32.6 | 830 | 17 |
| Pfister | 2565VT3Pro | VT3P | AC,P5 | 108 | 226.2 | 17.5 | 1 | 29.8 | 820 | 19 |
| Beck | XL 6175AM^ | AM,B | Es,P1V | 112 | 225.4 | 20.1 | 1 | 31.6 | 799 | 22 |
| Prairie Brand | 5985SX | STX | CM,C2 | 111 | 224.6 | 17.5 | 1 | 29.8 | 814 | 20 |
| NuTech/G2 Gen | X5Z-1209^ | OI | MQ,P1V,R | 112 | 224.1 | 17.5 | 1 | 31.6 | 812 | 21 |
| Pfister | 3366RA | STX,B | CM,C2 | 115 | 223.3 | 19.0 | 1 | 30.7 | 799 | 23 |
| FS InVISION | FS 60ZX1 RIB | STX,B | AC,P5V | 110 | 221.9 | 18.5 | 1 | 29.8 | 798 | 24 |
| FS InVISION | FS 61JX1 RIB | STX,B | AC,P5V | 111 | 221.7 | 18.7 | 1 | 32.5 | 796 | 25 |
| Lewis | R1409VT2P | VT2P,B | AC,P5V | 109 | 219.4 | 19.0 | 1 | 26.0 | 785 | 28 |
| NuTech/G2 Gen | 5F-709^ | AM,AQ,B | MQ,P5V | 109 | 219.2 | 18.8 | 1 | 27.9 | 786 | 27 |
| NuTech/G2 Gen | 5Z-111^ | OI | MQ,P5V | 111 | 218.9 | 18.4 | 1 | 29.8 | 788 | 26 |
| Lewis | R1407VT2P | VT2P,B | AC,P5V | 107 | 210.8 | 18.3 | 1 | 32.6 | 759 | 30 |
| Renk | RK776SSTX | STX,B | AC,P2 | 107 | 209.3 | 17.6 | 1 | 28.8 | 758 | 31 |
| Pioneer | P1221AMXT CK | AMXT,B | MQ,P1V | 112 | 215.5 | 18.1 | 1 | 30.7 | 777 | 29 |

Jason Beyers

beyers@frontiernet.net, (815) 985-7369

Test Average = **227.0** 18.2 1 30.3 818

LSD (0.10) = 16.7 1.0 ns

LSD (0.25) = 11.6 0.7 ns

C.V. = 5.4 4.1

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.030 Price = $\frac{\$3.70}{\$3.70}$ Local GMO non-GMO

Test Comments: This was an exceptional yielding test site for the soil types present. Rainfall was great for most of the season. There was heavy rainfall shortly after planting that hindered emergence of some plants, but another rainfall almost a week later helped the remaining seedlings emerge. Corn was all standing really well, and most hybrids still had strong ear shanks, but stalk quality was starting to deteriorate.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

AgSCI Copyright 2014

Report date: 10/11/2014 Revised:

2014 Corn Grain Top 30 Harvest Report

Missouri Northeast [MONE] PALMYRA
Shawn Kiefaber, Marion County, MO 63461



PREV. CROP/HERB: Soybean / Roundup, Salvo, Roundup
SOIL DESCRIPTION: Smileyville silt loam, mod. well drained, conventional w/o fall till, non-irrigated
SOIL CONDITION: Mod. High P, mod. high K, 6.6 pH, 2.5% OM
PEST MANAGEMENT: Lexar, Tombstone, Force
FERTILITY - Applied N: 200 Fall
Applied N-P-K (units): 200-105-184
SEEDED - RATE - ROW: Apr 22 32,400 /A 30" spacing
HARVESTED - STAND: Oct 9 31,200 /A

Full-Season Test
113 - 116 Day CRM
B2014MONE24b

Top 30 of 45
For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Seed Treatment† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|-----------------|-----------|-----------------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| NuTech/G2 Gen | 5Z-713^ | OI | MQ,P1V,R | 113 | 263.8 | 19.8 | 1 | 33.5 | 938 | 1 |
| Pfister | 3488HR | HX,RR2 | CM,C2 | 115 | 251.2 | 22.6 | 1 | 30.7 | 872 | 3 |
| Lewis | R1414VT2P | VT2P,B | AC,P5V | 114 | 247.7 | 18.0 | 1 | 33.5 | 894 | 2 |
| FS InVISION | FS 63SX1 RIB | STX,B | AC,P5V | 113 | 245.9 | 20.4 | 1 | 34.4 | 870 | 4 |
| Renk | RK941SSTX | STX,B | AC,P2 | 114 | 244.4 | 19.8 | 1 | 32.5 | 869 | 5 |
| Wyffels | W7888RIB | STX,B | AC,P5V | 114 | 243.4 | 20.1 | 1 | 28.8 | 863 | 8 |
| Wyffels | W7736RIB | VT2P,B | AC,P5V | 113 | 241.7 | 19.0 | 1 | 32.5 | 865 | 6 |
| Golden Harvest | G16K01-3111 | 3111 | AVC,C5 | 116 | 241.2 | 20.9 | 1 | 28.8 | 850 | 12 |
| LG Seeds | LG2636VT3PRIB | VT3P,B | AC,P5V | 114 | 240.2 | 18.3 | 1 | 31.6 | 865 | 7 |
| Pioneer | P1339AMX | AMX,B | MQ,P1V | 113 | 238.8 | 19.5 | 2 | 27.9 | 851 | 11 |
| Channel | 215-83STXRIB | STX,B | AC,P5V | 115 | 238.7 | 18.7 | 1 | 30.7 | 857 | 9 |
| FS InVISION | FS 65SV4 RIB | VT3P,B | AC,P2 | 115 | 237.4 | 19.3 | 1 | 34.4 | 848 | 13 |
| Channel | 217-08VT3PRIB | VT3P,B | AC,P5V | 117 | 236.3 | 21.2 | 1 | 31.6 | 830 | 18 |
| Beck | 6347 | GT | Es,P1V | 113 | 235.8 | 19.5 | 1 | 27.9 | 841 | 15 |
| AgriGold | A6533VT3PRIB | VT3P,B | AC,P5V | 113 | 235.6 | 17.8 | 1 | 31.6 | 852 | 10 |
| NK Brand | N74R-3000GT | 3000GT | AVC,C5 | 114 | 235.0 | 21.0 | 1 | 32.5 | 827 | 21 |
| LG Seeds | LG5622STX | STX | AC,P5V | 113 | 234.5 | 18.1 | 1 | 32.5 | 846 | 14 |
| Beck | XL 6626AM^ | AM,B | Es,P1V | 114 | 233.9 | 19.0 | 2 | 32.5 | 837 | 16 |
| NuTech/G2 Gen | 3F-814^ | AM-R,AQ,B | MQ,P5V | 114 | 233.1 | 19.7 | 5 | 32.5 | 830 | 19 |
| NuTech/G2 Gen | 3F-515AM^ | AM-R,B | MQ,P5V | 115 | 232.8 | 20.1 | 1 | 28.8 | 826 | 22 |
| AgriGold | A6559STXRIB | STX,B | AC,P5V | 113 | 231.8 | 18.1 | 1 | 30.7 | 836 | 17 |
| Prairie Brand | R7452RRHX | HX,RR2 | CM,C2 | 116 | 230.9 | 22.2 | 1 | 27.9 | 804 | 28 |
| Augusta | A5565VT2Pro | VT2P | CM,C1 | 115 | 229.9 | 20.0 | 1 | 34.4 | 816 | 25 |
| LG Seeds | LG2602VT3PRIB | VT3P,B | AC,P5V | 112 | 229.8 | 18.1 | 1 | 35.3 | 829 | 20 |
| NuTech/G2 Gen | 5H-216^ | HX,RR2 | MQ,P5V | 116 | 229.7 | 20.7 | 1 | 30.7 | 811 | 27 |
| LG Seeds | LG5630VT3PRIB | VT3P,B | AC,P5V | 114 | 226.5 | 18.2 | 1 | 31.6 | 816 | 26 |
| Renk | RK935SSTX | STX | AC,P2 | 115 | 226.3 | 18.0 | 1 | 32.5 | 817 | 23 |
| Beck | Phoenix 6542A4^ | 3111 | Es,P1V | 115 | 226.0 | 20.1 | 4 | 32.5 | 802 | 29 |
| FS InVISION | FS 64MX1 RIB | STX,B | AC,P5V | 114 | 222.5 | 18.4 | 1 | 32.5 | 801 | 30 |
| Stine | R9739VT3Pro | VT3P,B | AC,P2 | 114 | 222.1 | 18.5 | 1 | 26.9 | 798 | 31 |
| Pioneer | P1221AMXT CK | AMXT,B | MQ,P1V | 112 | 226.0 | 17.9 | 1 | 34.4 | 817 | 24 |

Jason Beyers
beyers@frontiernet.net, (815) 985-7369

Test Average = **229.7** **19.5** **1** **31.2** **819**
LSD (0.10) = 18.3 1.0 2
LSD (0.25) = 12.8 0.7 1
C.V. = 5.9 3.7

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.030 Price = $\frac{\$3.70}{\$3.70}$ Local GMO / non-GMO

Test Comments: *This was an exceptional yielding test site for the soil types present. Rainfall was great for most of the season. There was heavy rainfall shortly after planting that hindered emergence of some plants, but another rainfall almost a week later helped the remaining seedlings emerge. Corn was all standing really well, and most hybrids still had strong ear shanks, but stalk quality was starting to deteriorate.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com
Report date: 10/11/2014 Revised:

AgSCI Copyright 2014

2014 Corn Grain - Missouri Northeast [MONE]



Early-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|---------------|-----------------|----------|----------|-----|---------------|---------------|----------|----------|----|
| AgriGold | A6408VT3PRIB | VT3P,B | AC,P5V | 107 | | | | | |
| AgriGold | A6458VT3PRIB | VT3P,B | AC,P5V | 110 | | | | | |
| AgriGold | A6472VT3PRIB | VT3P,B | AC,P5V | 110 | | | | | |
| AgriGold | A6499STXRIB | STX,B | AC,P5V | 112 | | | | | |
| Augusta | A4658GT3110 | 3110 | CM,C5 | 108 | | | | | |
| Augusta | A5658GT3000 | 3000GT | CM,C2 | 108 | | | | | |
| Beck | Phoenix 5832A3^ | 3011A | Es,P1V | 112 | | | | | |
| Beck | XL 5828AM^ | AM,AQ,B | Es,P1V | 110 | | | | | |
| Beck | XL 6175AM^ | AM,B | Es,P1V | 112 | | | | | |
| Channel | 209-53STXRIB | STX,B | AC,P5V | 109 | | | | | |
| Channel | 212-86STXRIB | STX,B | AC,P5V | 112 | | | | | |
| FS InVISION | FS 57QX1 RIB | STX,B | AC,P5V | 107 | | | | | |
| FS InVISION | FS 60ZX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 61JX1 RIB | STX,B | AC,P5V | 111 | | | | | |
| FS InVISION | FS 62SX1 RIB | STX,B | AC,P5V | 112 | | | | | |
| Lewis | R1407VT2P | VT2P,B | AC,P5V | 107 | | | | | |
| Lewis | R1409VT2P | VT2P,B | AC,P5V | 109 | | | | | |
| LG Seeds | LG5607VT2PRIB | VT2P,B | AC,P5V | 111 | | | | | |
| LG Seeds | LG5618STXRIB | STX,B | AC,P5V | 112 | | | | | |
| NuTech/G2 Gen | 5F-709^ | AM,AQ,B | MQ,P5V | 109 | | | | | |
| NuTech/G2 Gen | 5F-811AM^ | AM,B | MQ,P5V | 111 | | | | | |
| NuTech/G2 Gen | 5Z-111^ | OI | MQ,P5V | 111 | | | | | |
| NuTech/G2 Gen | X5Z-1209^ | OI | MQ,P1V,R | 112 | | | | | |
| Pfister | 2565VT3Pro | VT3P | AC,P5 | 108 | | | | | |
| Pfister | 2574RA | STX,B | CM,C2 | 110 | | | | | |
| Pfister | 2595RA | STX,B | CM,C2 | 111 | | | | | |
| Pfister | 3366RA | STX,B | CM,C2 | 115 | | | | | |
| Pioneer | P1221AMXT CK | AMXT,B | MQ,P1V | 112 | | | | | |
| Prairie Brand | 1121RA | STX,B | CM,C2 | 112 | | | | | |
| Prairie Brand | 5985SX | STX | CM,C2 | 111 | | | | | |
| Prairie Brand | 6305RA | STX,B | CM,C2 | 113 | | | | | |
| Renk | RK776SSTX | STX,B | AC,P2 | 107 | | | | | |
| Renk | RK791SSTX | STX,B | AC,P2 | 108 | | | | | |
| Renk | RK834SSTX | STX | AC,P2 | 111 | | | | | |
| Renk | RK860VT3P | VT3P,B | AC,P2 | 111 | | | | | |
| Stine | R9631VT3Pro | VT3P,B | AC,P2 | 109 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

2014 Corn Grain - Missouri Northeast [MONE]



Full-Season Test Products (45 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|----------------|-----------------|-----------|----------|-----|---------------|---------------|----------|----------|----|
| AgriGold | A6533VT3PRIB | VT3P,B | AC,P5V | 113 | | | | | |
| AgriGold | A6553VT3PRIB | VT3P,B | AC,P5V | 114 | | | | | |
| AgriGold | A6559STXRIB | STX,B | AC,P5V | 113 | | | | | |
| Augusta | A4564GENSS | STX | AC,P5V | 114 | | | | | |
| Augusta | A5565VT2Pro | VT2P | CM,C1 | 115 | | | | | |
| Beck | 6347 | GT | Es,P1V | 113 | | | | | |
| Beck | Phoenix 6542A4^ | 3111 | Es,P1V | 115 | | | | | |
| Beck | XL 6626AM^ | AM,B | Es,P1V | 114 | | | | | |
| Channel | 215-83STXRIB | STX,B | AC,P5V | 115 | | | | | |
| Channel | 217-08VT3PRIB | VT3P,B | AC,P5V | 117 | | | | | |
| FS InVISION | FS 63SX1 RIB | STX,B | AC,P5V | 113 | | | | | |
| FS InVISION | FS 64MX1 RIB | STX,B | AC,P5V | 114 | | | | | |
| FS InVISION | FS 65SV4 RIB | VT3P,B | AC,P2 | 115 | | | | | |
| FS InVISION | FS 66JV4 RIB | VT3P,B | AC,P2 | 116 | | | | | |
| Golden Harvest | G16K01-3111 | 3111 | AVC,C5 | 116 | | | | | |
| Lewis | R1414VT2P | VT2P,B | AC,P5V | 114 | | | | | |
| Lewis | R1415VT2P | VT2P,B | AC,P5V | 115 | | | | | |
| LG Seeds | LG2602VT3PRIB | VT3P,B | AC,P5V | 112 | | | | | |
| LG Seeds | LG2636VT3PRIB | VT3P,B | AC,P5V | 114 | | | | | |
| LG Seeds | LG5622STX | STX | AC,P5V | 113 | | | | | |
| LG Seeds | LG5630VT3PRIB | VT3P,B | AC,P5V | 114 | | | | | |
| NK Brand | N74R-3000GT | 3000GT | AVC,C5 | 114 | | | | | |
| NuTech/G2 Gen | 3F-515AM^ | AM-R,B | MQ,P5V | 115 | | | | | |
| NuTech/G2 Gen | 3F-814^ | AM-R,AQ,B | MQ,P5V | 114 | | | | | |
| NuTech/G2 Gen | 5H-216^ | HX,RR2 | MQ,P5V | 116 | | | | | |
| NuTech/G2 Gen | 5Z-713^ | OI | MQ,P1V,R | 113 | | | | | |
| Pfister | 2770RA | STX,B | CM,C2 | 113 | | | | | |
| Pfister | 2874RR | RR2 | CM,C2 | 113 | | | | | |
| Pfister | 3488HR | HX,RR2 | CM,C2 | 115 | | | | | |
| Pfister | 3497SS | STX | CM,C1 | 116 | | | | | |
| Pioneer | P1221AMXT CK | AMXT,B | MQ,P1V | 112 | | | | | |
| Pioneer | P1339AMX | AMX,B | MQ,P1V | 113 | | | | | |
| Prairie Brand | 1123RA | STX,B | CM,C2 | 113 | | | | | |
| Prairie Brand | R7443RRHX | HX,RR2 | CM,C2 | 116 | | | | | |
| Prairie Brand | R7452RRHX | HX,RR2 | CM,C2 | 116 | | | | | |
| Renk | RK890SSTX | STX,B | AC,P2 | 113 | | | | | |
| Renk | RK898SSTX | STX | AC,P2 | 113 | | | | | |
| Renk | RK935SSTX | STX | AC,P2 | 115 | | | | | |
| Renk | RK941SSTX | STX,B | AC,P2 | 114 | | | | | |
| Stine | R9739VT3Pro | VT3P,B | AC,P2 | 114 | | | | | |
| Stine | R9741EVT3Pro | VT3P,B | AC,P2 | 112 | | | | | |
| Wyffels | W7736RIB | VT2P,B | AC,P5V | 113 | | | | | |
| Wyffels | W7806RIB | VT2P,B | AC,P5V | 113 | | | | | |
| Wyffels | W7888RIB | STX,B | AC,P5V | 114 | | | | | |
| Wyffels | W8377 | VT3P | AC,P5V | 115 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|---|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. HPT® brand seed is distributed by Hoegemeyer Hybrids, Inc. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaXX® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaXX® and XL® are registered trademarks of DuPont Pioneer. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|----------|---|----------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | DG | Genuity® DroughtGard® |
| 3011A | Agrisure® Artesian® (CB,RW,LL,GT) | GT | Agrisure® GT |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | GT/CB/LL | Agrisure® GT/CB/LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 5122 | Agrisure® Duracade® 5122 (CB,HX,RW,RW2,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 5222 | Agrisure® Duracade® 5122 (Vip,CB,HX,RW,RW2,LL,GT) | HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| A | Agrisure® Artesian® | LL | LibertyLink® |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | None | conventional corn |
| AM-R | Optimum® AcreMax® (YGCB,HX,RR2) | OI | Optimum® Intrasect® (YGCB,HX,LL,RR2) |
| AM1 | Optimum® AcreMax®1 (HXT,LL,RR2) | OIX | Optimum® Intrasect® Xtra (YGCB,HXT,LL,RR2) |
| AMRW | Optimum® AcreMax® Rootworm (HXRW,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMRW-R | Optimum® AcreMax® Rootworm (HXRW,RR2) | OL | Optimum® Leptra® (Vip,YGCB,HX,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | OT | Optimum® TRIsect® (HX,RW,LL,RR2) |
| AMX-R | Optimum® AcreMax® Xtra (YGCB,HXT,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,LL,RR2) | STX | SmartStax® (VT3P,HXX) |
| AQ | Optimum® AQUAmax® | VT2P | Genuity® VT Double PRO® |
| B | Blended seed (i.e. refuge blend) | VT3 | YieldGard VT Triple® |
| CB/LL | Agrisure® CB/LL | VT3P | Genuity® VT Triple PRO® |
| CB/LL/RW | Agrisure® CB/LL/RW | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| A | Allegiance® | L | Lorsban® |
| AC | Accelaron® fungicide products | M | Maxim XL® |
| At | Actellic® | MQ | Maxim Quattro® |
| AVC | Avicta® Complete Corn | None | untreated |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CE | Cruiser Extreme® | R | Raxil® (tebuconazole) |
| CM | CruiserMaxx® Corn | St | Stamina® (pyraclostrobin) |
| D | Dynasty® (azoxystrobin) | V | Votivo® |
| Es | Escalate® | Z | zinc |

** Seed treatments may include unspecified plant health promoting components.