

2015 Corn Grain Top 30 Harvest Report

Indiana North [INNO] WOODBURN
Rex Coomer, Allen County, IN 46797



Test by: F.I.R.S.T. NECB, Inc., Chadwick, IL

PREV. CROP/HERB: Wheat
SOIL DESCRIPTION: Hoytville silty clay, well drained, conventional w/ fall till, non-irrigated
SOIL CONDITION: High P, high K, 6.5 pH, 2.4% OM
PEST MANAGEMENT: Keystone, Force
FERTILITY - Applied N: 33 Spring, 185 Planter
Applied N-P-K (units): 218-vrt-vrt
SEEDING - RATE - ROW: May 20 37,000 /A 30" spacing
HARVESTED - STAND: Nov 2 33,300 /A

Early-Season Test
103 - 108 Day CRM
B2015INNO01a

Top 30 of 54

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|--------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Specialty | 37V593 | VT3P,B | 107 | 217.9 | 15.3 | 1 | 31.3 | 870 | 1 |
| Golden Harvest | G07F23-3111 | 3111 | 107 | 213.7 | 15.8 | 1 | 35.3 | 851 | 2 |
| Rupp | xrD07-19 | VT2P,B | 107 | 210.9 | 15.5 | 1 | 34.7 | 841 | 3 |
| M & W Seeds | 44D81 | VT2P,B | 108 | 208.3 | 15.2 | 2 | 34.0 | 832 | 4 |
| Wyckoff | 2405GENSS | STX | 106 | 206.9 | 16.0 | 2 | 33.3 | 822 | 5 |
| LG Seeds | LG5565STXRIB | STX,B | 108 | 206.7 | 17.4 | 1 | 34.7 | 814 | 7 |
| Ebberts | 2918QUAD | 3000GT | 108 | 204.5 | 15.6 | 1 | 34.0 | 815 | 6 |
| Specialty | 38A573 | STX,B | 108 | 202.6 | 15.7 | 2 | 32.7 | 807 | 8 |
| LG Seeds | LG5507STX | STX | 103 | 201.5 | 16.0 | 2 | 34.0 | 801 | 10 |
| Wyckoff | 2630GENSS | STX,B | 108 | 201.4 | 17.5 | 1 | 33.3 | 793 | 14 |
| Rupp | xrD03-71 | VT2P,DG,B | 103 | 201.3 | 14.2 | 1 | 33.3 | 805 | 9 |
| Dairyland | DS9508RA | STX,B | 108 | 201.3 | 16.3 | 2 | 33.3 | 799 | 12 |
| NK Brand | N58S-3111 | 3111 | 106 | 200.7 | 15.4 | 1 | 32.7 | 801 | 11 |
| Specialty | 35A655 | STX,B | 104 | 200.1 | 15.5 | 2 | 32.7 | 798 | 13 |
| LG Seeds | LG5523STXRIB | STX,B | 105 | 196.8 | 16.5 | 1 | 34.7 | 780 | 17 |
| Beck | XL 5665^ GC | OIX | 106 | 196.2 | 14.7 | 1 | 33.3 | 785 | 15 |
| Dekalb | DKC52-84RIB GC | STX,B | 102 | 195.4 | 14.1 | 1 | 32.0 | 782 | 16 |
| NuTech/G2 Gen | 5Z-504^ | OI | 104 | 194.8 | 15.6 | 1 | 32.0 | 776 | 18 |
| NuTech | 5N-607 | 3000GT | 107 | 194.1 | 17.2 | 1 | 30.0 | 766 | 21 |
| Dyna-Gro | D48SS38 | STX | 108 | 193.3 | 15.8 | 1 | 32.7 | 769 | 19 |
| Partners Brand | PB 7859GT/CB/LL GC | GT/CB/LL | 108 | 193.3 | 16.6 | 1 | 32.7 | 765 | 23 |
| Renk | RK776SSTX | STX,B | 107 | 192.7 | 15.6 | 2 | 34.0 | 768 | 20 |
| Renk | RK791SSTX | STX,B | 108 | 192.4 | 16.4 | 2 | 34.0 | 763 | 25 |
| Dekalb | DKC54-38RIB GC | STX,B | 104 | 192.3 | 15.6 | 1 | 34.0 | 766 | 22 |
| Axis | 54I95RIB | VT3P,B | 104 | 191.2 | 15.1 | 1 | 34.7 | 764 | 24 |
| Ebberts | 6587VT2PRIB | VT2P,B | 107 | 189.4 | 15.7 | 2 | 34.0 | 754 | 26 |
| Wyckoff | 2580GENSSRIB | STX,B | 108 | 187.3 | 16.1 | 1 | 33.3 | 744 | 27 |
| TA Seeds | TA583-28RIB | STX,B | 108 | 186.7 | 16.0 | 1 | 33.3 | 742 | 28 |
| Dairyland | DS9307RA | STX,B | 107 | 186.0 | 15.9 | 1 | 34.0 | 740 | 29 |
| Axis | 56N68RIB | STX,B | 106 | 185.1 | 15.2 | 1 | 33.3 | 739 | 30 |
| Partners Brand | PB 7513GT/CB/LL CK | GT/CB/LL | 105 | 174.5 | 14.3 | 1 | 33.3 | 698 | 42 |
| Averages = | | | | 185.5 | 15.7 | 1 | 33.3 | 738 | |
| LSD (0.10) = | | | | 32.1 | 0.8 | ns | | | |
| LSD (0.25) = | | | | 22.4 | 0.6 | ns | | | |
| C.V. = | | | | 12.8 | 3.7 | | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$4.00; non-GMO = \$4.00

Test Comments: Based on early July pictures from a drone, you would not anticipate yields this good. A few of the strips were affected by water. The crop height overall was shorter than normal but yield were not impacted. Stands were good. Good grain color for the amount of water. Root structure was the best I have seen in this region which helped as it turned dry late season.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

AgSCI Copyright 2015

Report Date: 11/04/2015 Revised:

2015 Corn Grain Top 30 Harvest Report

Indiana North [INNO] WOODBURN
Rex Coomer, Allen County, IN 46797



PREV. CROP/HERB: Wheat
SOIL DESCRIPTION: Hoytville silty clay, well drained, conventional w/ fall till, non-irrigated
SOIL CONDITION: High P, high K, 6.5 pH, 2.4% OM
PEST MANAGEMENT: Keystone, Force
FERTILITY - Applied N: 33 Spring, 185 Planter
Applied N-P-K (units): 218-vrt-vrt
SEDED - RATE - ROW: May 20 37,000 /A 30" spacing
HARVESTED - STAND: Nov 2 33,300 /A

Full-Season Test
109 - 112 Day CRM
B2015INNO01b

Top 30 of 54

For Gross Income (Sorted by Yield)

Average of (2) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|--------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Dekalb | DKC61-54RIB GC | STX,B | 111 | 240.8 | 17.3 | 1 | 35.0 | 949 | 1 |
| Seed Consultants | SC 10AQ96 | 3111 | 109 | 236.3 | 15.6 | 1 | 33.0 | 942 | 2 |
| Pioneer | P1197AMXT GC | AMXT,B | 111 | 235.2 | 17.2 | 1 | 32.0 | 928 | 3 |
| Wyckoff | 2675VT2P | VT2P | 110 | 227.5 | 19.5 | 1 | 29.0 | 884 | 5 |
| Dairyland | DS9409RA | STX,B | 109 | 226.0 | 16.4 | 1 | 35.0 | 896 | 4 |
| Specialty | 42D843 | VT2P,B | 112 | 222.1 | 18.4 | 1 | 30.0 | 870 | 6 |
| Ebberts | 7510VT3PRIB | VT3P,B | 110 | 213.6 | 15.8 | 1 | 33.0 | 850 | 7 |
| Specialty | 86R70GENSS | STX,B | 112 | 212.2 | 16.8 | 1 | 33.0 | 839 | 8 |
| Great Heart | HT-7004 3000GT | 3000GT | 110 | 210.2 | 17.6 | 1 | 34.0 | 827 | 9 |
| Beck | XL 6165^ GC | OIX | 111 | 207.9 | 18.0 | 1 | 35.0 | 816 | 10 |
| NuTech/G2 Gen | 5F-811AM^ | AM,B | 111 | 206.1 | 19.5 | 1 | 33.0 | 806 | 12 |
| Golden Harvest | G10S30-3110 | 3110 | 110 | 204.7 | 17.3 | 1 | 30.0 | 807 | 11 |
| Specialty | 41A743 | STX,B | 111 | 203.9 | 17.9 | 1 | 32.0 | 801 | 13 |
| Partners Brand | PB 8232VIP3110 GC | 3110 | 112 | 202.3 | 17.2 | 1 | 34.0 | 798 | 14 |
| Channel | 211-35STXRIB | STX,B | 111 | 201.7 | 17.9 | 1 | 34.0 | 792 | 15 |
| Ebberts | 9619SSXRIB | STX,B | 109 | 201.4 | 17.7 | 1 | 34.0 | 792 | 16 |
| Great Lakes | 6185STXRIB | STX,B | 111 | 200.7 | 19.3 | 1 | 34.0 | 781 | 20 |
| Great Heart | HT-6912SS | STX | 109 | 200.6 | 17.8 | 1 | 33.0 | 788 | 17 |
| Dyna-Gro | D52SS91 | STX | 112 | 200.1 | 20.6 | 1 | 34.0 | 772 | 24 |
| LG Seeds | LG5548STXRIB | STX,B | 109 | 199.7 | 17.6 | 1 | 36.0 | 786 | 19 |
| Dairyland | DS9412RA | STX,B | 112 | 199.2 | 20.1 | 1 | 33.0 | 771 | 25 |
| Ebberts | 6681VT2P | VT2P | 111 | 198.8 | 18.3 | 1 | 31.0 | 779 | 21 |
| Renk | RK834SSTX | STX,B | 111 | 198.7 | 18.8 | 1 | 31.0 | 776 | 22 |
| Seed Consultants | SCS 1105AM | AM,B | 110 | 197.3 | 15.3 | 1 | 32.0 | 788 | 18 |
| Renk | RK810SSTX | STX | 109 | 197.0 | 18.0 | 1 | 33.0 | 773 | 23 |
| Dairyland | DS9911 | STX | 111 | 195.3 | 17.9 | 1 | 34.0 | 767 | 28 |
| NK Brand | N68B-3122EZRef | 3122,B | 111 | 194.6 | 16.8 | 1 | 33.0 | 770 | 26 |
| Axis | 61T51RIB | STX,B | 111 | 194.4 | 18.7 | 1 | 35.0 | 760 | 30 |
| Wyckoff | 2665VT2P | VT2P,DG | 111 | 194.1 | 18.0 | 1 | 36.0 | 762 | 29 |
| NK Brand | N66V-3000GT GC | 3000GT | 110 | 193.6 | 15.9 | 1 | 34.0 | 770 | 27 |
| Partners Brand | PB 7513GT/CB/LL CK | GT/CB/LL | 105 | 159.6 | 14.4 | 1 | 34.0 | 638 | 54 |
| Averages = | | | | 194.9 | 17.5 | 2 | 33.3 | 767 | |
| LSD (0.10) = | | | | 54.6 | 1.5 | 19 | | | |
| LSD (0.25) = | | | | 38.0 | 1.1 | 13 | | | |
| C.V. = | | | | 16.7 | 5.3 | | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$4.00; non-GMO = \$4.00

Test Comments: Based on early July pictures from a drone, you would not anticipate yields this good. A few of the strips were affected by water. The crop height overall was shorter than normal but yield were not impacted. Stands were good. Good grain color for the amount of water. Root structure was the best I have seen in this region which helped as it turned dry late season.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

AgSCI Copyright 2015

Report Date: 11/04/2015 Revised:

2015 Corn Grain - Indiana North [INNO]



Early-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|------------------|--------------------|-----------|-------------|-----|---------------|---------------|----------|----------|-----|
| Axis | 54I95RIB | VT3P,B | AC,P2 | 104 | Specialty | 35A655 | STX,B | AC,P5V | 104 |
| Axis | 56N68RIB | STX,B | AC,P5V | 106 | Specialty | 37V593 | VT3P,B | AC,P5V | 107 |
| Axis | 57Z99RIB | STX,B | AC,P5V | 107 | Specialty | 38A573 | STX,B | AC,P5V | 108 |
| Beck | XL 5665^ GC | OIX | Es,P1V | 106 | TA Seeds | TA566-31 | 3111 | AVC,C5 | 106 |
| Channel | 204-12STXRIB | STX,B | AC,P5V | 104 | TA Seeds | TA583-28RIB | STX,B | AVC,C5 | 108 |
| Channel | 207-27STXRIB | STX,B | AC,P5V | 107 | Wyckoff | 2405GENSS | STX | AC,P5V | 106 |
| Dairyland | DS9307RA | STX,B | CM,C5,Vi,In | 107 | Wyckoff | 2540VT2P | VT2P | AVC,C5 | 107 |
| Dairyland | DS9508RA | STX,B | CM,C2 | 108 | Wyckoff | 2580GENSSRIB | STX,B | AC,P5V | 108 |
| Dekalb | DKC52-84RIB GC | STX,B | AC,P5V | 102 | Wyckoff | 2630GENSS | STX,B | AC,P5V | 108 |
| Dekalb | DKC54-38RIB GC | STX,B | AC,P5V | 104 | | | | | |
| Dekalb | DKC57-75RIB GC | STX,B | AC,P5V | 107 | | | | | |
| Dyna-Gro | D46SS46 | STX | AC,P5V | 106 | | | | | |
| Dyna-Gro | D48SS38 | STX | AC,P5V | 108 | | | | | |
| Ebberts | 2918QUAD | 3000GT | CM,C2 | 108 | | | | | |
| Ebberts | 6275VT2P | VT2P | AC,P2 | 105 | | | | | |
| Ebberts | 6587VT2PRIB | VT2P,B | AC,P2 | 107 | | | | | |
| Ebberts | 9488SSXRIB | STX,B | AC,P5V | 108 | | | | | |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C2,Vi | 107 | | | | | |
| Great Lakes | 5470STXRIB | STX,B | AC,P5V | 104 | | | | | |
| Great Lakes | 5755STXRIB | STX,B | AC,P5V | 107 | | | | | |
| LG Seeds | LG5507STX | STX | AC,P5V | 103 | | | | | |
| LG Seeds | LG5523STXRIB | STX,B | AC,P5V | 105 | | | | | |
| LG Seeds | LG5565STXRIB | STX,B | AC,P5V | 108 | | | | | |
| M & W Seeds | 44D81 | VT2P,B | AC,P2 | 108 | | | | | |
| M & W Seeds | 45J99 | VT2P,B | AC,P2 | 104 | | | | | |
| NK Brand | N58S-3111 | 3111 | AVC,C2,Vi | 106 | | | | | |
| NuTech | 5N-607 | 3000GT | MQ,P5V | 107 | | | | | |
| NuTech/G2 Gen | 5X-806^ | HXT,RR2 | MQ,P5V | 106 | | | | | |
| NuTech/G2 Gen | 5Z-308^ | OI | MQ,P1V | 108 | | | | | |
| NuTech/G2 Gen | 5Z-504^ | OI | MQ,P1V | 104 | | | | | |
| NuTech/G2 Gen | 5Z-906^ | OI | MQ,P1V | 106 | | | | | |
| Partners Brand | PB 7513GT/CB/LL CK | GT/CB/LL | MQ | 105 | | | | | |
| Partners Brand | PB 7859GT/CB/LL GC | GT/CB/LL | MQ | 108 | | | | | |
| Pioneer | P0419AMX GC | AMX,B | MQ,P1V | 104 | | | | | |
| Pioneer | P0636AMX GC | AMX,AQ,B | MQ,C2 | 106 | | | | | |
| Renk | RK776SSTX | STX,B | AC,P5V | 107 | | | | | |
| Renk | RK791SSTX | STX,B | AC,P5V | 108 | | | | | |
| Rupp | xrD03-71 | VT2P,DG,B | AC,P2 | 103 | | | | | |
| Rupp | xrD05-04 | VT2P,B | AC,P2 | 105 | | | | | |
| Rupp | xrD07-19 | VT2P,B | AC,P2 | 107 | | | | | |
| Rupp | xrJ07-20 | STX,B | AC,P5V | 107 | | | | | |
| Seed Consultants | SCS 1034AM^ | AM,B | MQ,P1V,R | 103 | | | | | |
| Seed Consultants | SCS 1066YHR^ | OI | MQ,P5V,R | 106 | | | | | |
| Seed Consultants | SCS 1085AM^ | AM,B | MQ,P5V,R | 108 | | | | | |
| Seed Consultants | SCS 10HR43^ | HX,RR2 | MQ,P1V | 105 | | | | | |

2015 Corn Grain - Indiana North [INNO]



Full-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|---------------------|--------------------|-----------|-------------|-----|----------------------|---------------|----------|----------|-----|
| Axis | 60A82RIB | STX,B | AC,P5V | 110 | Seed Consultants SCS | 1105AM^ | AM,B | MQ,P5V,R | 110 |
| Axis | 61R07 | RR2 | AC,P2 | 111 | Seed Consultants SCS | 1125AM^ | AM,B | MQ,P5V,R | 112 |
| Axis | 61T51RIB | STX,B | AC,P5V | 111 | Specialty | 41A743 | STX,B | AC,P5V | 111 |
| Axis | 62K35RIB | VT3P,B | AC,P2 | 112 | Specialty | 42D843 | VT2P,B | AC,P5V | 112 |
| Beck | XL 5131AMXT^ GC | AMXT,AQ,B | Es,P1V | 105 | Specialty | 86R70GENSS | STX,B | AC,P5V | 112 |
| Beck | XL 6165^ GC | OIX | Es,P1V | 111 | Wyckoff | 2650GENSS | STX,B | AC,P5V | 111 |
| Channel | 209-46STXRIB | STX,B | AC,P5V | 109 | Wyckoff | 2665VT2P | VT2P,DG | AC,P5V | 111 |
| Channel | 209-53STXRIB | STX,B | AC,P5V | 109 | Wyckoff | 2675VT2P | VT2P | AC,P5V | 110 |
| Channel | 211-35STXRIB | STX,B | AC,P5V | 111 | Wyckoff | 2690VT3PRIB | VT3P,B | AC,P2 | 113 |
| Dairyland | DS9409RA | STX,B | CM,C5,Vi,In | 109 | | | | | |
| Dairyland | DS9412RA | STX,B | CM,C5,Vi,In | 112 | | | | | |
| Dairyland | DS9911 | STX | CM,C5,Vi,In | 111 | | | | | |
| Dekalb | DKC60-67RIB GC | STX,B | AC,P5V | 110 | | | | | |
| Dekalb | DKC61-54RIB GC | STX,B | AC,P5V | 111 | | | | | |
| Dyna-Gro | D50SS43 | STX | AC,P5V | 111 | | | | | |
| Dyna-Gro | D51SS54 | STX | AC,P5V | 111 | | | | | |
| Dyna-Gro | D52SS91 | STX | AC,P5V | 112 | | | | | |
| Ebberts | 6681VT2P | VT2P | AC,P2 | 111 | | | | | |
| Ebberts | 7510VT3PRIB | VT3P,B | AC,P2 | 110 | | | | | |
| Ebberts | 9451SSXRIB | STX,B | AC,P5V | 111 | | | | | |
| Ebberts | 9619SSXRIB | STX,B | AC,P5V | 109 | | | | | |
| Golden Harvest | G10S30-3110 | 3110 | AVC,C5,Vi | 110 | | | | | |
| Great Heart | HT-6912SS | STX | AC,P5V | 109 | | | | | |
| Great Heart | HT-7004 3000GT | 3000GT | AVC,C5 | 110 | | | | | |
| Great Heart | HT-7240SSRIB | STX,B | AC,P5V | 112 | | | | | |
| Great Lakes | 5918STXRIB | STX,B | AC,P5V | 109 | | | | | |
| Great Lakes | 6185STXRIB | STX,B | AC,P5V | 111 | | | | | |
| LG Seeds | LG5548STXRIB | STX,B | AC,P5V | 109 | | | | | |
| LG Seeds | LG5603STXRIB | STX,B | AC,P5V | 111 | | | | | |
| LG Seeds | LG5618STXRIB | STX,B | AC,P5V | 112 | | | | | |
| NK Brand | N66V-3000GT GC | 3000GT | AVC,C5,Vi | 110 | | | | | |
| NK Brand | N68B-3122EZRef | 3122,B | AVC,C5,Vi | 111 | | | | | |
| NuTech/G2 Gen | 5F-510^ | AM,B | MQ,P5V | 110 | | | | | |
| NuTech/G2 Gen | 5F-709^ | AM,B | MQ,P5V | 109 | | | | | |
| NuTech/G2 Gen | 5F-811AM^ | AM,B | MQ,P5V | 111 | | | | | |
| Partners Brand | PB 7513GT/CB/LL CK | GT/CB/LL | MQ | 105 | | | | | |
| Partners Brand | PB 8232VIP3110 GC | 3110 | CM,C2 | 112 | | | | | |
| Pioneer | P0993AM1 GC | AM1,B | MQ,C2 | 109 | | | | | |
| Pioneer | P1197AMXT GC | AMXT,B | MQ,P1V | 111 | | | | | |
| Renk | RK810SSTX | STX | AC,P5V | 109 | | | | | |
| Renk | RK834SSTX | STX,B | AC,P5V | 111 | | | | | |
| Renk | RK871VT2P | VT2P | AC,P2 | 111 | | | | | |
| Rupp | xrJ10-91 | STX,B | AC,P2 | 110 | | | | | |
| Seed Consultants SC | 10AQ96 | 3111 | AVC,C2,Vi | 109 | | | | | |
| Seed Consultants SC | 11AQ15 | 3000GT | MQ,P5V | 111 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. Catalyst™ and Power Plus® brand seed is distributed by Burrus. Innotech™ brand seed is distributed by Rob-See-Co, LLC. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaxx® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, Power Plus®, RPM®, Supreme EX®, VPMaxx® and XL® are registered trademarks of DuPont Pioneer. Catalyst™, Innotech™ and Phoenix® are trademarks of Syngenta. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|----------|---|---------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3010 | Agrisure® 3010 (CB,LL,GT) | HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| 3010,A | Agrisure® Artesian® 3010 (CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| 3110,A | Agrisure® Viptera® 3110 w/ Artesian® | LL | LibertyLink® |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | None | conventional corn |
| 3111,A | Agrisure® Viptera® 3111 w/ Artesian® | None,A | conventional corn w/ Artesian® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | OI,AQ | Optimum® Intrasect® w/ AQUAMax |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AM,AQ | Optimum® AcreMax® w/ AQUAMax | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AM1 | Optimum® AcreMax®1 (HXT,LL,RR2) | OT | Optimum® TRIsect® CHR (HX,RW,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMX,AQ | Optimum® AcreMax® Xtra w/ AQUAMax | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | STX,DG | Genuity® DroughtGard® w/ SmartStax® |
| AMXT,AQ | Optimum® AcreMax® Xtreme w/ AQUAMax | VT2P | Genuity® VT Double PRO® |
| B | Blended seed (i.e. refuge blend) | VT2P,DG | Genuity® DroughtGard® w/ VT Double PRO® |
| GT | Agrisure® GT | VT3P | Genuity® VT Triple PRO® |
| GT,A | Agrisure® GT w/ Artesian | YGCB | YieldGard® Corn Borer |
| GT/CB/LL | Agrisure® GT/CB/LL | | |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | In | Intego™ Solo |
| A | Allegiance® | L | Lorsban® |
| AC | Acceleron® fungicide products | Lu | Lumivia™ |
| At | Actellic® | M | Maxim XL® |
| AVC | Avicta® Complete Corn | MQ | Maxim Quattro® |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | None | untreated |
| CE | Cruiser Extreme® | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CM | CruiserMaxx® Corn | R | Raxil® (tebuconazole) |
| D | Dynasty® (azoxystrobin) | V | Votivo® |
| Es | Escalate® | Vi | Vibrance® |

** Seed treatments may include unspecified plant health promoting components.