

2015 Soybean Top 30 Harvest Report
 Iowa North Central [IANC] WATERLOO
 Rottinghaus Farms, Black Hawk County, IA 50703



PREV. CROP/HERB: Corn / Corvus
 SOIL DESCRIPTION: Marquis-Readlyn silty clay loam, well drained, non-irrigated
 SOIL CONDITIONS: High P, high K, 6.2 pH, 4.5 % OM
 TILLAGE/CULTIVATION: No-till
 PEST MANAGEMENT: Fierce
 SEEDED - RATE - ROW: May 9 157,300 /A 30" Spacing
 HARVESTED - STAND: Oct 9 151,700 /A

Early-Season Test
2.1 - 2.4 Day RM
 S2015IANC04a

Top 30 of 54
 For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Mat. | SCN Resist. | Seed Trmt.† | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income | |
|---------------|----------------|-----------|------|-------------|-------------|-------------------|-------------|-------------|----------------|--------------|--------------|
| Channel | 2108R2 | RR2Y | 2.10 | R | ACi | 64.1 | 12.3 | 4 | 174.2 | \$526 | |
| Kruger | K2-2103 | RR2Y | 2.10 | R | ACi | 63.8 | 12.0 | 15 | 166.5 | \$523 | |
| LG Seeds | C2441R2 | RR2Y | 2.40 | R | AC,PV | 62.4 | 12.1 | 4 | 143.3 | \$512 | |
| Dyna-Gro | S23RY85 | RR2Y | 2.30 | R | CCB | 62.3 | 12.0 | 4 | 147.1 | \$511 | |
| Renk | RS213NR2 | RR2Y | 2.10 | R | CMB | 61.8 | 12.6 | 4 | 154.9 | \$507 | |
| FS HiSOY | HS 23A42 | RR2Y | 2.30 | R | CCB | 61.7 | 13.1 | 4 | 139.4 | \$506 | |
| Prairie Brand | PB-2024R2 | RR2Y | 2.10 | R | CMBV | 61.6 | 12.7 | 4 | 143.3 | \$505 | |
| Latham | L2228R2 | RR2Y | 2.20 | R | CMB,CI | 61.4 | 12.3 | 4 | 162.6 | \$503 | |
| Champion | 20R35N | RR2Y | 2.00 | R | CMB | 61.1 | 12.7 | 4 | 154.9 | \$501 | |
| FS HiSOY | HS 24A50 | RR2Y | 2.40 | R | CCB | 59.8 | 12.4 | 11 | 162.6 | \$490 | |
| Prairie Brand | PB-2296R2 | RR2Y | 2.20 | R | CMBV | 59.6 | 12.0 | 8 | 143.3 | \$489 | |
| Dyna-Gro | S21RY56 | RR2Y | 2.10 | R | CCB | 59.5 | 12.2 | 26 | 143.3 | \$488 | |
| Titan Pro | 22M12 | RR2Y | 2.20 | R | CCB | 59.1 | 12.1 | 4 | 151.0 | \$485 | |
| Steyer | 2102R2 | RR2Y | 2.10 | MR | CCB | 58.9 | 12.6 | 4 | 143.3 | \$483 | |
| Pfister | 21R201 | RR2Y | 2.10 | R | CCB | 58.6 | 12.4 | 8 | 147.1 | \$481 | |
| Champion | 22R86N | RR2Y | 2.20 | R | CMB | 58.3 | 11.3 | 15 | 151.0 | \$478 | |
| Cornelius | CB22R34 | RR2Y | 2.20 | R | CCB | 58.3 | 12.3 | 15 | 151.0 | \$478 | |
| Cornelius | CB24R99 | RR2Y | 2.40 | S | CCB | 58.1 | 12.2 | 4 | 147.1 | \$476 | |
| Renk | RS241R2 | RR2Y | 2.40 | S | CMB | 58.0 | 12.4 | 11 | 147.1 | \$476 | |
| Cornelius | CB24R82 | RR2Y | 2.40 | R | CCB | 57.6 | 12.0 | 4 | 154.9 | \$472 | |
| Hefty | H24R6 | RR2Y | 2.30 | MR | DST | 57.6 | 12.0 | 11 | 151.0 | \$472 | |
| Prairie Brand | PB-2486R2 | RR2Y | 2.40 | R | CMBV | 57.5 | 12.5 | 8 | 147.1 | \$472 | |
| FS HiSOY | HS 21A50 | RR2Y | 2.10 | R | CCB | 57.4 | 13.0 | 4 | 162.6 | \$471 | |
| Dairyland | DSR-2110/R2Y | RR2Y | 2.10 | R | CMB | 57.4 | 12.8 | 24 | 151.0 | \$471 | |
| Pfister | 24R201 | RR2Y | 2.40 | R | CCB | 57.2 | 12.2 | 8 | 151.0 | \$469 | |
| Federal | F226NRR2Y | RR2Y | 2.20 | R | CMB | 56.9 | 12.3 | 4 | 170.4 | \$467 | |
| Dairyland | DSR-2330/R2Y | RR2Y | 2.30 | R | CMB | 56.4 | 12.4 | 4 | 154.9 | \$462 | |
| Latham | L2145R2 | RR2Y | 2.10 | MR | CMB,CI | 56.3 | 12.2 | 12 | 151.0 | \$462 | |
| Channel | 2306R2 | RR2Y | 2.30 | R | ACi | 56.2 | 12.0 | 18 | 143.3 | \$461 | |
| Champion | 21R66N | RR2Y | 2.10 | R | CMB | 56.1 | 12.6 | 8 | 135.5 | \$460 | |
| Croplan | R2C2394 CK | RR2Y | 2.30 | R | WCX | 61.1 | 12.3 | 4 | 158.8 | \$501 | |
| | | | | | | Averages = | 56.9 | 12.4 | 9 | 151.7 | \$466 |
| | | | | | | LSD (0.10) = | 3.7 | 0.6 | 12 | | |
| | | | | | | LSD (0.25) = | 2.6 | 0.4 | 8 | | |
| | | | | | | C.V. = | 4.9 | 3.7 | | | |

Corey Rozenboom

Corey Rozenboom
 corey.rozenboom@firstseedtests.com, (319) 830-8886

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.3 Drying = \$0.020 Prices = \$8.20 GMO; \$8.20 non-GMO

TEST COMMENTS: Following excellent planting conditions, seasonal rainfall was normal through vegetative stages. Drier than average weather lasted from July to late August when 3" of rain fell to bring season total to normal. Mid-Sept plant height was very tall and some varieties severely lodged. As of Sept 30, this site was 1.45" under the 30-yr average. Lodging was extensive among some varieties at harvest.

† See last page for abbreviation descriptions. Results in bold are significantly above test average by LSD (0.10). ns = column values not significantly different.

Additional reports available at www.firstseedtests.com

AgSCI Copyright 2015

Report Date: 10/10/2015 Revised:

2015 Soybean Top 30 Harvest Report
 Iowa North Central [IANC] WATERLOO
 Rottinghaus Farms, Black Hawk County, IA 50703



PREV. CROP/HERB: Corn / Corvus
 SOIL DESCRIPTION: Marquis-Readlyn silty clay loam, well drained, non-irrigated
 SOIL CONDITIONS: High P, high K, 6.2 pH, 4.5 % OM
 TILLAGE/CULTIVATION: No-till
 PEST MANAGEMENT: Fierce
 SEEDED - RATE - ROW: May 9 157,300 /A 30" Spacing
 HARVESTED - STAND: Oct 9 153,600 /A

Full-Season Test
2.5 - 2.8 Day CRM
 S2015IANC04b

Top 30 of 54
 For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Mat. | SCN Resist. | Seed Trmt.† | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income | |
|---------------|----------------|-----------|------|-------------|-------------|--------------|-------------|-------------|----------------|--------------|--------------|
| Asgrow | AG2836 § | RR2Y | 2.80 | R | ACi | 65.8 | 12.1 | 4 | 143.3 | \$540 | |
| FS HiSOY | HS 28A42 | RR2Y | 2.80 | R | CCB | 62.1 | 12.2 | 4 | 147.1 | \$509 | |
| Hefty | H28R5 | RR2Y | 2.80 | MR | DST | 61.9 | 12.4 | 4 | 162.6 | \$508 | |
| Channel | 2609R2 | RR2Y | 2.60 | R | ACi | 60.7 | 12.6 | 15 | 139.4 | \$498 | |
| Kruger | K2-2603 | RR2Y | 2.60 | MR | ACi | 60.6 | 12.4 | 26 | 147.1 | \$497 | |
| Pioneer | P25T51R § | RR | 2.50 | R | EE,C,CI | 60.4 | 12.4 | 4 | 166.5 | \$495 | |
| Latham | L2884R2 | RR2Y | 2.80 | R | CMB,CI | 60.2 | 12.2 | 4 | 151.0 | \$494 | |
| Steyer | 2805R2 | RR2Y | 2.80 | MR | CMBV | 60.0 | 12.4 | 11 | 170.4 | \$492 | |
| Prairie Brand | PB-2997R2 | RR2Y | 2.80 | R | CMBV | 59.8 | 12.3 | 4 | 154.9 | \$490 | |
| Titan Pro | 25M22 | RR2Y | 2.50 | R | CMBV | 59.8 | 11.8 | 11 | 162.6 | \$490 | |
| Dyna-Gro | S26RS75 | RR2Y,ST | 2.60 | R | CCB | 59.7 | 12.1 | 4 | 170.4 | \$490 | |
| Asgrow | AG2636 § | RR2Y | 2.60 | R | ACi | 59.6 | 12.3 | 4 | 162.6 | \$489 | |
| FS HiSOY | HS 27A50 | RR2Y | 2.70 | R | CCB | 59.3 | 12.8 | 4 | 154.9 | \$486 | |
| Latham | L2758R2 | RR2Y | 2.70 | R | CMB,CI | 58.8 | 11.9 | 4 | 154.9 | \$482 | |
| Hefty | H28R4 | RR2Y | 2.80 | MR | DST | 58.6 | 12.0 | 4 | 154.9 | \$481 | |
| Cornelius | CB28R58 | RR2Y | 2.80 | R | CCB | 58.6 | 12.2 | 8 | 162.6 | \$481 | |
| Steyer | 2503R2 | RR2Y,ST | 2.50 | MR | CCB | 58.5 | 12.5 | 6 | 162.6 | \$480 | |
| Dyna-Gro | S27RY66 | RR2Y | 2.70 | R | CCB | 58.4 | 12.0 | 4 | 170.4 | \$479 | |
| Curry | 1279 GC | RR | 2.70 | R | CC | 58.2 | 11.9 | 4 | 158.8 | \$477 | |
| Stine | 28RE20 § | RR2Y | 2.80 | R | Sfi | 58.1 | 11.9 | 4 | 158.8 | \$476 | |
| Asgrow | AG2535 § | RR2Y | 2.50 | MR | ACi | 57.7 | 12.4 | 22 | 166.5 | \$473 | |
| LG Seeds | C2744R2 | RR2Y | 2.70 | R | AC,PV | 57.7 | 12.4 | 38 | 154.9 | \$473 | |
| Renk | RS265NR2 | RR2Y | 2.60 | MR | None | 57.4 | 12.4 | 4 | 154.9 | \$471 | |
| Renk | RS286NR2 | RR2Y | 2.80 | R | None | 57.1 | 12.3 | 4 | 151.0 | \$468 | |
| Jacobsen Seed | J859NR2 | RR2Y | 2.90 | R | G,T | 57.0 | 12.2 | 4 | 147.1 | \$467 | |
| Federal | F296NRR2Y | RR2Y | 2.90 | R | CCB | 56.8 | 12.7 | 8 | 151.0 | \$466 | |
| Stine | 28RF02 § | RR2Y | 2.80 | R | Sfi | 56.7 | 12.5 | 4 | 151.0 | \$465 | |
| Curry | 1246 GC | RR | 2.40 | R | CC | 56.4 | 12.4 | 4 | 135.5 | \$462 | |
| Kruger | K2-2705 | RR2Y | 2.70 | R | ACi | 56.3 | 12.6 | 4 | 143.3 | \$462 | |
| Jacobsen Seed | J847NR2 | RR2Y | 2.80 | R | G,T | 56.3 | 12.8 | 8 | 139.4 | \$462 | |
| Croplan | R2C2394 CK | RR2Y | 2.30 | R | WCX | 62.6 | 12.1 | 4 | 139.4 | \$513 | |
| | | | | | | Averages = | 56.5 | 12.3 | 8 | 153.6 | \$464 |
| | | | | | | LSD (0.10) = | 3.5 | 0.5 | 10 | | |
| | | | | | | LSD (0.25) = | 2.5 | 0.4 | 7 | | |
| | | | | | | C.V. = | 4.6 | 3.2 | | | |

Corey Rozenboom

Corey Rozenboom
 corey.rozenboom@firstseedtests.com, (319) 830-8886

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.3 Drying = \$0.020 Prices = \$8.20 GMO; \$8.20 non-GMO

TEST COMMENTS: Following excellent planting conditions, seasonal rainfall was normal through vegetative stages. Drier than average weather lasted from July to late August when 3" of rain fell to bring season total to normal. Mid-Sept plant height was very tall and some varieties severely lodged. As of Sept 30, this site was 1.45" under the 30-yr average. Lodging was extensive among some varieties at harvest.

† See last page for abbreviation descriptions. Results in bold are significantly above test average by LSD (0.10). ns = column values not significantly different.

Additional reports available at www.firstseedtests.com
 Report Date: 10/10/2015 Revised:

AgSCI Copyright 2015

2015 Soybean - Iowa North Central [IANC]

Early-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt | Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt |
|---------------|---------------|----------|------|-----|----------|---------------|---------------|----------|------|-----|----------|
| Champion | 20R35N | RR2Y | 2.00 | R | CMB | Prairie Brand | PB-2486R2 | RR2Y | 2.40 | R | CMBV |
| Champion | 21R66N | RR2Y | 2.10 | R | CMB | Renk | RS213NR2 | RR2Y | 2.10 | R | CMB |
| Champion | 22R86N | RR2Y | 2.20 | R | CMB | Renk | RS241R2 | RR2Y | 2.40 | S | CMB |
| Champion | 23R73N | RR2Y | 2.30 | R | CMB | Renk | RS246NR2 | RR2Y | 2.40 | R | None |
| Channel | 2108R2 | RR2Y | 2.10 | R | ACi | Steyer | 2102R2 | RR2Y | 2.10 | MR | CCB |
| Channel | 2306R2 | RR2Y | 2.30 | R | ACi | Titan Pro | 22M12 | RR2Y | 2.20 | R | CCB |
| Cornelius | CB22R34 | RR2Y | 2.20 | R | CCB | Titan Pro | TP-21R55 | RR2Y | 2.10 | R | CCB |
| Cornelius | CB22R60 | RR2Y | 2.20 | R | CCB | Titan Pro | TP-23R04 | RR2Y | 2.30 | R | CCB |
| Cornelius | CB24R82 | RR2Y | 2.40 | R | CCB | Titan Pro | TP-24R24 | RR2Y | 2.40 | R | CCB |
| Cornelius | CB24R99 | RR2Y | 2.40 | S | CCB | | | | | | |
| Croplan | R2C2394 CK | RR2Y | 2.30 | R | WCX | | | | | | |
| Curry | 1225 GC | RR | 2.20 | R | CC | | | | | | |
| Dairyland | DSR-2110/R2Y | RR2Y | 2.10 | R | CMB | | | | | | |
| Dairyland | DSR-2330/R2Y | RR2Y | 2.30 | R | CMB | | | | | | |
| Dyna-Gro | S21RY56 | RR2Y | 2.10 | R | CCB | | | | | | |
| Dyna-Gro | S23RY85 | RR2Y | 2.30 | R | CCB | | | | | | |
| Dyna-Gro | S24RY65 | RR2Y | 2.40 | R | CCB | | | | | | |
| Federal | F215NRR2Y | RR2Y | 2.10 | R | CMB | | | | | | |
| Federal | F226NRR2Y | RR2Y | 2.20 | R | CMB | | | | | | |
| Federal | F235NRR2Y | RR2Y | 2.30 | R | CMB | | | | | | |
| Federal | F245NRR2Y | RR2Y | 2.40 | R | CMB | | | | | | |
| FS HiSOY | HS 21A50 | RR2Y | 2.10 | R | CCB | | | | | | |
| FS HiSOY | HS 23A42 | RR2Y | 2.30 | R | CCB | | | | | | |
| FS HiSOY | HS 24A50 | RR2Y | 2.40 | R | CCB | | | | | | |
| Hefty | H21R6 | RR2Y | 2.10 | MR | DST | | | | | | |
| Hefty | H24R6 | RR2Y | 2.30 | MR | DST | | | | | | |
| Jacobsen Seed | J744NR2 | RR2Y | 2.40 | R | G,T | | | | | | |
| Jacobsen Seed | J752NR2 | RR2Y | 2.20 | R | G,T | | | | | | |
| Kruger | K2-2103 | RR2Y | 2.10 | R | ACi | | | | | | |
| Kruger | K2-2305 | RR2Y | 2.30 | MR | ACi | | | | | | |
| Kruger | K2-2402 | RR2Y | 2.40 | R | ACi | | | | | | |
| Latham | L2145R2 | RR2Y | 2.10 | MR | CMB,Ci | | | | | | |
| Latham | L2228R2 | RR2Y | 2.20 | R | CMB,Ci | | | | | | |
| Latham | L2387R2 | RR2Y | 2.30 | R | CMB,Ci | | | | | | |
| Latham | L2482R2 | RR2Y | 2.40 | R | SS+ | | | | | | |
| LG Seeds | C2441R2 | RR2Y | 2.40 | R | AC,PV | | | | | | |
| NK Brand | S21-M7 § | RR2Y | 2.10 | R | CCB | | | | | | |
| Pfister | 21R201 | RR2Y | 2.10 | R | CCB | | | | | | |
| Pfister | 24R201 | RR2Y | 2.40 | R | CCB | | | | | | |
| Pfister | 24R22 | RR2Y | 2.40 | R | CCB | | | | | | |
| Pioneer | P20T79R2 § | RR2Y | 2.00 | R | EE,C,Ci | | | | | | |
| Pioneer | P22T61R § | RR | 2.20 | R | EE,C,Ci | | | | | | |
| Prairie Brand | PB-2024R2 | RR2Y | 2.10 | R | CMBV | | | | | | |
| Prairie Brand | PB-2156R2 | RR2Y | 2.10 | R | CMBV | | | | | | |
| Prairie Brand | PB-2296R2 | RR2Y | 2.20 | R | CMBV | | | | | | |

2015 Soybean - Iowa North Central [IANC]



Full-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt | Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt |
|---------------|---------------|----------|------|-----|----------|---------------|---------------|----------|------|-----|----------|
| Asgrow | AG2535 § | RR2Y | 2.50 | MR | ACi | Renk | RS286NR2 | RR2Y | 2.80 | R | None |
| Asgrow | AG2636 § | RR2Y | 2.60 | R | ACi | Steyer | 2503R2 | RR2Y,ST | 2.50 | MR | CCB |
| Asgrow | AG2836 § | RR2Y | 2.80 | R | ACi | Steyer | 2604R2 | RR2Y | 2.60 | MR | CMBV |
| Channel | 2609R2 | RR2Y | 2.60 | R | ACi | Steyer | 2805R2 | RR2Y | 2.80 | MR | CMBV |
| Cornelius | CB25R78 | RR2Y | 2.50 | R | CCB | Stine | 26RD02 § | RR2Y | 2.60 | R | Sfi |
| Cornelius | CB26R30 | RR2Y | 2.60 | MR | CCB | Stine | 28RE20 § | RR2Y | 2.80 | R | Sfi |
| Cornelius | CB28R58 | RR2Y | 2.80 | R | CCB | Stine | 28RF02 § | RR2Y | 2.80 | R | Sfi |
| Croplan | R2C2394 CK | RR2Y | 2.30 | R | WCX | Titan Pro | 25M22 | RR2Y | 2.50 | R | CMBV |
| Curry | 1246 GC | RR | 2.40 | R | CC | Titan Pro | TP-26R35 | RR2Y | 2.60 | MR | None |
| Curry | 1252 GC | RR | 2.50 | R | CC | | | | | | |
| Curry | 1279 GC | RR | 2.70 | R | CC | | | | | | |
| Dairyland | DSR-2616/R2Y | RR2Y | 2.60 | MR | CMB | | | | | | |
| Dyna-Gro | S26RS75 | RR2Y,ST | 2.60 | R | CCB | | | | | | |
| Dyna-Gro | S27RY66 | RR2Y | 2.70 | R | CCB | | | | | | |
| Federal | F266RR2Y | RR2Y | 2.60 | S | CMB | | | | | | |
| Federal | F296NRR2Y | RR2Y | 2.90 | R | CCB | | | | | | |
| FS HiSOY | HS 25A42 | RR2Y | 2.50 | R | CCB | | | | | | |
| FS HiSOY | HS 26A50 | RR2Y | 2.60 | R | CCB | | | | | | |
| FS HiSOY | HS 27A50 | RR2Y | 2.70 | R | CCB | | | | | | |
| FS HiSOY | HS 28A42 | RR2Y | 2.80 | R | CCB | | | | | | |
| Hefty | H26R6 | RR2Y | 2.60 | MR | DST | | | | | | |
| Hefty | H27R5 | RR2Y | 2.70 | MR | DST | | | | | | |
| Hefty | H28R4 | RR2Y | 2.80 | MR | DST | | | | | | |
| Hefty | H28R5 | RR2Y | 2.80 | MR | DST | | | | | | |
| Jacobsen Seed | J847NR2 | RR2Y | 2.80 | R | G,T | | | | | | |
| Jacobsen Seed | J859NR2 | RR2Y | 2.90 | R | G,T | | | | | | |
| Kruger | K2-2603 | RR2Y | 2.60 | MR | ACi | | | | | | |
| Kruger | K2-2705 | RR2Y | 2.70 | R | ACi | | | | | | |
| Kruger | K2-2803 | RR2Y | 2.80 | R | ACi | | | | | | |
| Latham | L2538R2 | RR2Y | 2.50 | R | SS+ | | | | | | |
| Latham | L2645R2 | RR2Y | 2.60 | MR | CMB,Ci | | | | | | |
| Latham | L2758R2 | RR2Y | 2.70 | R | CMB,Ci | | | | | | |
| Latham | L2884R2 | RR2Y | 2.80 | R | CMB,Ci | | | | | | |
| LG Seeds | C2744R2 | RR2Y | 2.70 | R | AC,PV | | | | | | |
| LG Seeds | C2890R2 | RR2Y | 2.80 | R | AC,PV | | | | | | |
| NK Brand | S25-L9 § | RR2Y | 2.50 | R | CCB | | | | | | |
| NK Brand | S28-D3 § | RR2Y | 2.80 | MR | CCB | | | | | | |
| Pfister | 26R29 | RR2Y | 2.60 | R | CCB | | | | | | |
| Pfister | 28R202 | RR2Y | 2.80 | R | CCB | | | | | | |
| Pioneer | P25T51R § | RR | 2.50 | R | EE,C,Ci | | | | | | |
| Prairie Brand | PB-2556R2 | RR2Y | 2.50 | R | CMBV | | | | | | |
| Prairie Brand | PB-2600R2 | RR2Y | 2.50 | MR | CMBV | | | | | | |
| Prairie Brand | PB-2997R2 | RR2Y | 2.80 | R | CMBV | | | | | | |
| Renk | RS263NR2 | RR2Y | 2.60 | R | None | | | | | | |
| Renk | RS265NR2 | RR2Y | 2.60 | MR | None | | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|---|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaxx® brand seed is distributed by AgVenture, Inc. XL® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaxx® and XL® are registered trademarks of DuPont Pioneer. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |
| § | United Soybean Board sponsored entry |

Soybean Technologies

| | |
|------|---------------------------------|
| LL | LibertyLink® |
| None | Conventional, non-GMO |
| RR | Roundup Ready® Soybeans |
| RR2Y | Genuity® Roundup Ready 2 Yield® |
| ST | Sulfonylurea herbicide tolerant |

Soybean Cyst Nematode (SCN) Resistance Rating

| | |
|----|---------------------|
| S | susceptible |
| MR | moderate resistance |
| R | resistant |
| ? | info unavailable |

Soybean Seed Treatments*

| | | | |
|------|---|------|--|
| ? | Information not provided | En | Encase® |
| AC | Acceleron® fungicide products | G | Gaucho® |
| ACi | Acceleron® fungicide and insecticide products | Gr | Great Start™ Max |
| AV | Avicta® | IL | ILeVO® |
| AVB | Avicta® Complete Beans | IS | Intego™ Suite |
| C | Cruiser® | None | untreated |
| CC | Curry® Coat | PS | MAS ProShield™ QV |
| CCB | Clariva™ Complete Beans | PV | Poncho®/Votivo® |
| CI | Clariva™ pn | Ri | Rizolex™ |
| CMB | CruiserMaxx® Beans | Sfi | Stine fungicide & insecticide products |
| CMBV | CruiserMaxx® Beans with Vibrance | SS+ | Soyshield Plus™ |
| DPHB | DPH Boost® | T | Trilex® |
| DST | Dominance™ ST | TE | Trius Elite |
| Ec | Eclipse™ IM | TT | Turbo Treat™ |
| EE | Evergol™ Energy | WCX | Warden® CX |

* Seed treatments may include unspecified plant health promoting components.