

2015 Soybean Top 30 Harvest Report

Illinois North Central [ILNC] MACOMB
Jerry Lewis, McDonough County, IL 61438



PREV. CROP/HERB: Corn / Harness Xtra, Lumax
SOIL DESCRIPTION: Tama silty clay loam, moderately drained, non-irrigated
SOIL CONDITIONS: Mod. High P, mod. high K, 6.7 pH, 3.2 % OM, medium SCN
TILLAGE/CULTIVATION: No-till
PEST MANAGEMENT: Roundup, Prowl, 2,4-D, Roundup
SEEDED - RATE - ROW: May 18 140,000 /A 30" Spacing
HARVESTED - STAND: Oct 30 133,500 /A

All-Season Test

2.8 - 3.8 Day RM
S2015ILNC02

Top 30 of 60

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Mat. | SCN Resist. | Seed Trmt.† | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income |
|------------------|----------------|-----------|------|-------------|-------------|------------|------------|-----------|----------------|--------------|
| Stone | 2R3215 | RR2Y | 3.20 | R | ACi | 71.3 | 20.1 | 1 | 136.5 | \$632 |
| NK Brand | S37-Z8 § | RR2Y | 3.70 | R | CCB | 70.7 | 20.2 | 0 | 139.4 | \$626 |
| FS HiSOY | HS 34A50 | RR2Y | 3.40 | R | CCB | 70.7 | 20.5 | 0 | 136.5 | \$626 |
| Asgrow | AG3536 § | RR2Y | 3.50 | R | ACi | 69.5 | 19.8 | 0 | 136.5 | \$616 |
| FS HiSOY | HS 38A50 | RR2Y | 3.80 | R | CCB | 69.5 | 20.5 | 0 | 133.6 | \$615 |
| Stone | 2R3016 | RR2Y | 3.00 | R | ACi | 69.3 | 19.7 | 0 | 127.8 | \$614 |
| NK Brand | S30-V6 § | RR2Y | 3.00 | R | CCB | 69.2 | 20.3 | 0 | 130.7 | \$613 |
| Dyna-Gro | 37RY33 | RR2Y | 3.30 | R | CCB | 68.7 | 19.9 | 0 | 136.5 | \$609 |
| Dairyland | DSR-3838/R2Y | RR2Y | 3.80 | MR | CMB | 68.6 | 20.4 | 3 | 136.5 | \$607 |
| FS HiSOY | HS 36A50 | RR2Y,ST | 3.60 | R | CCB | 68.5 | 19.3 | 3 | 142.3 | \$608 |
| LG Seeds | C3647R2 | RR,ST | 3.60 | R | AC,PV | 68.1 | 19.5 | 0 | 136.5 | \$604 |
| Dyna-Gro | S37RS96 | RR2Y,ST | 3.70 | R | CCB | 68.1 | 19.4 | 2 | 136.5 | \$604 |
| LG Seeds | C3321R2 | RR2Y | 3.30 | R | AC,PV | 67.9 | 20.1 | 0 | 133.6 | \$601 |
| Steyer | 3705R2 | RR2Y | 3.70 | MR | CCB | 67.9 | 20.4 | 0 | 133.6 | \$601 |
| Pfister | 32R201 | RR2Y | 3.20 | R | CCB | 67.8 | 20.1 | 0 | 130.7 | \$601 |
| Stine | 36RF02 § | RR2Y,ST | 3.60 | R | Sfi | 67.7 | 19.3 | 3 | 127.8 | \$601 |
| Renk | RS286NR2 | RR2Y | 2.80 | R | None | 67.7 | 20.2 | 0 | 133.6 | \$600 |
| Asgrow | AG3832 § | RR2Y | 3.80 | R | ACi | 67.6 | 19.5 | 0 | 139.4 | \$600 |
| FS HiSOY | HS 32A50 | RR2Y | 3.30 | R | CMBV | 67.5 | 20.4 | 0 | 130.7 | \$598 |
| Seed Consultants | SCS 9335RR^ | RR | 3.30 | MR | TT | 67.3 | 19.7 | 1 | 130.7 | \$597 |
| Pfister | 37RS01 | RR2Y,ST | 3.70 | R | CCB | 67.3 | 19.5 | 4 | 136.5 | \$597 |
| NK Brand | S35-A5 § | RR2Y | 3.50 | R | CCB | 67.3 | 20.2 | 0 | 133.6 | \$596 |
| Steyer | 3805R2 | RR2Y | 3.80 | MR | CCB | 67.0 | 19.6 | 0 | 139.4 | \$594 |
| Steyer | 3605R2 | RR2Y | 3.60 | MR | CMBV | 66.9 | 19.5 | 1 | 130.7 | \$593 |
| Dairyland | DSR-3595/R2Y | RR2Y | 3.50 | R | CMB | 66.9 | 20.3 | 0 | 130.7 | \$592 |
| Titan Pro | TP-34R25 | RR2Y | 3.40 | R | CCB | 65.9 | 19.6 | 0 | 127.8 | \$584 |
| FS HiSOY | HS 35A50 | RR2Y | 3.50 | R | CMBV | 65.9 | 19.9 | 0 | 133.6 | \$584 |
| Stone | 2R3516 | RR2Y | 3.50 | R | ACi | 65.8 | 20.0 | 0 | 136.5 | \$583 |
| FS HiSOY | HS 34A42 | RR2Y | 3.40 | R | CCB | 65.7 | 20.1 | 0 | 133.6 | \$582 |
| Pioneer | P33T72R § | RR | 3.30 | R | None | 65.6 | 19.9 | 0 | 133.6 | \$581 |

Averages = **65.5** **20.0** **0** **133.5** **\$581**

LSD (0.10) = 3.5 0.3 1

LSD (0.25) = 2.5 0.2 1

C.V. = 4.0 1.3

Eric Beyers

ewbeye@hotmail.com, (217) 825-9072

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.3 Drying = \$0.020 Prices = \$9.00 GMO; \$9.00 non-GMO

TEST COMMENTS: Site planted last spring in good condition. Seedling emergence was good and uniform. At harvest, it displayed very robust plants. Plant heights ranged from 36-42 inches and podded very evenly from top to bottom. Some lodging was noted, but nothing extreme. Seed quality was good and large size.

† See last page for abbreviation descriptions. Results in **bold** are significantly above test average by LSD (0.10). **ns** = column values not significantly different.

Additional reports available at www.firstseedtests.com

AgSCI Copyright 2015

Report Date: 10/30/2015 Revised:

2015 Soybean - Illinois North Central [ILNC]

All-Season Test Products (60 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt | Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt |
|------------------|---------------|----------|------|-----|----------|---------------|---------------|----------|------|-----|----------|
| Asgrow | AG2836 § | RR2Y | 2.80 | R | ACi | Steyer | 3103R2 | RR2Y | 3.10 | MR | CCB |
| Asgrow | AG3334 | RR2Y | 3.30 | MR | ACi | Steyer | 3301R2 | RR2Y | 3.30 | MR | CMBV |
| Asgrow | AG3536 § | RR2Y | 3.50 | R | ACi | Steyer | 3605R2 | RR2Y | 3.60 | MR | CMBV |
| Asgrow | AG3832 § | RR2Y | 3.80 | R | ACi | Steyer | 3705R2 | RR2Y | 3.70 | MR | CCB |
| Dairyland | DSR-3595/R2Y | RR2Y | 3.50 | R | CMB | Steyer | 3805R2 | RR2Y | 3.80 | MR | CCB |
| Dairyland | DSR-3780/R2Y | RR2Y | 3.70 | MR | CMB | Stine | 35RF02 § | RR2Y | 3.50 | R | Sfi |
| Dairyland | DSR-3838/R2Y | RR2Y | 3.80 | MR | CMB | Stine | 36RF02 § | RR2Y,ST | 3.60 | R | Sfi |
| Dyna-Gro | 37RY33 | RR2Y | 3.30 | R | CCB | Stine | 38RE02 § | RR2Y | 3.80 | R | Sfi |
| Dyna-Gro | S33RY76 | RR2Y | 3.30 | R | CCB | Stone | 2R2915 | RR2Y | 2.90 | R | ACi |
| Dyna-Gro | S37RS96 | RR2Y,ST | 3.70 | R | CCB | Stone | 2R3016 | RR2Y | 3.00 | R | ACi |
| Dyna-Gro | S38RY56 | RR2Y | 3.80 | MR | CCB | Stone | 2R3215 | RR2Y | 3.20 | R | ACi |
| FS HiSOY | HS 29A50 | RR2Y | 2.90 | R | CCB | Stone | 2R3516 | RR2Y | 3.50 | R | ACi |
| FS HiSOY | HS 31A50 | RR2Y | 3.10 | R | CMBV | Titan Pro | TP-29R65 | RR2Y | 2.90 | R | CCB |
| FS HiSOY | HS 32A50 | RR2Y | 3.30 | R | CMBV | Titan Pro | TP-31R13 | RR2Y | 3.10 | R | CCB |
| FS HiSOY | HS 34A42 | RR2Y | 3.40 | R | CCB | Titan Pro | TP-34R25 | RR2Y | 3.40 | R | CCB |
| FS HiSOY | HS 34A50 | RR2Y | 3.40 | R | CCB | | | | | | |
| FS HiSOY | HS 35A50 | RR2Y | 3.50 | R | CMBV | | | | | | |
| FS HiSOY | HS 36A50 | RR2Y,ST | 3.60 | R | CCB | | | | | | |
| FS HiSOY | HS 38A50 | RR2Y | 3.80 | R | CCB | | | | | | |
| LG Seeds | C3321R2 | RR2Y | 3.30 | R | AC,PV | | | | | | |
| LG Seeds | C3555R2 | RR2Y | 3.50 | R | AC,PV | | | | | | |
| LG Seeds | C3647R2 | RR,ST | 3.60 | R | AC,PV | | | | | | |
| NK Brand | S30-V6 § | RR2Y | 3.00 | R | CCB | | | | | | |
| NK Brand | S35-A5 § | RR2Y | 3.50 | R | CCB | | | | | | |
| NK Brand | S37-Z8 § | RR2Y | 3.70 | R | CCB | | | | | | |
| Pfister | 29R25 | RR2Y | 2.90 | R | CCB | | | | | | |
| Pfister | 30R202 | RR2Y | 3.00 | R | CCB | | | | | | |
| Pfister | 30R25 | RR2Y | 3.00 | R | CCB | | | | | | |
| Pfister | 32R201 | RR2Y | 3.20 | R | CCB | | | | | | |
| Pfister | 33R28 | RR2Y | 3.40 | R | CCB | | | | | | |
| Pfister | 35R25 | RR2Y | 3.50 | R | CCB | | | | | | |
| Pfister | 37RS01 | RR2Y,ST | 3.70 | R | CCB | | | | | | |
| Pfister | 38R25 | RR2Y | 3.80 | R | CCB | | | | | | |
| Pioneer | P28T33R § | RR | 2.80 | R | EE,C,Ci | | | | | | |
| Pioneer | P33T72R § | RR | 3.30 | R | None | | | | | | |
| Pioneer | P34T07R2 § | RR2Y | 3.40 | R | EE,C,Ci | | | | | | |
| Renk | RS286NR2 | RR2Y | 2.80 | R | None | | | | | | |
| Renk | RS316NR2 | RR2Y | 3.10 | R | None | | | | | | |
| Renk | RS335NR2 | RR2Y | 3.30 | R | None | | | | | | |
| Seed Consultants | SCS 9314RR^ | RR | 3.10 | R | TT | | | | | | |
| Seed Consultants | SCS 9335RR^ | RR | 3.30 | MR | TT | | | | | | |
| Seed Consultants | SCS 9356R2^ | RR2Y | 3.50 | MR | EE | | | | | | |
| Seed Consultants | SCS 9363RR^ | RR | 3.60 | MR | TT | | | | | | |
| Steyer | 2805R2 | RR2Y | 2.80 | MR | CMBV | | | | | | |
| Steyer | 3002R2 | RR2Y,ST | 3.00 | MR | CCB | | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMMaxx® brand seed is distributed by AgVenture, Inc. XL® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMMaxx® and XL® are registered trademarks of DuPont Pioneer. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |
| § | United Soybean Board sponsored entry |

Soybean Technologies

| | |
|------|---------------------------------|
| LL | LibertyLink® |
| None | Conventional, non-GMO |
| RR | Roundup Ready® Soybeans |
| RR2Y | Genuity® Roundup Ready 2 Yield® |
| ST | Sulfonylurea herbicide tolerant |

Soybean Cyst Nematode (SCN) Resistance Rating

| | |
|----|---------------------|
| S | susceptible |
| MR | moderate resistance |
| R | resistant |
| ? | info unavailable |

Soybean Seed Treatments*

| | | | |
|------|-----------------------------------------------|------|----------------------------------------|
| ? | Information not provided | En | Encase® |
| AC | Acceleron® fungicide products | G | Gaucho® |
| ACi | Acceleron® fungicide and insecticide products | Gr | Great Start™ Max |
| AV | Avicta® | IL | ILeVO® |
| AVB | Avicta® Complete Beans | IS | Intego™ Suite |
| C | Cruiser® | None | untreated |
| CC | Curry® Coat | PS | MAS ProShield™ QV |
| CCB | Clariva™ Complete Beans | PV | Poncho®/Votivo® |
| CI | Clariva™ pn | Ri | Rizolex™ |
| CMB | CruiserMaxx® Beans | Sfi | Stine fungicide & insecticide products |
| CMBV | CruiserMaxx® Beans with Vibrance | SS+ | Soyshield Plus™ |
| DPHB | DPH Boost® | T | Trilex® |
| DST | Dominance™ ST | TE | Trius Elite |
| Ec | Eclipse™ IM | TT | Turbo Treat™ |
| EE | Evergol™ Energy | WCX | Warden® CX |

* Seed treatments may include unspecified plant health promoting components.