2017 Soybean Top 30 Harvest Report

PREV. CROP/HERB:

SOIL DESCRIPTION:

SOIL CONDITIONS:

PEST MANAGEMENT:

HARVESTED - STAND:

Iowa North Central [IANC] MOORLAND Jeff Loehr, Webster County, IA 50566

Oct 19



Early-Season Test

Maturity Group 2.1 - 2.5 S2017IANC02a

Top 30 of 54

TILLAGE/CULTIVATION: Conventional w/ fall till Zidua Pro, Warrant, Flexstar, Select APPLIED N-P-K (units): 0-0-0 SEEDED - RATE - ROW: May 30 141,000 /A 30" Spacing

130,200 /A

Webster-Nicollet clay loam, well drained, non-irrigated Very high P, medium K, 7.0 pH, 4.5% OM, 31.2 CEC

Corn / Verdict, Armezon, atrazine

For Gross Income (Sorted by Yield) Average of (3) Replications

| | | | | SCN | Yield | Moisture | Lodging | Stand | Gross Ir | ncome |
|------------------|----------------------------|----------------|--------|-------------|---------------|----------|-------------|---------------|--------------|------------|
| Company/Brand | Product/Brand ⁺ | Technol.+ | Mat. | Resist. | ◆ Bu/A ◆ | % | % | (x 1000) | \$/Acre | Rank |
| Cornelius | CB22X73 | RRX | 2.2 | R | 62.5 | 12.3 | 1 | 129.3 | \$563 | 1 |
| Hefty | H25X8 | RRX | 2.5 | R | 61.4 | 12.4 | 1 | 134.0 | \$553 | 2 |
| Dairyland | DSR-2330/R2Y | RR2Y | 2.3 | R | 61.2 | 12.5 | 1 | 131.4 | \$551 | 3 |
| Cornelius | CB24R82 | RR2Y | 2.4 | R | 61.0 | 12.4 | 1 | 132.4 | \$549 | 4 |
| Hefty | H22X8 | RRX | 2.2 | R | 60.7 | 12.5 | 1 | 134.4 | \$546 | 5 |
| Titan Pro | TP-24R26 | RR2Y | 2.4 | R | 60.5 | 12.6 | 1 | 128.0 | \$545 | 6 |
| Dairyland | DSR-2110/R2Y | RR2Y | 2.1 | R | 60.2 | 12.5 | 1 | 127.8 | \$542 | 7 |
| Kruger | K2X-2152 | RRX | 2.1 | MR | 59.9 | 12.5 | 1 | 132.9 | \$539 | 8 |
| LG Seeds | C2520R2 | RR2Y | 2.5 | R | 59.4 | 12.4 | 1 | 130.7 | \$535 | 10 |
| Prairie Brand | PB-2486R2 | RR2Y | 2.4 | R | 59.4 | 12.5 | 1 | 130.3 | \$535 | 11 |
| Pfister | 24R201 | RR2Y | 2.4 | R | 59.3 | 12.5 | 1 | 128.8 | \$534 | 12 |
| Pfister | 21R205 | RR2Y | 2.1 | R | 59.2 | 12.3 | 1 | 136.1 | \$533 | 13 |
| LG Seeds | C2441R2 | RR2Y | 2.4 | R | 59.2 | 12.5 | 1 | 130.8 | \$533 | 14 |
| Renk | RS246NR2 | RR2Y | 2.4 | R | 59.1 | 12.5 | 1 | 128.3 | \$532 | 15 |
| Asgrow | AG23X8 § | RRX | 2.3 | R | 59.0 | 12.4 | 1 | 130.7 | \$531 | 16 |
| Prairie Brand | PB-2197R2 | RR2Y | 2.1 | R | 58.9 | 12.5 | 1 | 131.8 | \$530 | 17 |
| Legend | LS 24R563N | RR2Y | 2.4 | R | 58.8 | 12.4 | 1 | 132.7 | \$529 | 18 |
| Jacobsen Seed | J761NR2X | RRX | 2.1 | R | 58.2 | 12.4 | 1 | 129.9 | \$524 | 19 |
| Kruger | K2X-2261 | RRX | 2.2 | R | 58.1 | 12.3 | 1 | 132.2 | \$523 | 20 |
| Cornelius | CB22R88 | RR2Y | 2.2 | R | 58.1 | 12.4 | 1 | 132.9 | \$523 | 21 |
| Golden Harvest | GH2537X § | RRX | 2.5 | R | 58.1 | 12.5 | 1 | 129.7 | \$523 | 22 |
| FS HiSoy | HS 24X70 | RRX | 2.4 | R | 58.0 | 12.4 | 1 | 130.2 | \$522 | 23 |
| Asgrow | AG21X7 § | RRX | 2.1 | R | 57.6 | 12.5 | 1 | 129.6 | \$518 | 24 |
| Renk | RS228NX | RRX | 2.2 | R | 57.1 | 12.3 | 1 | 130.7 | \$514 | 25 |
| Stine | 21RI32 § | RR2Y | 2.1 | R | 57.1 | 12.6 | 1 | 124.7 | \$514 | 26 |
| Champion | 24R87N | RR2Y | 2.4 | R | 56.8 | 12.7 | 1 | 131.8 | \$511 | 27 |
| NK Brand | S22-S1 § | RR2Y | 2.2 | R | 56.7 | 12.5 | 1 | 129.7 | \$510 | 28 |
| Champion | 22R07N | RR2Y | 2.2 | R | 56.1 | 12.4 | 1 | 130.2 | \$505 | 29 |
| Prairie Brand | PB-2228R2 | RR2Y | 2.2 | R | 56.0 | 12.5 | 1 | 128.5 | \$504 | 30 |
| FS HiSoy | HS 25X70 | RRX | 2.5 | R | 55.9 | 12.4 | 1 | 134.4 | \$503 | 31 |
| Croplan | R2C2450 CK | RR2Y | 2.4 | R | 59.8 | 12.6 | 1 | 131.0 | \$538 | 9 |
| 17 | l | | Av | erages = | 56.5 | 12.5 | 1 | 130.2 | \$509 | |
| Corey Magenboon | | | | LSD(0.10) = | | ns | ns | | | |
| Corey Rozenboom | LSD | (0.25) = | 1.0 | | | | | | | |
| corey.rozenboom@ | firstseedtests.com, (319 |) 830-8886 | | C.V. = | 3.1 | | Prev. y | vears avg. yi | eld, 48.7 bu | u/a, 5 yrs |
| Yield & Inco | me Factors: Base Mo | isture = 13.0% | Shrink | c = 1.3 | Drying = \$0. | 020 Pri | ces = \$9.0 | 00 GMO; \$ | 9.00 non-0 | GMO |

TEST COMMENTS: This can be a tough area for beans and it was very dry here. Plant heights were a bit shorter than normal. Several pods were found with a seed that didn't fill. Through the season, 3" came during vegetative stages, 1.4" from bloom to full pod and 5.7" from beginning seed through maturity. Late August rains came but earlier plant stress couldn't be overcome to bring big yields. Seed size varied.

+ See last page for abbreviation descriptions. Results in **bold** are significantly above test average by LSD (0.10). ns = column values not significantly different. ©2017, all rights reserved by Elite Field Genetics, LLC Additional reports available at www.firstseedtests.com Report Date: 10/22/2017 Revised:

2017 Soybean Top 30 Harvest Report

Iowa North Central [IANC] MOORLAND Jeff Loehr, Webster County, IA 50566

Oct 19

Corn / Verdict, Armezon, atrazine

129,600 /A

Webster-Nicollet clay loam, well drained, non-irrigated Very high P, medium K, 7.0 pH, 4.5% OM, 31.2 CEC

PREV. CROP/HERB:

SOIL DESCRIPTION:

SOIL CONDITIONS: TILLAGE/CULTIVATION:

PEST MANAGEMENT:

APPLIED N-P-K (units):

SEEDED - RATE - ROW:

HARVESTED - STAND:



Full-Season Test

Maturity Group 2.6 - 2.9 S2017IANC02b

Top 30 of 45

Conventional w/ fall till Zidua Pro, Warrant, Flexstar, Select 0-0-0 May 30 141,000 /A 30" Spacing

For Gross Income (Sorted by Yield) Average of (**3**) Replications

| | | | | SCN | Yield | Moisture | Lodging | Stand | Gross Ir | ncome |
|------------------|----------------------------|----------------|---------|-------------|----------------|----------|--------------|----------------|--------------|------------|
| Company/Brand | Product/Brand ⁺ | Technol.+ | Mat. | Resist. | ◆ Bu/A ◆ | % | % | (x 1000) | \$/Acre | Rank |
| Hefty | H26X7 | RRX | 2.6 | R | 66.1 | 12.5 | 1 | 129.4 | \$595 | 1 |
| Hefty | H29X8 | RRX | 2.9 | R | 64.5 | 12.6 | 1 | 129.1 | \$581 | 2 |
| Latham | L2982EXGT | BG | 2.9 | R | 63.9 | 12.5 | 1 | 133.0 | \$575 | 3 |
| Stine | 28RH02 § | RR2Y | 2.8 | R | 63.1 | 12.6 | 1 | 124.6 | \$568 | 4 |
| Renk | RS288NX | RRX | 2.8 | R | 62.6 | 12.6 | 1 | 130.0 | \$563 | 5 |
| Channel | 2617R2X | RRX | 2.6 | R | 62.3 | 12.5 | 1 | 131.0 | \$561 | 6 |
| Kruger | K2X-2652 | RRX | 2.6 | R | 61.6 | 12.5 | 1 | 131.1 | \$554 | 7 |
| Champion | 28X78N | RRX | 2.8 | R | 61.5 | 12.6 | 1 | 126.9 | \$554 | 8 |
| Jacobsen Seed | J876NR2X | RRX | 2.6 | R | 61.4 | 12.6 | 1 | 130.0 | \$553 | 9 |
| Cornelius | CB26X70 | RRX | 2.6 | R | 60.5 | 12.6 | 1 | 132.1 | \$545 | 10 |
| Cornelius | CB27X81 | RRX | 2.7 | R | 60.5 | 12.8 | 1 | 127.2 | \$545 | 11 |
| Cornelius | CB28X73 | RRX | 2.8 | R | 60.4 | 12.6 | 1 | 129.7 | \$544 | 12 |
| Champion | 28R85N | RR2Y | 2.8 | R | 60.3 | 12.6 | 1 | 130.5 | \$543 | 13 |
| Legend | LS 27R524N | RR2Y | 2.7 | R | 60.1 | 12.5 | 1 | 131.4 | \$541 | 14 |
| FS HiSoy | HS 29X70 | RRX | 2.9 | R | 59.9 | 12.6 | 1 | 127.5 | \$539 | 15 |
| Pioneer | P28T08R § | RR | 2.8 | R | 59.4 | 12.5 | 1 | 129.7 | \$535 | 17 |
| Pioneer | P27T59R § | RR | 2.7 | R | 59.1 | 12.5 | 1 | 131.0 | \$532 | 18 |
| Titan Pro | TP-26X37 | RRX | 2.6 | MR | 59.0 | 12.6 | 1 | 130.8 | \$531 | 19 |
| LG Seeds | C2888RX | RRX | 2.8 | R | 58.8 | 12.7 | 1 | 130.7 | \$529 | 20 |
| Latham | L2887R2X | RRX | 2.8 | R | 58.6 | 12.5 | 1 | 130.7 | \$527 | 21 |
| Latham | L2682R2X | RRX | 2.6 | R | 58.5 | 12.5 | 1 | 126.3 | \$527 | 22 |
| Jacobsen Seed | J878NR2X | RRX | 2.8 | R | 58.3 | 12.5 | 1 | 131.1 | \$525 | 23 |
| Kruger | K2X-2863 | RRX | 2.8 | R | 58.2 | 12.6 | 1 | 130.5 | \$524 | 24 |
| Kruger | K2X-2852 | RRX | 2.8 | R | 58.2 | 12.7 | 1 | 130.7 | \$524 | 25 |
| Hefty | H28X8 | RRX | 2.8 | R | 57.8 | 12.6 | 1 | 130.0 | \$520 | 26 |
| Legend | LS 28X840N | RRX | 2.8 | R | 57.7 | 12.5 | 1 | 128.5 | \$519 | 27 |
| Golden Harvest | GH2788X | RRX | 2.7 | R | 57.7 | 12.6 | 1 | 129.3 | \$519 | 28 |
| Champion | 26R36N | RR2Y | 2.6 | MR | 57.7 | 12.6 | 1 | 126.7 | \$519 | 29 |
| Pioneer | P25T51R § | RR | 2.5 | R | 57.1 | 12.4 | 1 | 130.5 | \$514 | 30 |
| Hefty | H27X6 | RRX | 2.7 | R | 56.9 | 12.6 | 1 | 131.8 | \$512 | 31 |
| Croplan | R2C2450 CK | RR2Y | 2.4 | R | 59.8 | 12.6 | 1 | 130.5 | \$538 | 16 |
| 177 | 1 | | Av | erages = | 58.2 | 12.6 | 1 | 129.6 | \$524 | |
| Corey Majenboon | | | | LSD(0.10) = | | 0.2 | 0.9 | | | |
| Corey Rozenboom | LSD (0.25) = | | 1.2 0.1 | | 0.5 | | | | | |
| corey.rozenboom@ | firstseedtests.com, (319 |) 830-8886 | | C.V. = | 3.5 | | Prev. y | vears avg. yie | eld, 48.7 bu | ı/a, 5 yrs |
| Yield & Incor | me Factors: Base Mo | isture = 13.0% | Shrink | = 1.3 | Drying = \$0.0 |)20 Prio | ces = \$9.00 | 0 GMO; \$9 |).00 non-G | MO |

TEST COMMENTS: This can be a tough area for beans and it was very dry here. Plant heights were a bit shorter than normal. Several pods were found with a seed that didn't fill. Through the season, 3" came during vegetative stages, 1.4" from bloom to full pod and 5.7" from beginning seed through maturity. Late August rains came but earlier plant stress couldn't be overcome to bring big yields. Seed size varied.

 † See last page for abbreviation descriptions. Results in **bold** are significantly above test average by LSD (0.10). **ns** = column values not significantly different.

 Additional reports available at www.firstseedtests.com
 ©2017, all rights reserved by Elite Field Genetics, LLC

 Report Date: 10/22/2017
 Revised:



2017 Soybean - Iowa North Central [IANC]

Early-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt | Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt |
|--------------------|---------------|----------|------|-----|--------------------|---------------|---------------|----------|------|-----|----------|
| Asgrow | AG21X7 § | RRX | 2.1 | R | ACi | Prairie Brand | PB-2486R2 | RR2Y | 2.4 | R | CMB |
| Asgrow | AG23X8 § | RRX | 2.3 | R | ACi | Renk | RS213NR2 | RR2Y | 2.1 | R | EcTC |
| Asgrow | AG24X7 § | RRX | 2.4 | R | ACi | Renk | RS228NX | RRX | 2.2 | R | AM,IL |
| Champion | 21X77N | RRX | 2.1 | R | EL | Renk | RS246NR2 | RR2Y | 2.4 | R | AM,IL |
| Champion | 22R07N | RR2Y | 2.2 | R | EL | Renk | RS248NX | RRX | 2.4 | R | AM,IL |
| Champion | 22R38N | RR2Y | 2.2 | R | EL | Stine | 21RI32 § | RR2Y | 2.1 | R | SFI |
| Champion | 24R87N | RR2Y | 2.4 | R | EL | Titan Pro | TP-21X46 | RRX | 2.1 | R | IS,IL |
| Cornelius | CB22R88 | RR2Y | 2.2 | R | PG+ | Titan Pro | TP-24R26 | RR2Y | 2.4 | R | IS,IL |
| Cornelius | CB22X73 | RRX | 2.2 | R | PG+ | Titan Pro | TP-24X87 | RRX | 2.4 | MR | IS,IL |
| Cornelius | CB24R82 | RR2Y | 2.4 | R | PG+ | | | | | | |
| Cornelius | CB24X64 | RRX | 2.4 | R | PG+ | | | | | | |
| Croplan | R2C2450 CK | RR2Y | 2.4 | R | W,IL | | | | | | |
| Dairyland | DSR-2110/R2Y | RR2Y | 2.1 | R | CMB | | | | | | |
| Dairyland | DSR-2330/R2Y | RR2Y | 2.3 | R | CMB | | | | | | |
| Federal | F2480NR2X | RRX | 2.4 | R | MAG | | | | | | |
| FS HiSoy | HS 22X70 | RRX | 2.2 | R | ACi, IL | | | | | | |
| FS HiSoy | HS 23X70 | RRX | 2.3 | R | ACi, IL | | | | | | |
| FS HiSoy | HS 24X70 | RRX | 2.4 | R | ACi, IL | | | | | | |
| FS HiSoy | HS 25X70 | RRX | 2.5 | R | ACi, IL | | | | | | |
| Golden Harvest | GH1852X § | RRX | 1.8 | R | CCB,Me | | | | | | |
| Golden Harvest | GH2041X | RRX | 2.0 | R | CCB,Me | | | | | | |
| Golden Harvest | GH2230X | RRX | 2.2 | R | CCB,Me | | | | | | |
| Golden Harvest | GH2537X § | RRX | 2.5 | R | CCB,Me | | | | | | |
| Hefty | H22X7 | RRX | 2.2 | R | DST | | | | | | |
| Hefty | H22X8 | RRX | 2.2 | R | DST | | | | | | |
| Hefty | H23X8 | RRX | 2.3 | S | DST | | | | | | |
| Hefty | H25X8 | RRX | 2.5 | R | DST | | | | | | |
| Jacobsen Seed | J761NR2X | RRX | 2.1 | R | AC,PV | | | | | | |
| Jacobsen Seed | J764NR2 | RR2Y | 2.4 | R | AC,PV | | | | | | |
| Jacobsen Seed | J774NR2X | RRX | 2.4 | R | AC,PV | | | | | | |
| Kruger | K2X-2052 | RRX | 2.0 | R | ACi | | | | | | |
| Kruger | K2X-2152 | RRX | 2.1 | MR | ACi | | | | | | |
| Kruger | K2X-2261 | RRX | 2.2 | R | ACi | | | | | | |
| Latham | L2184R2X | RRX | 2.1 | R | CCB,Me | | | | | | |
| Latham | L2228R2 | RR2Y | 2.2 | | CCB,Me | | | | | | |
| Latham | L2368R2X | RRX | 2.2 | R | | | | | | | |
| Latham | L2484R2X | RRX | 2.4 | R | SS+ | | | | | | |
| Legend | LS 24R563N | RR2Y | 2.4 | R | YPP | | | | | | |
| LG Seeds | C2441R2 | RR2Y | 2.4 | R | ASfi,IL | | | | | | |
| LG Seeds | C2520R2 | RR2Y | 2.4 | R | ASII,IL ASfi,IL | | | | | | |
| | S22-S1 § | | | | | | | | | | |
| NK Brand | • | RR2Y | 2.2 | R | CCB,Me | | | | | | |
| Pfister Dfistor | 21R205 | RR2Y | 2.1 | R | CCB | | | | | | |
| Pfister | 24R201 | RR2Y | 2.4 | R | CCB | | | | | | |
| Prairie Brand | PB-2197R2 | RR2Y | 2.1 | R | CMB | | | | | | |
| Prairie Brand | PB-2228R2 | RR2Y | 2.2 | R | CMB | | | | | | |



2017 Soybean - Iowa North Central [IANC]

Full-Season Test Products (45 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt |
|----------------|---------------|----------|------|-----|----------|
| Champion | 26R36N | RR2Y | 2.6 | MR | EL |
| Champion | 26X98N | RRX | 2.6 | R | None |
| Champion | 28R85N | RR2Y | 2.8 | R | EL |
| Champion | 28X78N | RRX | 2.8 | R | EL |
| Channel | 2617R2X | RRX | 2.6 | R | ACi |
| Channel | 2918R2X | RRX | 2.9 | R | ACi |
| Cornelius | CB26R30 | RR2Y | 2.6 | MR | PG+ |
| Cornelius | CB26X70 | RRX | 2.6 | R | PG+ |
| Cornelius | CB27X81 | RRX | 2.7 | R | PG+ |
| Cornelius | CB28X73 | RRX | 2.8 | R | PG+ |
| Croplan | R2C2450 CK | RR2Y | 2.4 | R | W,IL |
| Dairyland | DSR-2616/R2Y | RR2Y | 2.6 | MR | CMB |
| Dairyland | DSR-2909/R2Y | RR2Y | 2.9 | R | CMB |
| FS HiSoy | HS 27X60 | RRX | 2.7 | R | ACi, IL |
| FS HiSoy | HS 28X70 | RRX | 2.8 | R | ACi, IL |
| FS HiSoy | HS 29X70 | RRX | 2.9 | R | ACi, IL |
| Golden Harvest | GH2788X | RRX | 2.7 | R | CCB,Me |
| Hefty | H26X7 | RRX | 2.6 | R | DST |
| Hefty | H27X6 | RRX | 2.7 | R | DST |
| Hefty | H28X8 | RRX | 2.8 | R | DST |
| Hefty | H29X8 | RRX | 2.9 | R | DST |
| Jacobsen Seed | J876NR2X | RRX | 2.6 | R | AC,PV |
| Jacobsen Seed | J878NR2X | RRX | 2.8 | R | AC,PV |
| Kruger | K2X-2652 | RRX | 2.6 | R | ACi |
| Kruger | K2X-2852 | RRX | 2.8 | R | ACi |
| Kruger | K2X-2863 | RRX | 2.8 | R | ACi |
| Latham | L2682R2X | RRX | 2.6 | R | SS+ |
| Latham | L2758R2 | RR2Y | 2.7 | R | CCB,Me |
| Latham | L2887R2X | RRX | 2.8 | R | CCB,Me |
| Latham | L2982EXGT | BG | 2.9 | R | SS+ |
| Legend | LS 27R524N | RR2Y | 2.7 | R | YPP |
| Legend | LS 28X840N | RRX | 2.8 | R | YPP |
| LG Seeds | C2888RX | RRX | 2.8 | R | ASfi,IL |
| Pfister | 26R207 | RR2Y | 2.6 | R | CCB |
| Pfister | 29R25 | RR2Y | 2.9 | R | CCB |
| Pioneer | P25T51R § | RR | 2.5 | R | EE,G |
| Pioneer | P27T59R § | RR | 2.7 | R | None |
| Pioneer | P28T08R § | RR | 2.8 | R | None |
| Renk | RS268NX | RRX | 2.6 | R | AM,IL |
| Renk | RS288NX | RRX | 2.8 | R | AM,IL |
| Stine | 28RH02 § | RR2Y | 2.8 | R | SFI |
| Stine | 29RI32 § | RR2Y | 2.9 | R | SFI |
| Titan Pro | TP-26R35 | RR2Y | 2.6 | | IS,IL |
| Titan Pro | TP-26X37 | RRX | 2.6 | MR | IS,IL |
| Titan Pro | TP-28X47 | RRX | 2.8 | | IS,IL |

Footnotes and Abbreviation Descriptions



Brand Footnotes

| ^ | G2 [®] brand seed is distributed by NuTech Seed, LLC. RPM [®] brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme |
|----|---|
| | EX [®] brand seed is distributed by Seed Consultants, Inc. VPMaxx [®] brand seed is distributed by AgVenture, Inc. XL [®] brand |
| | seed is distributed by Beck's Superior Hybrids. Curry [®] , G2 [®] , HPT [®] , RPM [®] , Supreme EX [®] , VPMaxx [®] and XL [®] are registered trademarks of DuPont Pioneer. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |
| § | United Soybean Board sponsored entry |

Soybean Technologies

| BG | Balance™ GT |
|------|---|
| LL | LibertyLink® |
| None | Conventional, non-GMO |
| RR | Glyphosate tolerant |
| RR2Y | Genuity [®] Roundup Ready 2 Yield [®] |
| RRX | Roundup Ready 2 Xtend [®] |
| ST | Sulfonylurea herbicide tolerant |

Soybean Cyst Nematode (SCN) Resistance Rating

| S | susceptible |
|-----|---------------------|
| MR | moderate resistance |
| R | resistant |
| n/a | info unavailable |

Soybean Seed Treatments* ? Great Start[™] Max Plus information unavailable Gr+ A2020 Alert 2020™ insecticide I AC Acceleron[®] fungicide products IL **ILeVO**[®] ACi Acceleron[®] fungicide and insecticide products In Intego[™] Solo ArmourGuard™ IS Intego[™] Suite AG AM ApronMaxx[®] MAG Maximum ArmourGuard™ ASfi AgriShield[®] F+I Mertect® Me AVB Avicta[®] Complete Beans Mg Magnum ST[™] (standard) AVBV Avicta[®] Complete Beans with Vibrance[®] NCFI N-Compass[™] Plus F/I Clariva[™] Complete Beans CCB untreated None Clariva™ pn Cl Pd proTect D™ CMB CruiserMaxx[®] Beans Pdi proTect D/I™ PG+ Profit Guard +™ CMBV CruiserMaxx[®] Beans with Vibrance[®] DPHB DPH Boost[®] PS MAS Pro-Shield DST Dominance[™] ST ΡV Poncho®/Votivo® Defend[™] Extra Servo[™] DPI DX SDPI EcTC Eclipse[™] US Total coverage SFI Stine XP fungicide & insecticide EE Evergol[™] Energy SS Soyshield™ EL Elevate[™] F+I SS+ Soyshield Plus™ Elevate[™] VIP (F+I+N) ELV SStd SureStand™ En Encase® ΤE Trius Elite™ Equity[®] VIP EQV TT Turbo Treat™ Escalate™ Warden[®] CX Es W Warden[®] RTA F fungicide Wr YP Pro™ G Gaucho® YPP

* Seed treatments may include unspecified plant health promoting components.