

Test by: Effingham, IL

2021 Corn Grain Top 30 Harvest Report

Indiana Central [INCE] MUNCIE, IN
Daniel Hiatt, Delaware County, IN

| | |
|-------------------------------|---|
| Early-Season Test | 105 - 110 Day CRM B2021INCE04a |
| Top 30 of 39 | For Gross Income (Sorted by Yield) Average of (4) Replications |
| PREV. CROP/HERB: | Soybeans / NA |
| SOIL DESCRIPTION: | Crosby silt loam, mod. well drained, non-irrigated |
| SOIL CONDITION: | Conventional W/O Fall Till, very high P, medium K, 5.9 pH, 2.4% OM, 9.6 CEC |
| PEST MANAGEMENT: | Triple Flex, Impact |
| FERTILITY - Applied N: | 175 Sidedress |
| Applied N-P-K (units): | 175-200-250 |
| SEEDED - RATE - ROW: | May 21 34.0 /A 30" spacing |
| HARVESTED - STAND: | Nov 10 33.3 /A |

TEST COMMENTS:

This conventional location was planted May 21. Emergence was very uniform. Plant heights were unusually tall with high ear placement. In late summer, a significant wind event occurred which resulted in several hybrids leaning to the east. It doesn't appear to have affected yields of all hybrids negatively, but a few had lower marks when a high percentage lay over. This was a good location with a great new cooperater.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|--------------------|-----------|-----|-------------------|--------------|-------------|----------------|----------------------|-------------|
| Wyckoff | 2581 3220 EZ ↗ | 3220 | 108 | 266.1 | 19.2 | 3 | 36.6 | 1412 | 1 |
| Augusta | A1457-5122-EZ ↗ | 5122 | 107 | 263.0 | 18.6 | 4 | 30.9 | 1400 | 2 |
| Augusta | A1060-3330 ↗ | 3330 | 110 | 259.7 | 19.6 | 11 | 34.4 | 1374 | 4 |
| Wyckoff | 2583 TRE RIB ↗ | TRE | 108 | 259.1 | 18.9 | 6 | 33.8 | 1376 | 3 |
| FS InVision | FS 5909D2A EZR ↗ | 5222A | 109 | 256.1 | 19.4 | 23 | 35.8 | 1357 | 6 |
| Wyckoff | 2587 VT2P RIB ↗ | VT2P | 108 | 255.6 | 18.8 | 1 | 32.1 | 1359 | 5 |
| Augusta | A3758-3220-EZ ↗ | 3220 | 108 | 250.8 | 18.7 | 2 | 35.1 | 1334 | 7 |
| Local Seed | LC1009 VT2PRIB ↗ | VT2P | 110 | 247.0 | 19.0 | 9 | 35.8 | 1312 | 8 |
| Specialty | 39A569 ↗ | STX | 109 | 246.0 | 19.0 | 4 | 34.3 | 1306 | 10 |
| Ebberts | 6138VT2P RIB ↗ | VT2P | 108 | 245.3 | 18.4 | 10 | 31.4 | 1307 | 9 |
| Dairyland | DS-4878AM ↗ | AM | 108 | 244.1 | 18.5 | 18 | 30.9 | 1300 | 11 |
| FS InVision | FS 6017V RIB ↗ | VT2P | 110 | 242.9 | 19.0 | 18 | 32.1 | 1290 | 12 |
| Local Seed | LC0999 VT2PRIB ↗ | VT2P | 109 | 241.4 | 18.7 | 9 | 27.7 | 1284 | 13 |
| Local Seed | LC0918 SXXRIB ↗ | STX | 109 | 239.1 | 18.5 | 14 | 36.6 | 1273 | 14 |
| Wyckoff | 2634 VT2P RIB ↗ | VT2P | 110 | 238.8 | 19.8 | 24 | 33.6 | 1262 | 16 |
| Ebberts | 7209TR RIB ↗ | TRE | 108 | 238.7 | 18.5 | 17 | 32.9 | 1271 | 15 |
| Dyna-Gro | D50VC78 ↗ | VT2P | 109 | 236.5 | 19.2 | 5 | 32.1 | 1255 | 17 |
| Dyna-Gro | D50VC09 ↗ | VT2P | 110 | 234.9 | 18.9 | 25 | 35.1 | 1248 | 18 |
| Purple Ribbon | 21A09VT2PRIB ↗ | VT2P | 109 | 234.2 | 19.1 | 17 | 34.4 | 1243 | 19 |
| Pioneer | P1099Q GC ↗ | QR | 110 | 230.4 | 19.5 | 4 | 35.8 | 1220 | 20 |
| Augusta | A1259-5222 ↗ | 5222 | 109 | 229.5 | 19.5 | 36 | 31.4 | 1215 | 22 |
| Ebberts | 6626VT2P RIB ↗ | VT2P | 106 | 227.9 | 19.1 | 30 | 32.9 | 1210 | 25 |
| Local Seed | LC0707 DGVT2PRIB ↗ | VT2PDG | 107 | 227.9 | 18.5 | 3 | 30.6 | 1214 | 24 |
| Purple Ribbon | 21A08VT2PRIB ↗ | VT2P | 108 | 227.7 | 18.2 | 3 | 29.9 | 1215 | 23 |
| FS InVision | FS 5815V RIB ↗ | VT2P | 108 | 227.0 | 18.8 | 19 | 32.2 | 1206 | 26 |
| NK Brand | NK0877-3220 EZR ↗ | 3220 | 108 | 225.7 | 18.4 | 2 | 33.6 | 1202 | 27 |
| Dairyland | DS-4917AM ↗ | AM | 109 | 225.5 | 18.5 | 1 | 32.1 | 1201 | 28 |
| Augusta | A4858-5122-EZ ↗ | 5122 | 108 | 224.1 | 19.2 | 9 | 32.9 | 1189 | 30 |
| Dairyland | DS-4840AM ↗ | AM | 108 | 224.0 | 18.4 | 22 | 32.9 | 1194 | 29 |
| Great Heart | HT-6948VT2P ↗ | VT2P | 110 | 223.7 | 19.3 | 29 | 34.4 | 1186 | 31 |
| Pioneer | P1108Q CK | QR | 111 | 229.0 | 18.7 | 1 | 32.1 | 1218 | 21 |
| | | | | Averages = | 232.7 | 18.9 | 14 | 33.3 | 1238 |
| | | | | LSD (0.10) = | 22.5 | 0.6 | ns | | |
| | | | | LSD (0.25) = | 11.8 | 0.3 | ns | | |
| | | | | C.V. = | 10.6 | | | | |

Klint Tucker

Klint Tucker

klint@whatssmokin.net, (309) 712-1406

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.0

Drying = \$0.03

Prices: GMO = \$5.43

Historic yield: new site

Report Date: 11/12/2021

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ New! Links to full product yield results at www.firstseedtests.com

©2021, All rights reserved by Elite Field Genetics, LLC

Additional reports available at www.firstseedtests.com

Test by: Effingham, IL

2021 Corn Grain Top 30 Harvest Report

Indiana Central [INCE] MUNCIE, IN

Daniel Hiatt, Delaware County, IN

| | |
|-------------------------------|---|
| Full-Season Test | 111 - 114 Day CRM B2021INCE04b |
| Top 30 of 40 | For Gross Income (Sorted by Yield) Average of (4) Replications |
| PREV. CROP/HERB: | Soybeans / NA |
| SOIL DESCRIPTION: | Crosby silt loam, mod. well drained, non-irrigated |
| SOIL CONDITION: | Conventional W/O Fall Till, very high P, medium K, 5.9 pH, 2.4% OM, 9.6 CEC |
| PEST MANAGEMENT: | Triple Flex, Impact |
| FERTILITY - Applied N: | 175 Sidedress |
| Applied N-P-K (units): | 175-200-250 |
| SEEDED - RATE - ROW: | May 21 34.0 /A 30" spacing |
| HARVESTED - STAND: | Nov 10 31.8 /A |

TEST COMMENTS:

This conventional location was planted May 21. Emergence was very uniform. Plant heights were unusually tall with high ear placement. In late summer, a significant wind event occurred which resulted in several hybrids leaning to the east. It doesn't appear to have affected yields of all hybrids negatively, but a few had lower marks when a high percentage lay over. This was a good location with a great new cooperater.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank | |
|---------------|--------------------|-----------|-----|---------------------|--------------|-------------|----------------|----------------------|-------------|--|
| Local Seed | LC1497 DGVT2PRIB ↗ | VT2PDG | 114 | 262.8 | 20.0 | 16 | 32.1 | 1387 | 1 | |
| Purple Ribbon | 22A12VT2PRIB ↗ | VT2P | 112 | 258.0 | 19.7 | 31 | 33.6 | 1364 | 2 | |
| Specialty | 41DT911 ↗ | TRE | 111 | 257.5 | 19.7 | 25 | 32.9 | 1362 | 3 | |
| Wyckoff | 2669 SS RIB ↗ | STX | 111 | 255.7 | 20.0 | 17 | 32.2 | 1350 | 4 | |
| Local Seed | LC1407 VT2PRIB ↗ | VT2P | 114 | 255.7 | 20.1 | 18 | 29.9 | 1350 | 5 | |
| Becks | 6374V2P GC ↗ | VT2P | 113 | 255.3 | 19.9 | 7 | 31.4 | 1349 | 6 | |
| Specialty | 43A311 ↗ | STX | 113 | 252.6 | 19.5 | 11 | 29.9 | 1337 | 7 | |
| FS InVision | FS 6395VDG RIB ↗ | VT2PDG | 113 | 252.4 | 19.8 | 32 | 32.9 | 1333 | 8 | |
| Wyckoff | 2679 DGVT2P RIB ↗ | VT2PDG | 112 | 250.4 | 19.7 | 9 | 30.7 | 1324 | 9 | |
| Local Seed | LC1307 TCRIB ↗ | TRE | 113 | 244.4 | 19.4 | 69 | 29.9 | 1295 | 10 | |
| FS InVision | FS 6194V RIB ↗ | VT2P | 111 | 242.9 | 19.7 | 26 | 32.9 | 1284 | 12 | |
| Wyckoff | 2646 SS RIB ↗ | STX | 112 | 241.6 | 19.8 | 14 | 32.9 | 1277 | 13 | |
| Purple Ribbon | 22A10VT2P ↗ | VT2P | 110 | 241.4 | 20.1 | 24 | 29.9 | 1274 | 14 | |
| FS InVision | FS 6306T RIB ↗ | TRE | 113 | 239.7 | 19.6 | 54 | 30.7 | 1269 | 15 | |
| Wyckoff | 2667 DGVT2P RIB ↗ | VT2PDG | 111 | 238.3 | 20.4 | 31 | 29.9 | 1256 | 17 | |
| Ebberts | 6883DGVT2P RIB ↗ | VT2PDG | 112 | 237.1 | 19.3 | 15 | 29.9 | 1257 | 16 | |
| Local Seed | LC1398 VT2PRIB ↗ | VT2P | 113 | 234.5 | 19.8 | 59 | 31.4 | 1239 | 18 | |
| Dairyland | DS-5279Q ↗ | QR | 112 | 232.9 | 20.7 | 42 | 32.9 | 1225 | 19 | |
| Augusta | A6362-5122-EZ ↗ | 5122 | 112 | 231.2 | 20.5 | 25 | 29.9 | 1217 | 20 | |
| Becks | 6282AM GC ↗ | AM | 112 | 230.4 | 20.4 | 48 | 30.7 | 1213 | 22 | |
| Dairyland | DS-5250AM ↗ | AM | 112 | 229.4 | 19.4 | 38 | 31.4 | 1215 | 21 | |
| Specialty | 43G549 ↗ | VT2PDG | 113 | 229.3 | 20.0 | 30 | 32.9 | 1211 | 24 | |
| FS InVision | FS 6299L2 EZR ↗ | 3220 | 112 | 229.1 | 20.3 | 14 | 32.1 | 1208 | 25 | |
| Specialty | 41A091 ↗ | STX | 111 | 229.1 | 19.7 | 32 | 29.2 | 1212 | 23 | |
| Augusta | A6162-5222-EZ ↗ | 5222 | 112 | 228.1 | 20.2 | 13 | 29.9 | 1203 | 27 | |
| Ebberts | 7722TR RIB ↗ | TRE | 112 | 227.6 | 19.5 | 66 | 29.9 | 1205 | 26 | |
| Dyna-Gro | D53SS13 ↗ | STX | 113 | 224.8 | 19.3 | 56 | 32.1 | 1192 | 28 | |
| Purple Ribbon | 22R13DGVT2PRIB ↗ | VT2P | 113 | 224.8 | 19.4 | 21 | 30.6 | 1191 | 29 | |
| NK Brand | NK1321-3120 EZR ↗ | 3120 | 113 | 224.6 | 20.3 | 23 | 32.1 | 1184 | 31 | |
| FS InVision | FS 6107T RIB ↗ | TRE | 111 | 223.7 | 19.4 | 11 | 31.4 | 1185 | 30 | |
| Pioneer | P1108Q CK | QR | 111 | 243.6 | 19.8 | 14 | 32.9 | 1287 | 11 | |
| | | | | Averages = | 233.7 | 19.9 | 33 | 31.8 | 1233 | |
| | | | | LSD (0.10) = | 18.5 | 0.6 | 21 | | | |
| | | | | LSD (0.25) = | 9.7 | 0.3 | 11 | | | |
| | | | | C.V. = | 8.7 | | | | | |

Klint Tucker

Klint Tucker

klint@whatssmokin.net, (309) 712-1406

Historic yield: new site

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.0 Drying = \$0.03 Prices: GMO = \$5.43

Report Date: 11/12/2021

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ New! Links to full product yield results at www.firstseedtests.com


©2021, All rights reserved by Elite Field Genetics, LLC

Additional reports available at www.firstseedtests.com

2021 Corn - Indiana Central [INCE]

Weather Conditions Summary at MUNCIE, IN

| Monthly Total | May* | Jun | Jul | Aug | Sep | Oct | Nov* | Total |
|-----------------------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|
| Precip (in) Normal (Diff) | 3.4 3.4 (0.0) | 5.0 5.4 (-0.4) | 6.3 3.9 (+2.4) | 4.4 3.7 (+0.7) | 6.6 3.1 (+3.4) | 6.8 3.3 (+3.5) | 0.0 1.0 (-1.0) | 32.5 23.9 (+8.6) |
| GDU Normal (Diff) | 301 369 (-68) | 689 655 (+33) | 727 759 (-32) | 760 677 (+82) | 553 498 (+54) | 356 224 (+131) | 16 0 (+16) | 3402 3184 (+217) |



* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.

2021 Corn - Indiana Central [INCE]

Early-Season Test Products (39 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---------------|------------------|------------|-----|-----|---------------|
| Augusta | A1060-3330 | 3330 | N | 110 | CM,C2 |
| Augusta | A1259-5222 | 5222 | N | 109 | CM,C2 |
| Augusta | A1457-5122-EZ | 5122 | Y | 107 | AC250 |
| Augusta | A3758-3220-EZ | 3220 | Y | 108 | AVC,C5 |
| Augusta | A4858-5122-EZ | 5122 | Y | 108 | CM,C2 |
| Becks | 5994V2P GC | VT2P | Y | 109 | Es |
| Dairyland | DS-4510Q | QR | Y | 105 | Lum,P1V |
| Dairyland | DS-4840AM | AM | Y | 108 | Lum,P1V |
| Dairyland | DS-4878AM | AM | Y | 108 | Lum,P1V |
| Dairyland | DS-4917AM | AM | Y | 109 | Lum |
| Dairyland | DS-5018AM | AM | Y | 110 | Lum,P1V |
| Dyna-Gro | D50VC09 | VT2P | N | 110 | AC,P5V |
| Dyna-Gro | D50VC78 | VT2P | N | 109 | AC,P5V |
| Ebberts | 6138VT2P RIB | VT2P | Y | 108 | AC250,Ri |
| Ebberts | 6626VT2P RIB | VT2P | Y | 106 | AC250,Ri |
| Ebberts | 7209TR RIB | TRE | Y | 108 | AC250,Ri |
| FS InVision | FS 5515D2 EZR | 5222 | Y | 105 | CM,C2,Vi |
| FS InVision | FS 5704V RIB | VT2P | Y | 107 | AC,P5V |
| FS InVision | FS 5815V RIB | VT2P | Y | 108 | AC,P5V,EDC-EL |
| FS InVision | FS 5909D2A EZR | 5222A | Y | 109 | AC,P5V |
| FS InVision | FS 6017V RIB | VT2P | Y | 110 | AC,P5V,EDC-EL |
| Great Heart | HT-6948VT2P | VT2P | N* | 110 | AC,P5V |
| Local Seed | LC0607 TCRIB | TRE | Y | 106 | RA |
| Local Seed | LC0707 DGVT2PRIB | VT2PDG | Y | 107 | RA |
| Local Seed | LC0918 SSXRIB | STX | Y | 109 | AC,P5V,EDC-EL |
| Local Seed | LC0999 VT2PRIB | VT2P | Y | 109 | RA |
| Local Seed | LC1009 VT2PRIB | VT2P | Y | 110 | RA |
| NK Brand | NK0877-3220 EZR | 3220 | Y | 108 | AVC,C5,Vi |
| NK Brand | NK1082-3220A EZR | 3220A | Y | 110 | AVC,C5,Vi |
| Pioneer | P1099Q GC | QR | Y | 110 | Lum |
| Pioneer | P1108Q CK | QR | Y | 111 | Lum |
| Purple Ribbon | 21A08VT2PRIB | VT2P | Y | 108 | AC,P2 |
| Purple Ribbon | 21A09VT2PRIB | VT2P | Y | 109 | AC,P2 |
| Specialty | 39A569 | STX | Y | 109 | AC,P5V,EDC-B |
| Wyckoff | 2581 3220 EZ | 3220 | Y | 108 | CM,C5,Vi |
| Wyckoff | 2583 TRE RIB | TRE | Y | 108 | AC,P5V |
| Wyckoff | 2584 VT2P RIB | VT2P | Y | 108 | AC,P5V |
| Wyckoff | 2587 VT2P RIB | VT2P | Y | 108 | AC,P2 |
| Wyckoff | 2634 VT2P RIB | VT2P | Y | 110 | AC,P5V |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2021 Corn - Indiana Central [INCE]

Full-Season Test Products (40 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---------------|------------------|------------|-----|-----|--------------|
| Augusta | A6162-5222-EZ | 5222 | Y | 112 | CM,C2 |
| Augusta | A6362-5122-EZ | 5122 | Y | 112 | AVC,C5,Vi |
| Becks | 6282AM GC | AM | Y | 112 | Es |
| Becks | 6374V2P GC | VT2P | Y | 113 | Es |
| Dairyland | DS-5144Q | QR | Y | 111 | Lum,P1V |
| Dairyland | DS-5250AM | AM | Y | 112 | Lum,P1V |
| Dairyland | DS-5279Q | QR | Y | 112 | Lum,P1V |
| Dairyland | DS-5323AM | AM | Y | 113 | Lum,P1V |
| Dyna-Gro | D53SS13 | STX | N | 113 | AC,P5V |
| Dyna-Gro | D54VC34 | VT2P | N | 114 | AC,P5V |
| Ebberts | 6883DGVT2P RIB | VT2PDG | Y | 112 | AC250,Ri |
| Ebberts | 7722TR RIB | TRE | Y | 112 | AC250,Ri |
| FS InVision | FS 6107T RIB | TRE | Y | 111 | AC,P5V |
| FS InVision | FS 6194V RIB | VT2P | Y | 111 | AC,P5V |
| FS InVision | FS 6299L2 EZR | 3220 | Y | 112 | AC,P5V |
| FS InVision | FS 6306T RIB | TRE | Y | 113 | AC,P5V |
| FS InVision | FS 6395VDG RIB | VT2PDG | Y | 113 | AC,P5V |
| Great Heart | HT-7148TRE | TRE | Y | 111 | AC,P5V |
| Great Heart | HT-7302VT2P | VT2P | Y | 113 | AC,P5V |
| Local Seed | LC1307 TCRIB | TRE | Y | 113 | RA |
| Local Seed | LC1398 VT2PRIB | VT2P | Y | 113 | RA |
| Local Seed | LC1407 VT2PRIB | VT2P | Y | 114 | RA |
| Local Seed | LC1497 DGVT2PRIB | VT2PDG | Y | 114 | RA |
| NK Brand | NK1188-5122 EZR | 5122 | Y | 111 | AVC,C5,Vi |
| NK Brand | NK1321-3120 EZR | 3120 | Y | 113 | AVC,C5,Vi |
| NK Brand | NK1349-3220 EZR | 3220 | Y | 113 | AVC,C5,Vi |
| Pioneer | P1108Q CK | QR | Y | 111 | Lum |
| Pioneer | P1185AM GC | AM | Y | 111 | Lum |
| Purple Ribbon | 22A10VT2P | VT2P | N | 110 | AC,P2 |
| Purple Ribbon | 22A12VT2PRIB | VT2P | Y | 112 | AC,P2 |
| Purple Ribbon | 22R13DGVT2PRIB | VT2P | Y | 113 | AC,P2 |
| Specialty | 41A091 | STX | Y | 111 | AC,P5V,EDC-B |
| Specialty | 41DT911 | TRE | Y | 111 | AC,P5,B360 |
| Specialty | 43A311 | STX | Y | 113 | AC,P5V,EDC-B |
| Specialty | 43G549 | VT2PDG | Y | 113 | AC,P5,B360 |
| Wyckoff | 2646 SS RIB | STX | Y | 112 | AC,P5V |
| Wyckoff | 2667 DGVT2P RIB | VT2PDG | Y | 111 | AC,P2 |
| Wyckoff | 2668 VT2P RIB | VT2P | Y | 111 | AC,P2 |
| Wyckoff | 2669 SS RIB | STX | Y | 111 | AC,P5V |
| Wyckoff | 2679 DGVT2P RIB | VT2PDG | Y | 112 | AC,P2 |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

[^] Innotech™ brand seed is distributed by Rob-See-Co, LLC. Power Plus® brand seed is distributed by Burrus. Innotech™ is a trademark of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience.

CK Identifies a check product included in early- and full-season tests.

GC Grower Comparison product included by FIRST when space permits.

Corn Technologies

| | |
|--------|--|
| 3120 | Agrisure® 3120 (CB,HX,LL,GT) |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) |
| 3220A | Agrisure® Artesian® Viptera® 3220 (Vip,CB,HX,LL,GT) |
| 3330 | Agrisure® Viptera® 3330 (Vip,CB,LL,GT) |
| 5122 | Agrisure® Duracade™ 5122 |
| 5222 | Agrisure® Duracade™ 5222 |
| 5222A | Agrisure® Duracade™ Artesian® 5222 |
| AM | Optimum® AcreMax® |
| QR | Qrome™ |
| STX | SmartStax® |
| TRE | Genuity® Trecepta™ |
| VT2P | Genuity® VT Double PRO® |
| VT2PDG | Genuity® VT Double PRO® DroughtGard® |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

| | |
|---------------|--|
| NA | Not Available |
| AC250 | Acceleron® 250 |
| AC250,Ri | Acceleron® 250, Rizolex |
| AC,P2 | Acceleron® 250 |
| AC,P5,B360 | Acceleron® 500 with BioRise™ B-360 ST |
| AC,P5V | Acceleron® Poncho 500/Votivo |
| AC,P5V,EDC-B | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AVC,C5 | Avicta® Complete 500 |
| AVC,C5,Vi | Avicta® Complete 500, Vibrance |
| CM,C2 | CruiserMaxx® 250 |
| CM,C2,Vi | CruiserMaxx® 250 with Vibrance |
| CM,C5,Vi | CruiserMaxx® 500 with Vibrance |
| Es | Escalate |
| Lum | LumiGEN™ (Corteva Agriscience) |
| Lum,P1V | LumiGEN™ Poncho 1250/Votivo |
| RA | Radius 500 (Local Seed Co) |
| Treated | Treated seed, unspecified |

* Seed treatments may include unspecified plant health promoting components.