

Test by: F.I.R.S.T. CCB, Inc. Elizabeth, IL

2023 Corn Grain Top 30 Harvest Report

Iowa East Central [IAEC] WASHINGTON, IA
Tom Vittetoe, Washington County, IA 52353

| | |
|-------------------------------|---|
| Early-Season Test | 105 - 110 Day CRM B2023IAEC16a |
| Top 30 of 45 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / 2-4,D, Roundup, Liberty |
| SOIL DESCRIPTION: | Taintor silty clay loam, mod. poorly drained, non-irrigated |
| SOIL CONDITION: | No-Till, very high P, medium K, 6.3 pH, 4.7% OM, 25.6 CEC |
| PEST MANAGEMENT: | Anthem Max, 2-4-D, Roundup, Atrazine, Callisto, Quilt XI |
| FERTILITY - Applied N: | 17 Spring, 2 Planter, 70 Sidedress, 3500 gal Hog finishing Manure |
| Applied N-P-K (units): | 89-8-2 |
| SEEDED - RATE - ROW: | May 2 32.5 /A 30" spacing |
| HARVESTED - STAND: | Oct 1 32.0 /A |

TEST COMMENTS:

Planting conditions were the best you could ask for, and the plants emerged without problems. The area was close to 12 in. below average rainfall but they caught rains when the crop needed to fill out. The plot was standing strong with no lodging issues. Very little plant disease was noted. Some plants were still holding green foliage. Ears were pollinated well and strong cobs made shelling easy. Tom said that you can see yield changes across fields with soil type due to lack of rain.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---|------------------|-----------|-----|---------------------------------------|--------------|-------------|----------------|----------------------|-------------|
| Integra | 5704 SSSPRO ↗ | STXP | 107 | 290.1 | 20.2 | 1 | 33.8 | 1355 | 1 |
| NuTech | 70F6Q ↗ | QR | 110 | 288.8 | 21.0 | 1 | 33.8 | 1340 | 2 |
| Kruger | K0957SP ↗ | STXP | 109 | 285.2 | 20.6 | 1 | 30.9 | 1328 | 3 |
| Pioneer | P1027AM GC ↗ | AM | 110 | 283.8 | 21.9 | 1 | 32.9 | 1306 | 5 |
| Wyllfels | W5406 ↗ | VT2P | 108 | 282.2 | 22.0 | 1 | 31.9 | 1298 | 7 |
| Cornelius | C6847TRE ↗ | TRE | 108 | 281.7 | 21.0 | 1 | 31.9 | 1307 | 4 |
| FS InVision | FS 5835V RIB ↗ | VT2P | 108 | 279.3 | 22.6 | 1 | 30.9 | 1278 | 9 |
| Renk | RK773TRE ↗ | TRE | 109 | 279.2 | 21.2 | 1 | 34.8 | 1293 | 8 |
| Hefty | H5862 ↗ | VT2P | 108 | 277.3 | 19.6 | 1 | 32.9 | 1302 | 6 |
| Integra | 6061 STXRIB ↗ | STX | 110 | 276.7 | 22.0 | 1 | 30.0 | 1273 | 10 |
| FS InVision | FS 5935X RIB ↗ | STX | 109 | 275.8 | 23.3 | 1 | 31.9 | 1255 | 17 |
| Kruger | K0858DP ↗ | VT2P | 108 | 274.8 | 21.7 | 1 | 33.8 | 1267 | 12 |
| FS InVision | FS 6025X RIB ↗ | STX | 110 | 274.4 | 22.7 | 1 | 30.0 | 1255 | 18 |
| Renk | RK707TRE ↗ | TRE | 105 | 273.8 | 21.4 | 1 | 30.9 | 1266 | 13 |
| Renk | RK703PWE ↗ | PCE | 106 | 272.7 | 20.7 | 1 | 31.9 | 1269 | 11 |
| LG Seeds | LG58C48VT2PRIB ↗ | VT2P | 108 | 271.8 | 22.3 | 1 | 33.8 | 1247 | 21 |
| Renk | RK766SSPRO ↗ | STXP | 109 | 269.7 | 21.2 | 1 | 30.0 | 1249 | 20 |
| NuTech | 68A9AM ↗ | AM | 108 | 268.6 | 19.7 | 1 | 31.9 | 1260 | 14 |
| Kruger | K0915DD ↗ | VT2PDG | 109 | 267.8 | 23.8 | 1 | 34.8 | 1213 | 25 |
| Titan Pro | 39-08 PCE ↗ | PCE | 108 | 267.7 | 19.4 | 1 | 32.9 | 1260 | 15 |
| FS InVision | FS 5725X RIB ↗ | STX | 107 | 267.6 | 19.6 | 1 | 33.8 | 1257 | 16 |
| Kruger | K0783DP ↗ | VT2P | 107 | 265.8 | 20.2 | 1 | 31.9 | 1242 | 22 |
| Midwest Genetics | EX0937 PCE GC ↗ | PCE | 109 | 265.7 | 23.1 | 1 | 33.8 | 1211 | 26 |
| Epley | E1512SS ↗ | STX | 105 | 264.2 | 20.8 | 1 | 30.9 | 1228 | 24 |
| Wyllfels | W5086RIB ↗ | VT2P | 107 | 263.7 | 20.5 | 1 | 30.9 | 1229 | 23 |
| NuTech | 70B4AM ↗ | AM | 110 | 263.6 | 23.4 | 1 | 31.9 | 1198 | 30 |
| Titan Pro | 31-10 PCE ↗ | PCE | 110 | 260.9 | 21.7 | 1 | 31.9 | 1203 | 29 |
| Titan Pro | 37-06 PCE ↗ | PCE | 106 | 259.9 | 21.2 | 1 | 33.8 | 1204 | 28 |
| Cornelius | C6578PC ↗ | PCE | 105 | 257.7 | 19.5 | 1 | 32.9 | 1211 | 27 |
| NuTech | 65D3Q ↗ | QR | 105 | 253.9 | 19.3 | 1 | 34.8 | 1195 | 31 |
| DEKALB | DKC111-35RIB CK | VT2P | 111 | 272.9 | 22.5 | 1 | 30.0 | 1250 | 19 |
| | | | | Averages = | 266.5 | 21.6 | 1 | 32.0 | 1231 |
| | | | | LSD (0.10) = | 7.6 | 1.1 | ns | | |
| | | | | LSD (0.25) = | 4.0 | 0.6 | ns | | |
| | | | | C.V. = | 2.7 | | | | |
| Randy Meinsma | | | | Historic yield: 220.59 bu/a, 20 yr(s) | | | | | |
| randym@firstseedtests.com, (815) 238-8007 | | | | | | | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$4.88

Report Date: 10/02/2023

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at www.firstseedtests.com

©2023, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Additional reports available at www.firstseedtests.com

Test by: F.I.R.S.T. CCB, Inc. Elizabeth, IL

2023 Corn Grain Top 30 Harvest Report

Iowa East Central [IAEC] WASHINGTON, IA
Tom Vittetoe, Washington County, IA 52353

| | |
|-------------------------------|---|
| Full-Season Test | 111 - 115 Day CRM B2023IAEC16b |
| Top 30 of 45 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / 2-4,D, Roundup, Liberty |
| SOIL DESCRIPTION: | Taintor silty clay loam, mod. poorly drained, non-irrigated |
| SOIL CONDITION: | No-Till, very high P, medium K, 6.3 pH, 4.7% OM, 25.6 CEC |
| PEST MANAGEMENT: | Anthem Max, 2-4-D, Roundup, Atrazine, Callisto, Quilt XI |
| FERTILITY - Applied N: | 17 Spring, 2 Planter, 70 Sidedress, 3500 gal Hog finishing Manure |
| Applied N-P-K (units): | 89-8-2 |
| SEEDED - RATE - ROW: | May 2 32.5 /A 30" spacing |
| HARVESTED - STAND: | Oct 1 32.5 /A |

TEST COMMENTS:

Planting conditions were the best you could ask for, and the plants emerged without problems. The area was close to 12 in. below average rainfall but they caught rains when the crop needed to fill out. The plot was standing strong with no lodging issues. Very little plant disease was noted. Some plants were still holding green foliage. Ears were pollinated well and strong cobs made shelling easy. Tom said that you can see yield changes across fields with soil type due to lack of rain.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|-------------------|-----------|-----|---------------------|--------------|-------------|----------------|---------------------------------------|-------------|
| Wyffels | W6886 ↗ | VT2P | 111 | 289.7 | 21.8 | 1 | 31.9 | 1335 | 1 |
| Cornelius | C7366DGDP ↗ | VT2PDG | 113 | 284.2 | 26.3 | 1 | 31.9 | 1258 | 6 |
| Cornelius | C7202SSP ↗ | STXP | 112 | 284.0 | 23.4 | 1 | 33.8 | 1290 | 4 |
| FS InVision | FS 6217X RIB ↗ | STX | 112 | 281.8 | 21.4 | 1 | 33.8 | 1303 | 2 |
| Renk | RK958VT2P ↗ | VT2P | 115 | 279.9 | 26.5 | 1 | 32.9 | 1237 | 14 |
| Wyffels | W7945RIB ↗ | TRE | 114 | 279.9 | 27.2 | 1 | 32.9 | 1229 | 16 |
| ProHarvest | 84P78 TRERIB ↗ | TRE | 114 | 279.8 | 26.6 | 1 | 32.9 | 1235 | 15 |
| NuTech | 73A6Q ↗ | QR | 113 | 279.7 | 21.6 | 1 | 30.0 | 1291 | 3 |
| Kruger | K1562DT ↗ | TRE | 115 | 279.5 | 26.2 | 1 | 32.9 | 1238 | 13 |
| Kruger | K1364DT ↗ | TRE | 113 | 279.1 | 24.5 | 1 | 30.9 | 1256 | 7 |
| Kruger | K1460DT ↗ | TRE | 114 | 278.7 | 24.9 | 1 | 32.9 | 1249 | 11 |
| Cornelius | C7235PC ↗ | PCE | 112 | 276.4 | 22.7 | 1 | 33.8 | 1264 | 5 |
| Titan Pro | 33-12 PCE ↗ | PCE | 112 | 275.1 | 24.2 | 1 | 32.9 | 1241 | 12 |
| Epley | E2109PWE ↗ | PCE | 111 | 273.8 | 22.6 | 1 | 32.9 | 1253 | 10 |
| Integra | 6588 VT2PRIB ↗ | VT2P | 115 | 273.5 | 27.3 | 1 | 32.9 | 1200 | 24 |
| Golden Harvest | G15J91-V ↗ | V | 115 | 272.9 | 27.7 | 1 | 33.8 | 1193 | 28 |
| Integra | 6244 PWE ↗ | PCE | 112 | 272.3 | 21.9 | 1 | 32.9 | 1254 | 9 |
| ProHarvest | 83P66 VT2P ↗ | VT2P | 113 | 272.1 | 26.3 | 1 | 32.9 | 1205 | 22 |
| Wyffels | W8086 ↗ | VT2P | 114 | 269.6 | 24.8 | 1 | 31.9 | 1210 | 20 |
| FS InVision | FS 6595V RIB ↗ | VT2P | 115 | 269.2 | 27.4 | 1 | 31.9 | 1180 | 31 |
| Kruger | K1191DT ↗ | TRE | 111 | 268.2 | 22.5 | 1 | 32.9 | 1228 | 17 |
| Wyffels | W7759 ↗ | STXP | 113 | 265.9 | 24.4 | 1 | 33.8 | 1198 | 25 |
| Renk | RK915VT2P ↗ | VT2P | 115 | 265.6 | 23.1 | 1 | 30.9 | 1210 | 21 |
| NuTech | 74C4AM ↗ | AM | 114 | 265.5 | 22.2 | 1 | 30.0 | 1219 | 18 |
| ProHarvest | 83P33 DGVT2PRIB ↗ | VT2PDG | 113 | 264.7 | 24.7 | 1 | 32.9 | 1189 | 30 |
| FS InVision | FS 6306T RIB ↗ | TRE | 113 | 264.3 | 21.8 | 1 | 31.9 | 1218 | 19 |
| Renk | RK811PWE ↗ | PCE | 111 | 264.2 | 24.1 | 1 | 30.0 | 1193 | 29 |
| Renk | RK895DGVT2P ↗ | VT2PDG | 113 | 262.9 | 23.2 | 1 | 33.8 | 1196 | 27 |
| Hefty | H6244 ↗ | STX | 112 | 262.2 | 22.1 | 1 | 30.9 | 1205 | 23 |
| NuTech | 72A5Q ↗ | QR | 112 | 262.0 | 22.7 | 1 | 33.8 | 1198 | 26 |
| DEKALB | DKC111-35RIB CK | VT2P | 111 | 273.9 | 22.6 | 1 | 32.9 | 1254 | 8 |
| | | | | Averages = | 267.7 | 24.2 | 1 | 32.5 | 1208 |
| | | | | LSD (0.10) = | 9.4 | 1.3 | ns | | |
| | | | | LSD (0.25) = | 4.9 | 0.7 | ns | | |
| | | | | C.V. = | 3.3 | | | | |
| | | | | | | | | Historic yield: 220.59 bu/a, 20 yr(s) | |



Randy Meinsma

randym@firstseedtests.com, (815) 238-8007

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$4.88

Report Date: 10/02/2023

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at www.firstseedtests.com

©2023, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.


Additional reports available at www.firstseedtests.com

2023 Corn - Iowa East Central [IAEC]

Weather Conditions Summary at WASHINGTON, IA

Weather Data Retrieved: 10/02/2023

| Monthly Total | Apr* | May | Jun | Jul | Aug | Sep* | Total |
|----------------------|------------------|------------------|------------------|------------------|------------------|------------------|---------------------|
| Precip (in) (Diff) | 0.4 1.8 (-1.4) | 1.9 5.2 (-3.4) | 2.1 5.2 (-3.0) | 1.9 4.0 (-2.1) | 3.0 3.4 (-0.4) | 1.6 3.7 (-2.1) | 10.9 23.2 (-12.3) |
| GDU Avg (Diff) | 42 80 (-38) | 438 390 (+47) | 620 677 (-57) | 698 750 (-52) | 681 696 (-15) | 512 515 (-3) | 2991 3111 (-120) |



* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.

2023 Corn - Iowa East Central [IAEC]

Early-Season Test Products (45 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|------------------|----------------|------------|-----|-----|---------------|
| Cornelius | C6578PC | PCE | N | 105 | AC,P5V |
| Cornelius | C6847TRE | TRE | N | 108 | AVC |
| Cornelius | C7021DP | VT2P | N | 110 | AVC |
| DeKalb | DKC111-35RIB | VT2P | Y* | 111 | AC,P5V,EDC-EL |
| Dyna-Gro | D50VC09RIB | VT2P | Y* | 110 | AC,P5V |
| Epley | E1512SS | STX | N | 105 | Vi5 |
| FS InVision | FS 5725X RIB | STX | Y | 107 | AC,P5V,EDC-EL |
| FS InVision | FS 5835V RIB | VT2P | Y | 108 | AC,P5V,EDC-EL |
| FS InVision | FS 5935X RIB | STX | Y | 109 | AC,P5V,EDC-EL |
| FS InVision | FS 6017V RIB | VT2P | Y | 110 | AC,P5V,EDC-EL |
| FS InVision | FS 6025X RIB | STX | Y | 110 | AC,P5V,EDC-EL |
| Golden Harvest | G10B61-AA | AA | Y | 110 | CM,C5,Va |
| Golden Harvest | G10D21-VZ | VZ | Y | 110 | AVC,C5,Vi,Va |
| Hefty | H5674 | STXP | Y | 106 | HC |
| Hefty | H5862 | VT2P | N | 108 | HC |
| Hefty | H5944 | STX | N | 109 | HC |
| Hefty | H5952 | VT2P | N | 109 | HC |
| Integra | 5704 SSPRO | STXP | Y | 107 | AC,P5V |
| Integra | 5802 VT2PRIB | VT2P | Y | 108 | AC,P5V,SU+Zn |
| Integra | 6061 STXRIB | STX | Y | 110 | AC,P5V,SU+Zn |
| Kruger | K0783DP | VT2P | Y | 107 | AC,P5V |
| Kruger | K0858DP | VT2P | Y | 108 | AC,P5V |
| Kruger | K0915DD | VT2PDG | Y | 109 | AC,P5V |
| Kruger | K0957SP | STXP | Y | 109 | AC,P5V |
| LG Seeds | LG58C48VT2PRIB | VT2P | Y | 108 | AC, PV |
| Midwest Genetics | 08-06VT2PRIB | VT2P | Y | 108 | AC, PV |
| Midwest Genetics | EX0937 PCE | PCE | Y | 109 | AC, PV |
| NuTech | 65D3Q | QR | Y | 105 | Lum, L1 |
| NuTech | 66D1AM | AM | Y | 106 | Lum, L1 |
| NuTech | 68A9AM | AM | Y | 108 | Lum, L1 |
| NuTech | 70B4AM | AM | Y | 110 | Lum, L1 |
| NuTech | 70F6Q | QR | Y | 110 | Lum, L1 |
| Pioneer | P1027AM | AM | Y | 110 | Lum, L1 |
| Renk | RK703PWE | PCE | N | 106 | Lum,P5V |
| Renk | RK707TRE | TRE | N | 105 | AC,P5V,B300 |
| Renk | RK720TRE | TRE | N | 106 | AC,P2 |
| Renk | RK766SSPRO | STXP | N | 109 | AC,P5V,B300 |
| Renk | RK773TRE | TRE | N | 109 | AC,P5V,B300 |
| Titan Pro | 31-10 PCE | PCE | N | 110 | CM,C2,Vi,Va |
| Titan Pro | 37-06 PCE | PCE | N | 106 | CM,C2,Vi,Va |
| Titan Pro | 39-08 PCE | PCE | N | 108 | CM,C2,Vi,Va |
| Wyffels | W5019 | STXP | N | 107 | AC,P5 |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|-------------|
| Wyffels | W5086RIB | VT2P | Y | 107 | CM,C2,Vi,Va |
| Wyffels | W5406 | VT2P | N | 108 | AC,P5 |
| Wyffels | W6215 | TRE | N | 109 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2023 Corn - Iowa East Central [IAEC]

Full-Season Test Products (45 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|----------------|------------------|------------|-----|-----|---------------|
| Cornelius | C7202SSP | STXP | N | 112 | AC,P5V,EDC-EL |
| Cornelius | C7235PC | PCE | N | 112 | CM,C2,Vi,Va |
| Cornelius | C7366DGDP | VT2PDG | N | 113 | AVC |
| DeKalb | DKC111-35RIB | VT2P | Y* | 111 | AC,P5V,EDC-EL |
| Epley | E2109PWE | PCE | N | 111 | Vi5 |
| FS InVision | FS 6217X RIB | STX | Y | 112 | AC,P5V,EDC-EL |
| FS InVision | FS 6306T RIB | TRE | Y* | 113 | AC,P5V,EDC-EL |
| FS InVision | FS 6395VDG RIB | VT2PDG | Y | 113 | AC,P5V,EDC-EL |
| FS InVision | FS 6432P RIB | STXP | Y | 114 | AC,P5V,EDC-EL |
| FS InVision | FS 6595V RIB | VT2P | Y | 115 | AC,P5V,EDC-EL |
| Golden Harvest | G11V76-AA | AA | Y | 111 | CM,C5,Va |
| Golden Harvest | G15J91-V | V | Y | 115 | CM,C5,Va |
| Hefty | H6244 | STX | N | 112 | HC |
| Hefty | H6252 | VT2P | N | 112 | HC |
| Hefty | H6263 | VT2PDG | N | 112 | HC |
| Hefty | H6355 | TRE | N | 113 | HC |
| Integra | 6244 PWE | PCE | N | 112 | AC,P5V |
| Integra | 6493 VT2PRIB | VT2P | Y* | 114 | AC,P5V,SU+Zn |
| Integra | 6588 VT2PRIB | VT2P | Y | 115 | AC,P5V,SU+Zn |
| Kruger | K1139SS | STX | Y | 111 | AC,P5V |
| Kruger | K1191DT | TRE | Y | 111 | AC,P5V |
| Kruger | K1364DT | TRE | Y | 113 | AC,P5V |
| Kruger | K1460DT | TRE | Y | 114 | AC,P5V |
| Kruger | K1562DT | TRE | Y | 115 | AC,P5V |
| LG Seeds | LG64C20-5222 | DV | Y | 114 | AC,P5V |
| NuTech | 71A2AM | AM | Y | 111 | Lum, L1 |
| NuTech | 72A5Q | QR | Y | 112 | Lum, L1 |
| NuTech | 73A4AM | AM | Y | 113 | Lum, L1 |
| NuTech | 73A6Q | QR | Y | 113 | Lum, L1 |
| NuTech | 74C4AM | AM | Y | 114 | Lum, L1 |
| Pioneer | P13050AM | AM | Y | 113 | Lum, L1 |
| ProHarvest | 83P33 DGVVT2PRIB | VT2PDG | Y | 113 | AC,P5V,Va |
| ProHarvest | 83P66 VT2P | VT2P | N | 113 | AC,P5V,Va |
| ProHarvest | 84P78 TRERIB | TRE | Y | 114 | AC,P5V,Va |
| Renk | RK811PWE | PCE | N | 111 | Lum,P5V |
| Renk | RK895DGVVT2P | VT2PDG | N | 113 | AC,P2 |
| Renk | RK915VT2P | VT2P | N | 115 | AC,P2 |
| Renk | RK958VT2P | VT2P | N | 115 | AC,P2 |
| Titan Pro | 28-14 PCE | PCE | N | 114 | CM,C2,Vi,Va |
| Titan Pro | 33-12 PCE | PCE | N | 112 | CM,C2,Vi,Va |
| Wyffels | W6886 | VT2P | N | 111 | AC,P5 |
| Wyffels | W7048 | STX | N | 111 | AC,P5 |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|-------------|
| Wyffels | W7759 | STXP | N | 113 | AC,P5 |
| Wyffels | W7945RIB | TRE | Y* | 114 | CM,C2,Vi,Va |
| Wyffels | W8086 | VT2P | N | 114 | AC,P5 |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

| | |
|----|--|
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Innotech™ is a trademark of Syngenta. Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience. |

Corn Technologies

| | |
|--------|---|
| AA | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120 |
| AM | Optimum® AcreMax® |
| DV | DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222 |
| PCE | PowerCore® Enlist® |
| QR | Qrome® |
| STX | SmartStax® |
| STXP | SmartStax® Pro with RNAi Technology |
| TRE | Trecepta® |
| V | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220 |
| VT2P | VT Double PRO® |
| VT2PDG | DroughtGard® with VT Double PRO® |
| VZ | Viptera™ Z3 (Vip,CB,VTP,LL,GT), formerly Agrisure Viptera® 3330 |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

| | |
|---------------|--|
| NA | Not Available |
| AC,P2 | Acceleron® 250 |
| AC,P5 | Acceleron® 500 |
| AC,P5V | Acceleron® Poncho 500/Votivo |
| AC,P5V,B300 | Acceleron® Poncho 500/Votivo with B-300 SAT |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU+Zn | Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn |
| AC,P5V,Va | Acceleron® Poncho 500/Votivo, Vayantis® |
| AC, PV | Acceleron Unspecified, Poncho, Votivo |
| AVC | Avicta® Complete Corn |
| AVC,C5,Vi,Va | Avicta Complete 500, Vibrance, Vayantis |
| CM,C2,Vi,Va | CruiserMaxx® 250 with Vibrance, Vayantis® |
| CM,C5,Va | CruiserMaxx® 500 with Vayantis® |
| HC | Hefty Complete |
| Lum, L1 | LumiGEN, Lumisure 1250 |
| Lum,P5V | LumiGEN™ Poncho 500/Votivo |
| Vi5 | Vibrance® Cinco |

* Seed treatments may include unspecified plant health promoting components.