

Test by: North Iowa F.I.R.S.T., Inc. Sanborn, IA

2023 Corn Grain Top 30 Harvest Report

Nebraska Northeast [NENE] SCRIBNER, NE
Sid & Ruth Ready, Dodge County, NE 68057

| | |
|-------------------------------|--|
| Early-Season Test | 105 - 110 Day CRM B2023NENE05a |
| Top 30 of 36 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Fierce, Metolachlor, 2,4-D Lv-6, Liberty 280 SI, Roundup Powermax 3, Section Three |
| SOIL DESCRIPTION: | Zook silty clay loam, mod. poorly drained, irrigated |
| SOIL CONDITION: | No-Till, medium P, medium K, 5.5 pH, 3.0% OM, 26.6 CEC |
| PEST MANAGEMENT: | Corvus, Diflexx |
| FERTILITY - Applied N: | 6 Fall, 164 Spring |
| Applied N-P-K (units): | 170-52-10 |
| SEEDED - RATE - ROW: | May 1 32.6 /A 30" spacing |
| HARVESTED - STAND: | Oct 22 27.7 /A |

TEST COMMENTS:

The heavy soils at this site in Scribner have excellent water-holding capacity and supplemental irrigation sets the stage for high-yielding crops. Hot and dry conditions were soon followed by some timely rains this season, and with those came some extreme winds. Lodging was minimal at this site but some varieties exhibited green snap. Disease pressure was apparent where fusarium and some stalk rot were noticeable.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|-------------------|-----------|------------|---------------------------------------|--------------|-------------|----------------|----------------------|-------------|
| Four Star | EXP 2303 ↗ | VT2P | 110 | 252.3 | 16.8 | 1 | 28.4 | 1143 | 2 |
| Heine | 7975 ↗ | VT2P | 109 | 251.0 | 16.0 | 1 | 27.9 | 1145 | 1 |
| Hoegemeyer | 7917Q ↗ | QR | 109 | 250.1 | 16.5 | 1 | 27.3 | 1135 | 3 |
| Hoegemeyer | 8052Q ↗ | QR | 110 | 249.1 | 16.4 | 1 | 27.9 | 1132 | 4 |
| Pioneer | P0953AM GC ↗ | AM | 109 | 246.9 | 16.3 | 1 | 27.9 | 1123 | 7 |
| Rob-See-Co | RC5704-SSP ↗ | STXP | 107 | 246.2 | 15.6 | 1 | 27.9 | 1127 | 6 |
| Heine | 7980 ↗ | PCE | 109 | 245.6 | 15.8 | 1 | 29.6 | 1122 | 8 |
| Hefty | H5655 ↗ | TRE | 106 | 245.6 | 13.3 | 3 | 27.9 | 1130 | 5 |
| Heine | 7910 ↗ | VT2P | 109 | 244.7 | 15.9 | 4 | 29.0 | 1116 | 10 |
| AgriGold | A640-12STX GC ↗ | STX | 110 | 244.6 | 17.0 | 2 | 27.9 | 1106 | 14 |
| Integra | 6061 STXRIB ↗ | STX | 110 | 244.2 | 17.4 | 1 | 27.9 | 1100 | 15 |
| Rob-See-Co | RC5836-VT2P ↗ | VT2P | 108 | 244.0 | 15.5 | 1 | 26.1 | 1118 | 9 |
| Augusta | A1259-5222 ↗ | DV | 109 | 243.5 | 17.4 | 6 | 27.9 | 1097 | 18 |
| Renk | RK703PWE ↗ | PCE | 106 | 243.2 | 15.8 | 2 | 29.6 | 1111 | 13 |
| Rob-See-Co | RC5694-VT2P ↗ | VT2P | 106 | 242.7 | 15.0 | 1 | 26.2 | 1116 | 11 |
| Heine | 8010VT2P ↗ | VT2P | 110 | 242.6 | 16.8 | 1 | 27.0 | 1098 | 17 |
| Integra | 5802 VT2PRIB ↗ | VT2P | 108 | 242.4 | 14.4 | 1 | 27.0 | 1115 | 12 |
| Rob-See-Co | RC5929-VT2P ↗ | VT2P | 109 | 241.7 | 16.5 | 1 | 27.3 | 1097 | 19 |
| Renk | RK707TRE ↗ | TRE | 105 | 238.9 | 13.5 | 2 | 26.7 | 1099 | 16 |
| Four Star | 6D59 ↗ | VT2P | 110 | 238.9 | 17.1 | 1 | 29.7 | 1079 | 23 |
| Renk | RK720TRE ↗ | TRE | 106 | 238.5 | 13.8 | 1 | 27.9 | 1097 | 20 |
| Rob-See-Co | RC6038-V ↗ | V | 110 | 237.6 | 16.1 | 7 | 29.1 | 1083 | 22 |
| Golden Harvest | G10B61-AA ↗ | AA | 110 | 236.2 | 16.8 | 1 | 27.9 | 1070 | 24 |
| Renk | RK773TRE ↗ | TRE | 109 | 232.9 | 15.5 | 1 | 29.0 | 1066 | 25 |
| Pioneer | P0622Q GC ↗ | QR | 106 | 232.3 | 15.3 | 1 | 28.8 | 1066 | 26 |
| Heine | 8185STX ↗ | STX | 110 | 231.6 | 17.9 | 2 | 26.1 | 1038 | 31 |
| Hoegemeyer | 7858AM ↗ | AM | 108 | 231.3 | 16.4 | 1 | 30.2 | 1051 | 28 |
| NK Brand | NK1040-AA ↗ | AA | 110 | 231.2 | 16.4 | 1 | 29.0 | 1051 | 29 |
| Hefty | H5952 ↗ | VT2P | 109 | 230.4 | 15.6 | 3 | 25.0 | 1055 | 27 |
| Renk | RK766SSPRO ↗ | STXP | 109 | 227.5 | 15.4 | 1 | 27.3 | 1043 | 30 |
| PIONEER | P1185AM CK | AM | 111 | 240.9 | 16.7 | 1 | 25.0 | 1092 | 21 |
| | | | | Averages = | 238.7 | 16.1 | 2 | 27.7 | 1085 |
| | | | | LSD (0.10) = | 11.9 | 0.6 | 2 | | |
| | | | | LSD (0.25) = | 6.2 | 0.3 | 1 | | |
| | | | | C.V. = | 4.7 | | | | |
| | | | | Historic yield: 232.68 bu/a, 10 yr(s) | | | | | |



Corey Rozenboom

corey.rozenboom@firstseedtests.com, (319) 830-8886

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.04

Prices: GMO = \$4.60

Report Date: 10/24/2023

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at www.firstseedtests.com

©2023, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Additional reports available at www.firstseedtests.com

Test by: North Iowa F.I.R.S.T., Inc. Sanborn, IA

2023 Corn Grain Top 30 Harvest Report

Nebraska Northeast [NENE] SCRIBNER, NE
Sid & Ruth Ready, Dodge County, NE 68057

| | |
|-------------------------------|--|
| Full-Season Test | 111 - 115 Day CRM B2023NENE05b |
| Top 30 of 48 | For Gross Income (Sorted by Yield) Average of (3) Replications |
| PREV. CROP/HERB: | Soybeans / Fierce, Metolachlor, 2,4-D Lv-6, Liberty 280 SI, Roundup Powermax 3, Section Three |
| SOIL DESCRIPTION: | Zook silty clay loam, mod. poorly drained, irrigated |
| SOIL CONDITION: | No-Till, medium P, medium K, 5.5 pH, 3.0% OM, 26.6 CEC |
| PEST MANAGEMENT: | Corvus, Diflexx |
| FERTILITY - Applied N: | 6 Fall, 164 Spring |
| Applied N-P-K (units): | 170-52-10 |
| SEEDED - RATE - ROW: | May 1 32.6 /A 30" spacing |
| HARVESTED - STAND: | Oct 22 28.0 /A |

TEST COMMENTS:

The heavy soils at this site in Scribner have excellent water-holding capacity and supplemental irrigation sets the stage for high-yielding crops. Hot and dry conditions were soon followed by some timely rains this season, and with those came some extreme winds. Lodging was minimal at this site but some varieties exhibited green snap. Disease pressure was apparent where fusarium and some stalk rot were noticeable.

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|--------------------|-----------|------------|--------------|-------------|-----------|----------------|----------------------|-----------|
| Heine | 8145 ↗ | VT2P | 111 | 259.3 | 16.6 | 0 | 28.4 | 1176 | 1 |
| AgriGold | A641-85TRCRIB GC ↗ | TRE | 111 | 255.0 | 16.7 | 0 | 28.4 | 1156 | 3 |
| Hefty | H6145 TRERIB ↗ | TRE | 111 | 253.9 | 16.6 | 0 | 27.9 | 1151 | 4 |
| ProHarvest | 83P33 DGVT2PRIB ↗ | VT2PDG | 113 | 253.6 | 15.7 | 0 | 29.6 | 1160 | 2 |
| DeKalb | DKC111-35RIB GC ↗ | VT2P | 111 | 252.8 | 16.6 | 0 | 26.7 | 1147 | 5 |
| Hoegemeyer | 8454Q ↗ | QR | 114 | 252.1 | 17.1 | 1 | 27.9 | 1139 | 7 |
| Four Star | 6D77 ↗ | TRE | 115 | 251.3 | 17.4 | 0 | 30.2 | 1132 | 10 |
| Hoegemeyer | 8110AM ↗ | AM | 111 | 251.0 | 16.3 | 0 | 29.7 | 1142 | 6 |
| Renk | RK895DGVT2P ↗ | VT2PDG | 113 | 250.0 | 16.4 | 0 | 29.6 | 1136 | 8 |
| Rob-See-Co | RC6381-SSP ↗ | STXP | 113 | 249.7 | 16.2 | 0 | 27.9 | 1136 | 9 |
| Rob-See-Co | RC6131-TRE ↗ | TRE | 111 | 248.6 | 16.5 | 3 | 29.0 | 1128 | 12 |
| Rob-See-Co | RC6232-DGVT2P ↗ | VT2PDG | 112 | 248.4 | 16.6 | 3 | 28.5 | 1126 | 15 |
| Four Star | 6D64 ↗ | TRE | 112 | 248.4 | 16.2 | 1 | 28.5 | 1131 | 11 |
| DeKalb | DKC62-70RIB GC ↗ | VT2P | 112 | 248.4 | 16.5 | 1 | 29.0 | 1127 | 13 |
| Wyffels | W7876RIB ↗ | VT2P | 114 | 247.1 | 16.8 | 0 | 27.9 | 1119 | 17 |
| Wyffels | W7945RIB ↗ | TRE | 114 | 246.5 | 15.7 | 3 | 26.1 | 1127 | 14 |
| ProHarvest | 83P66 VT2P ↗ | VT2P | 113 | 246.4 | 17.3 | 8 | 27.3 | 1111 | 20 |
| Four Star | EXP 2304 ↗ | VT2P | 112 | 245.5 | 15.6 | 6 | 24.4 | 1124 | 16 |
| Renk | RK876VT2P ↗ | VT2P | 113 | 245.2 | 16.4 | 3 | 27.3 | 1114 | 18 |
| Hoegemeyer | 8125AM ↗ | AM | 111 | 241.9 | 16.0 | 3 | 29.0 | 1103 | 22 |
| Hefty | H6252 ↗ | VT2P | 112 | 241.5 | 15.1 | 0 | 29.0 | 1110 | 21 |
| Rob-See-Co | RC6392-PCE ↗ | PCE | 113 | 241.4 | 17.2 | 0 | 27.3 | 1089 | 29 |
| Heine | 8420 ↗ | VT2P | 114 | 241.3 | 16.7 | 0 | 28.4 | 1093 | 26 |
| Heine | 8296 ↗ | PCE | 112 | 240.9 | 16.2 | 6 | 27.9 | 1097 | 24 |
| Heine | 8354 ↗ | PCE | 113 | 240.6 | 16.6 | 0 | 29.6 | 1091 | 27 |
| Pioneer | P1164AM GC ↗ | AM | 111 | 240.5 | 16.6 | 0 | 29.6 | 1091 | 28 |
| Hefty | H6263 ↗ | VT2PDG | 112 | 240.3 | 15.8 | 1 | 28.5 | 1098 | 23 |
| Integra | 6493 VT2PRIB ↗ | VT2P | 114 | 240.1 | 17.4 | 0 | 30.5 | 1082 | 30 |
| Heine | 8370 ↗ | VT2PDG | 112 | 239.5 | 15.8 | 0 | 26.1 | 1094 | 25 |
| Renk | RK958VT2P ↗ | VT2P | 115 | 238.6 | 17.9 | 0 | 27.9 | 1070 | 31 |
| PIONEER | P1185AM CK | AM | 111 | 245.6 | 16.9 | 0 | 27.9 | 1112 | 19 |

Corey Rozenboom

corey.rozenboom@firstseedtests.com, (319) 830-8886

Averages = **240.1** **16.7** **2** **28.0** **1087**

LSD (0.10) = 13.7 0.6 3

LSD (0.25) = 7.2 0.3 2

C.V. = 5.4

Historic yield: 232.68 bu/a, 10 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$4.60

Report Date: 10/24/2023

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to full product yield results at www.firstseedtests.com


©2023, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Additional reports available at www.firstseedtests.com

2023 Corn - Nebraska Northeast [NENE]

Weather Conditions Summary at SCRIBNER, NE

| Monthly Total | Apr* | May | Jun | Jul | Aug | Sep | Oct* | Total |
|----------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|
| Precip (in) (Diff) | 1.1 1.7 (-0.6) | 3.6 4.8 (-1.2) | 3.6 5.6 (-2.1) | 5.5 3.2 (+2.3) | 3.0 4.1 (-1.1) | 2.6 3.7 (-1.1) | 2.4 2.1 (+0.3) | 21.8 25.3 (-3.5) |
| GDU Avg (Diff) | 48 78 (-30) | 448 357 (+90) | 662 696 (-34) | 676 760 (-84) | 686 695 (-9) | 518 514 (+3) | 208 165 (+42) | 3246 3267 (-21) |



* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.

2023 Corn - Nebraska Northeast [NENE]

Early-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|----------------|---------------|------------|-----|-----|--------------|
| AgriGold | A640-12STX GC | STX | N* | 110 | AC,P5V,EDC-B |
| Augusta | A1259-5222 | DV | Y* | 109 | CM,C2 |
| Four Star | 6D59 | VT2P | Y | 110 | AC,P2 |
| Four Star | EXP 2303 | VT2P | Y | 110 | AC,P5V |
| Golden Harvest | G10B61-AA | AA | Y | 110 | CM,C5,Va |
| Golden Harvest | G10L16-DV | DV | Y | 110 | AVC,C5,Vi,Va |
| Hefty | H5655 | TRE | N | 106 | HC |
| Hefty | H5674 | STXP | Y | 106 | HC |
| Hefty | H5862 | VT2P | N | 108 | HC |
| Hefty | H5952 | VT2P | N | 109 | HC |
| Hefty | H6042 RIB | VT2P | Y | 110 | HC |
| Heine | 7910 | VT2P | Y* | 109 | Treated |
| Heine | 7975 | VT2P | Y | 109 | Treated |
| Heine | 7980 | PCE | Y | 109 | Treated |
| Heine | 8010VT2P | VT2P | Y* | 110 | Treated |
| Heine | 8185STX | STX | Y | 110 | Treated |
| Hoegemeyer | 7858AM | AM | Y | 108 | Lum, L1 |
| Hoegemeyer | 7917Q | QR | Y | 109 | Lum, L1 |
| Hoegemeyer | 8052Q | QR | Y | 110 | Lum, L1 |
| Integra | 5802 VT2PRIB | VT2P | Y | 108 | AC,P5V,SU+Zn |
| Integra | 6061 STXRIB | STX | Y | 110 | AC,P5V,SU+Zn |
| NK Brand | NK0922-V | V | Y | 109 | CM,C5,Va |
| NK Brand | NK1040-AA | AA | Y | 110 | CM,C5,Va |
| Pioneer | P0622Q GC | QR | Y | 106 | Lum, L1 |
| Pioneer | P0953AM GC | AM | Y | 109 | Lum, L1 |
| Pioneer | P1185AM CK | AM | Y | 111 | Lum, L1 |
| Renk | RK703PWE | PCE | N | 106 | Lum,P5V |
| Renk | RK707TRE | TRE | N | 105 | AC,P5V,B300 |
| Renk | RK720TRE | TRE | N | 106 | AC,P2 |
| Renk | RK766SSPRO | STXP | N | 109 | AC,P5V,B300 |
| Renk | RK773TRE | TRE | N | 109 | AC,P5V,B300 |
| Rob-See-Co | RC5694-VT2P | VT2P | Y | 106 | AC,P2 |
| Rob-See-Co | RC5704-SSP | STXP | Y | 107 | CM,C2,Vi,Va |
| Rob-See-Co | RC5836-VT2P | VT2P | Y | 108 | CM,C2,Vi,Va |
| Rob-See-Co | RC5929-VT2P | VT2P | Y | 109 | AC,P5V |
| Rob-See-Co | RC6038-V | V | Y | 110 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2023 Corn - Nebraska Northeast [NENE]

Full-Season Test Products (48 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|----------------|------------------|------------|-----|-----|---------------|
| AgriGold | A641-85TRCRIB GC | TRE | N* | 111 | AC,P5V,EDC-B |
| AgriGold | A642-76VT2RIB GC | VT2P | Y | 112 | AC,P5V,EDC-B |
| DeKalb | DKC111-35RIB GC | VT2P | Y* | 111 | AC,P5V,EDC-EL |
| DeKalb | DKC62-70RIB GC | VT2P | Y | 112 | AC,P5V,EDC-EL |
| DeKalb | DKC64-22RIB GC | VT2P | Y | 114 | AC,P5V,EDC-EL |
| Four Star | 6D64 | TRE | Y | 112 | AC,P2 |
| Four Star | 6D72 | VT2P | Y | 114 | AC,P2 |
| Four Star | 6D77 | TRE | Y | 115 | AC,P2 |
| Four Star | EXP 2304 | VT2P | Y | 112 | AC,P5V |
| Golden Harvest | G11V76-AA | AA | Y | 111 | CM,C5,Va |
| Golden Harvest | G15J91-V | V | Y | 115 | CM,C5,Va |
| Hefty | H6145 TRERIB | TRE | Y | 111 | HC |
| Hefty | H6252 | VT2P | N | 112 | HC |
| Hefty | H6263 | VT2PDG | N | 112 | HC |
| Hefty | H6355 | TRE | N | 113 | HC |
| Hefty | H6532 VT2PRIB | VT2P | Y | 115 | HC |
| Heine | 8145 | VT2P | Y | 111 | Treated |
| Heine | 8296 | PCE | Y | 112 | Treated |
| Heine | 8354 | PCE | Y | 113 | Treated |
| Heine | 8370 | VT2PDG | N | 112 | Treated |
| Heine | 8420 | VT2P | Y* | 114 | Treated |
| Hoegemeyer | 8110AM | AM | Y | 111 | Lum, L1 |
| Hoegemeyer | 8125AM | AM | Y | 111 | Lum, L1 |
| Hoegemeyer | 8397Q | QR | Y | 113 | Lum, L1 |
| Hoegemeyer | 8454Q | QR | Y | 114 | Lum, L1 |
| Integra | 6342 TRERIB | TRE | Y | 113 | AC,P5V,SU+Zn |
| Integra | 6493 VT2PRIB | VT2P | Y* | 114 | AC,P5V,SU+Zn |
| Integra | 6588 VT2PRIB | VT2P | Y | 115 | AC,P5V,SU+Zn |
| NK Brand | NK1333-AA | AA | Y | 113 | CM,C5,Va |
| NK Brand | NK1523-V | V | Y | 115 | CM,C5,Va |
| Pioneer | P1164AM GC | AM | Y | 111 | Lum, L1 |
| Pioneer | P1185AM CK | AM | Y | 111 | Lum, L1 |
| Pioneer | P1244AM GC | AM,AQ | Y | 112 | Lum |
| ProHarvest | 83P33 DGVT2PRIB | VT2PDG | Y | 113 | AC,P5V,Va |
| ProHarvest | 83P66 VT2P | VT2P | N | 113 | AC,P5V |
| Renk | RK811PWE | PCE | N | 111 | Lum,P5V |
| Renk | RK876VT2P | VT2P | N | 113 | AC,P5V,B300 |
| Renk | RK895DGVT2P | VT2PDG | N | 113 | AC,P2 |
| Renk | RK915VT2P | VT2P | N | 115 | AC,P2 |
| Renk | RK958VT2P | VT2P | N | 115 | AC,P2 |
| Rob-See-Co | RC6131-TRE | TRE | Y | 111 | CM,C2,Vi,Va |
| Rob-See-Co | RC6232-DGVT2P | VT2PDG | Y | 112 | AC,P2 |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---------------|---------------|------------|-----|-----|---------------|
| Rob-See-Co | RC6381-SSP | STXP | Y | 113 | AC,P5V,EDC-EL |
| Rob-See-Co | RC6392-PCE | PCE | N | 113 | AC250 |
| Rob-See-Co | RC6411-VT2P | VT2P | Y | 114 | CM,C2,Vi,Va |
| Wyffels | W7876RIB | VT2P | Y | 114 | CM,C2,Vi,Va |
| Wyffels | W7945RIB | TRE | Y* | 114 | CM,C2,Vi,Va |
| Wyffels | W8086 | VT2P | N | 114 | AC,P5 |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

| | |
|----|--|
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Innotech™ is a trademark of Syngenta. Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience. |

Corn Technologies

| | |
|--------|---|
| AA | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120 |
| AM | Optimum® AcreMax® |
| AQ | Optimum® AQUAmax® |
| DV | DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222 |
| PCE | PowerCore® Enlist® |
| QR | Qrome® |
| STX | SmartStax® |
| STXP | SmartStax® Pro with RNAi Technology |
| TRE | Trecepta® |
| V | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220 |
| VT2P | VT Double PRO® |
| VT2PDG | DroughtGard® with VT Double PRO® |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

| | |
|---------------|--|
| NA | Not Available |
| AC250 | Acceleron® 250 |
| AC,P2 | Acceleron® 250 |
| AC,P5 | Acceleron® 500 |
| AC,P5V | Acceleron® Poncho 500/Votivo |
| AC,P5V,B300 | Acceleron® Poncho 500/Votivo with B-300 SAT |
| AC,P5V,EDC-B | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU+Zn | Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn |
| AC,P5V,Va | Acceleron® Poncho 500/Votivo, Vayantis® |
| AVC,C5,Vi,Va | Avicta Complete 500, Vibrance, Vayantis |
| CM,C2 | CruiserMaxx® 250 |
| CM,C2,Vi,Va | CruiserMaxx® 250 with Vibrance, Vayantis® |
| CM,C5,Va | CruiserMaxx® 500 with Vayantis® |
| HC | Hefty Complete |
| Lum | LumiGEN™ (Corteva Agriscience) |
| Lum, L1 | LumiGEN, Lumisure 1250 |
| Lum,P5V | LumiGEN™ Poncho 500/Votivo |
| Treated | Treated seed, unspecified |

* Seed treatments may include unspecified plant health promoting components.