

# 2023 Corn Grain Top 30 Region Summary for Ohio Northwest [OHNW]

**Early-Season Test**  
**103 - 108 Day CRM**  
B2023OHNWa

**Top 30 of 40**

For Gross Income (Sorted by Yield), (16) Replication Average

| Company/Brand    | Product/Brand     | Technol.† | RM  | Yield Bu/A ↓      | Moisture %   | Lodging %   | Gross Income \$/Acre | Rank        | Archbold     | Caledonia    | Dola         | McComb<br><b>REJECTED</b> | Tiffin       |              |
|------------------|-------------------|-----------|-----|-------------------|--------------|-------------|----------------------|-------------|--------------|--------------|--------------|---------------------------|--------------|--------------|
| DYNA-GRO         | D48VC84 ↗         | VT2P      | 108 | <b>271.4</b>      | 21.2         | 1           | 1091                 | 1           | <b>271.4</b> | <b>283.9</b> | 234.3        | 194.2                     | <b>296.1</b> |              |
| INTEGRA          | 5802 VT2PRIB ↗    | VT2P      | 108 | <b>265.2</b>      | 20.4         | 1           | 1076                 | 3           | <b>270.2</b> | 262.1        | <b>242.1</b> | 211.5                     | 286.4        |              |
| FS INVISION      | FS 5725X RIB ↗    | STX       | 107 | <b>264.7</b>      | 20.1         | 1           | 1076                 | 4           | 259.7        | 267.1        | <b>238.4</b> | 144.7                     | <b>293.6</b> |              |
| PARTNERS BRAND   | PB 7928-VT2PRIB ↗ | VT2P      | 109 | <b>264.3</b>      | 21.4         | 1           | 1061                 | 7           | <b>279.6</b> | 265.8        | 223.2        | 153.7                     | 288.6        |              |
| SEED CONSULTANTS | SC1084AM ↗        | AM        | 108 | <b>263.3</b>      | 20.9         | 1           | 1062                 | 6           | <b>266.4</b> | 264.6        | 227.1        | 166.6                     | <b>295.1</b> |              |
| M & W SEEDS      | MW C104 PWR GC ↗  | PC        | 104 | <b>262.9</b>      | 19.4         | 1           | 1077                 | 2           | 263.4        | 258.6        | <b>238.4</b> | 159.4                     | <b>291.2</b> |              |
| BUCKEYE HYBRIDS  | RR8815 VT2P ↗     | VT2P      | 108 | <b>262.7</b>      | 21.2         | 1           | 1057                 | 8           | 262.8        | 267.2        | 218.9        | 215.5                     | <b>302.1</b> |              |
| ROB-SEE-CO       | RC5422-PCE ↗      | PCE       | 104 | <b>261.1</b>      | 18.6         | 4           | 1075                 | 5           | 248.1        | <b>276.9</b> | 236.1        | 168.3                     | 283.3        |              |
| SEED CONSULTANTS | SC1042Q ↗         | QR        | 104 | 260.4             | 21.0         | 1           | 1051                 | 11          | <b>265.7</b> | 247.2        | 229.8        | 196.5                     | <b>298.8</b> |              |
| DYNA-GRO         | D47SS93 ↗         | STX       | 107 | 258.6             | 19.7         | 1           | 1055                 | 9           | <b>271.0</b> | 256.9        | 215.7        | 157.0                     | <b>291.0</b> |              |
| WYCKOFF          | 2584 VT2P RIB ↗   | VT2P      | 108 | 258.3             | 21.7         | 1           | 1035                 | 22          | 255.2        | 254.5        | 236.8        | 215.5                     | 286.7        |              |
| FS INVISION      | FS 5335P RIB ↗    | STXP      | 103 | 257.8             | 19.9         | 1           | 1050                 | 12          | 255.4        | <b>273.9</b> | <b>238.6</b> | 215.5                     | 263.4        |              |
| WYCKOFF          | 2583 TRE RIB ↗    | TRE       | 108 | 257.8             | 20.7         | 3           | 1041                 | 18          | <b>268.1</b> | 267.0        | 213.4        | 157.0                     | 282.5        |              |
| INTEGRA          | 5584 PWE ↗        | PCE       | 105 | 257.7             | 19.4         | 3           | 1054                 | 10          | 257.0        | 268.9        | 228.6        | 168.3                     | 276.2        |              |
| WYCKOFF          | 2515 VT2P RIB ↗   | VT2P      | 107 | 257.1             | 20.1         | 3           | 1043                 | 15          | 251.7        | 268.0        | 225.2        | 215.5                     | 283.6        |              |
| EBBERTS          | 7209TR RIB ↗      | TRE       | 108 | 257.1             | 20.4         | 1           | 1042                 | 16          | 260.3        | 260.2        | 224.9        | 215.5                     | 283.1        |              |
| FS INVISION      | FS 5594X RIB ↗    | STX       | 105 | 255.7             | 19.5         | 1           | 1045                 | 14          | 247.3        | 266.4        | 234.0        | 174.6                     | 275.0        |              |
| WYCKOFF          | 2432 TRE RIB ↗    | TRE       | 105 | 254.8             | 19.9         | 1           | 1037                 | 20          | 255.5        | 259.9        | 221.9        | 157.0                     | 282.1        |              |
| AUGUSTA          | A1954 PCE ↗       | PCE       | 104 | 253.6             | 19.4         | 1           | 1037                 | 21          | 242.8        | 263.9        | 231.5        | 157.0                     | 276.4        |              |
| RENK             | RK707TRE ↗        | TRE       | 105 | 253.4             | 18.8         | 1           | 1041                 | 17          | 247.0        | <b>273.0</b> | 217.3        | 215.5                     | 276.4        |              |
| FS INVISION      | FS 5525VDG RIB ↗  | VT2PDG    | 105 | 253.2             | 18.4         | 1           | 1047                 | 13          | 253.7        | 248.7        | 234.1        | 157.0                     | 276.2        |              |
| WYCKOFF          | 2632 SS RIB ↗     | STX       | 108 | 253.2             | 21.8         | 1           | 1011                 | 26          | 244.8        | 264.3        | 218.1        | 157.0                     | 285.5        |              |
| FS INVISION      | FS 5835V RIB ↗    | VT2P      | 108 | 251.8             | 21.9         | 3           | 1006                 | 28          | 256.6        | 252.0        | 218.4        | 215.5                     | 280.0        |              |
| RENK             | RK625DGV2P ↗      | VT2PDG    | 104 | 251.4             | 18.2         | 1           | 1039                 | 19          | 237.7        | <b>273.2</b> | 225.3        | 157.0                     | 269.6        |              |
| ROB-SEE-CO       | RC5694-VT2P ↗     | VT2P      | 106 | 250.6             | 19.5         | 1           | 1025                 | 23          | 248.3        | 256.4        | 221.6        | 157.0                     | 276.2        |              |
| INTEGRA          | 5443 DGV2PRIB ↗   | VT2PDG    | 104 | 250.4             | 19.6         | 1           | 1023                 | 24          | 252.3        | 260.8        | 212.7        | 173.4                     | 275.9        |              |
| SEED CONSULTANTS | SC1054AM ↗        | AM        | 105 | 248.8             | 19.5         | 1           | 1017                 | 25          | 239.6        | 256.6        | 223.8        | 118.3                     | 275.3        |              |
| EBBERTS          | 9779SSX RIB ↗     | STX       | 108 | 248.4             | 21.3         | 1           | 998                  | 30          | 229.8        | 250.6        | 234.5        | 145.9                     | 278.7        |              |
| PIONEER          | P0035AM GC ↗      | AM        | 100 | 245.3             | 19.7         | 1           | 1000                 | 29          | 247.1        | 250.9        | 218.8        | 164.9                     | 264.4        |              |
| DYNA-GRO         | D44DC73RIB ↗      | VT2PDG    | 104 | 243.8             | 18.1         | 3           | 1009                 | 27          | 229.7        | 252.9        | 221.4        | 143.4                     | 271.2        |              |
| PIONEER          | P0859AM CK        | AM        | 108 | 242.5             | 20.6         | 1           | 982                  | 35          | 238.7        | 240.5        | 217.8        | 170.4                     | 273.0        |              |
|                  |                   |           |     | <b>Averages =</b> | <b>252.1</b> | <b>20.3</b> | <b>1</b>             | <b>1022</b> |              | <b>250.9</b> | <b>257.5</b> | <b>222.2</b>              | <b>174.4</b> | <b>277.7</b> |
|                  |                   |           |     | LSD (0.10) =      | 8.6          | 0.7         | ns                   |             |              | 14.4         | 13.6         | 16.0                      | 33.1         | 11.6         |
|                  |                   |           |     | LSD (0.25) =      | 4.5          | 0.4         | ns                   |             |              | 7.6          | 7.2          | 8.4                       | 17.4         | 6.1          |

*Matt Turner*  
Matt Turner  
mattturner1979@yahoo.com, (317) 606-9040

Prev. years average yield for region: 189.24 bu/a, 19 yr(s)

**Yield & Income Factors:** Base Moisture = 15.5% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$4.25; non-GMO = \$4.75

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to product's results at www.firstseedtests.com. Oil & Protein values average of 1 sample per location. \* 3 reps for the site.

2023 Corn Grain Top 30 Region Summary for Ohio Northwest [OHNW]

Full-Season Test  
 109 - 112 Day CRM  
 B2023OHNWb

Top 30 of 40

For Gross Income (Sorted by Yield), (16) Replication Average

| Company/Brand    | Product/Brand    | Technol.† | RM  | Yield Bu/A ↓      | Moisture %   | Lodging %   | Gross Income \$/Acre | Rank       | Archbold | Caledonia    | Dola         | McComb REJECTED | Tiffin       |              |
|------------------|------------------|-----------|-----|-------------------|--------------|-------------|----------------------|------------|----------|--------------|--------------|-----------------|--------------|--------------|
| INTEGRA          | 6274 VT2PRIB ↗   | VT2P      | 112 | 267.5             | 23.3         | 1           | 1055                 | 2          | 274.7    | 262.1        | 247.5        | 178.9           | 285.9        |              |
| FS INVISION      | FS 6017V RIB ↗   | VT2P      | 110 | 264.0             | 21.4         | 1           | 1061                 | 1          | 278.9    | 249.8        | 239.1        | 145.1           | 288.3        |              |
| RENK             | RK773TRE ↗       | TRE       | 109 | 261.6             | 22.4         | 1           | 1041                 | 3          | 263.8    | 255.3        | 236.3        | 173.6           | 291.1        |              |
| INTEGRA          | 6061 STXRIB ↗    | STX       | 110 | 261.0             | 22.7         | 1           | 1034                 | 4          | 274.4    | 264.3        | 228.6        | 186.1           | 276.7        |              |
| AUGUSTA          | A2061-PWE ↗      | PCE       | 111 | 258.9             | 23.3         | 1           | 1022                 | 5          | 262.1    | 254.1        | 232.9        | 165.5           | 286.6        |              |
| FS INVISION      | FS 6025X RIB ↗   | STX       | 110 | 258.3             | 23.6         | 1           | 1015                 | 8          | 262.8    | 263.5        | 234.5        | 162.4           | 272.5        |              |
| FS INVISION      | FS 6133VDG RIB ↗ | VT2PDG    | 111 | 257.4             | 25.6         | 1           | 990                  | 23         | 256.6    | 263.2        | 240.7        | 162.4           | 269.1        |              |
| RENK             | RK766SSPRO ↗     | STXP      | 109 | 257.0             | 22.5         | 1           | 1021                 | 6          | 269.3    | 257.2        | 235.5        | 162.5           | 266.1        |              |
| DYNA-GRO         | D50VC09RIB ↗     | VT2P      | 110 | 256.7             | 22.5         | 1           | 1020                 | 7          | 252.2    | 247.0        | 242.8        | 149.5           | 284.6        |              |
| EBBERTS          | 6883DGV2P RIB ↗  | VT2PDG    | 112 | 256.4             | 23.0         | 1           | 1012                 | 9          | 269.3    | 259.3        | 226.4        | 162.0           | 270.4        |              |
| ROB-SEE-CO       | RC6131-TRE ↗     | TRE       | 111 | 256.0             | 23.8         | 1           | 1002                 | 13         | 269.4    | 262.4        | 225.5        | 162.0           | 266.7        |              |
| FS INVISION      | FS 6137PC ↗      | PCE       | 111 | 255.6             | 23.5         | 1           | 1005                 | 12         | 271.6    | 260.8        | 217.3        | 162.2           | 272.8        |              |
| INTEGRA          | 6244 PWE ↗       | PCE       | 112 | 254.3             | 23.0         | 1           | 1005                 | 11         | 258.8    | 258.3        | 219.7        | 162.3           | 280.5        |              |
| WYCKOFF          | 2679 DGV2P RIB ↗ | VT2PDG    | 112 | 253.8             | 23.6         | 1           | 998                  | 17         | 266.9    | 253.6        | 221.3        | 129.9           | 273.5        |              |
| SEED CONSULTANTS | SC1093AM ↗       | AM        | 109 | 253.7             | 23.1         | 1           | 1001                 | 14         | 262.3    | 249.9        | 220.3        | 162.7           | 282.3        |              |
| ROB-SEE-CO       | RC6232-DGV2P ↗   | VT2PDG    | 112 | 253.6             | 24.2         | 1           | 990                  | 24         | 269.1    | 245.8        | 232.9        | 162.6           | 266.5        |              |
| SEED CONSULTANTS | SC1122Q ↗        | QR        | 112 | 253.5             | 23.8         | 1           | 994                  | 21         | 254.2    | 254.5        | 218.5        | 187.8           | 287.0        |              |
| RENK             | RK811PWE ↗       | PCE       | 111 | 253.4             | 22.3         | 1           | 1007                 | 10         | 259.7    | 263.8        | 208.6        | 162.4           | 281.6        |              |
| WYCKOFF          | 2711 VT2P RIB ↗  | VT2P      | 112 | 253.0             | 25.1         | 1           | 982                  | 28         | 267.1    | 234.5        | 224.1        | 162.5           | 286.3        |              |
| WYCKOFF          | 2656 PCE ↗       | PCE       | 111 | 252.7             | 23.6         | 1           | 994                  | 20         | 260.0    | 249.1        | 211.2        | 162.7           | 290.7        |              |
| AUGUSTA          | A2262-3110 ↗     | 3110      | 112 | 252.7             | 25.2         | 1           | 980                  | 30         | 265.8    | 236.5        | 227.8        | 162.7           | 280.8        |              |
| NK BRAND         | NK1040-AA ↗      | AA        | 110 | 252.2             | 23.2         | 1           | 995                  | 19         | 254.5    | 251.1        | 219.4        | 262.8           | 284.0        |              |
| SEED CONSULTANTS | SC1112AM ↗       | AM        | 111 | 252.2             | 22.7         | 1           | 1000                 | 15         | 262.6    | 248.2        | 211.9        | 162.8           | 286.3        |              |
| WYCKOFF          | 2678 VT2P RIB ↗  | VT2P      | 111 | 251.9             | 24.5         | 1           | 983                  | 27         | 262.5    | 240.1        | 233.9        | 162.4           | 271.3        |              |
| EBBERTS          | 6220VT2P RIB ↗   | VT2P      | 110 | 251.9             | 22.8         | 1           | 998                  | 18         | 266.9    | 243.3        | 225.3        | 162.7           | 272.2        |              |
| FS INVISION      | FS 6217T RIB ↗   | TRE       | 112 | 251.5             | 23.2         | 1           | 993                  | 22         | 266.4    | 247.4        | 215.9        | 164.1           | 276.4        |              |
| EBBERTS          | 6444VT2P RIB ↗   | VT2P      | 114 | 251.0             | 24.8         | 1           | 975                  | 31         | 256.2    | 243.2        | 227.3        | 114.0           | 277.5        |              |
| GOLDEN HARVEST   | G11V76-AA ↗      | AA        | 111 | 250.8             | 23.5         | 1           | 987                  | 26         | 262.8    | 247.5        | 206.4        | 113.5           | 286.4        |              |
| ROB-SEE-CO       | RC5929-VT2P ↗    | VT2P      | 109 | 249.4             | 22.8         | 1           | 988                  | 25         | 235.7    | 246.6        | 230.2        | 192.8           | 285.0        |              |
| BUCKEYE HYBRIDS  | RR9012 AA ↗      | AA        | 110 | 248.4             | 23.0         | 1           | 980                  | 29         | 249.9    | 256.7        | 211.7        | 145.9           | 275.6        |              |
| PIONEER          | P0859AM CK       | AM        | 108 | 248.8             | 21.3         | 1           | 1000                 | 16         | 249.8    | 249.5        | 212.6        | 92.1            | 283.3        |              |
|                  |                  |           |     | <b>Averages =</b> | <b>252.2</b> | <b>23.4</b> | <b>1</b>             | <b>993</b> |          | <b>258.9</b> | <b>251.0</b> | <b>222.8</b>    | <b>156.2</b> | <b>276.1</b> |
|                  |                  |           |     | LSD (0.10) =      | 8.5          | 0.9         | ns                   |            |          | 12.1         | 10.8         | 12.9            | 42.8         | 13.5         |
|                  |                  |           |     | LSD (0.25) =      | 4.5          | 0.5         | ns                   |            |          | 6.3          | 5.6          | 6.8             | 22.5         | 7.1          |

Yield variability from drought stress

*Matt Turner*  
 Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Prev. years average yield for region: 189.24 bu/a, 19 yr(s)

**Yield & Income Factors:** Base Moisture = 15.5% Shrink = 1.3 Drying = \$0.04 Prices: GMO = \$4.25; non-GMO = \$4.75

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ↗ Links to product's results at www.firstseedtests.com. Oil & Protein values average of 1 sample per location. \* 3 reps for the site.

## 2023 Corn Grain - Ohio Northwest [ OHNW ]

### Early-Season Test Products (40 Total)

| Company/Brand    | Product/Brand   | Technology | RIB | RM  | Seed Treat.   |
|------------------|-----------------|------------|-----|-----|---------------|
| Augusta          | A1954 PCE       | PCE        | N   | 104 | CM,C2         |
| Augusta          | A1958-DV        | DV         | N   | 108 | CM,C2         |
| Augusta          | A2057-3111      | 3111       | N   | 107 | CM,C2         |
| Buckeye Hybrids  | RR8815 VT2P     | VT2P       | N   | 108 | AC,P5,B360    |
| Dyna-Gro         | D44DC73RIB      | VT2PDG     | Y   | 104 | AC,P5V        |
| Dyna-Gro         | D47SS93         | STX        | N   | 107 | AC,P5V        |
| Dyna-Gro         | D48VC84         | VT2P       | N   | 108 | AC,P5V        |
| Ebberts          | 7188PC          | PC         | N   | 108 | Ebberts       |
| Ebberts          | 7209TR RIB      | TRE        | Y   | 108 | Ebberts       |
| Ebberts          | 9779SSX RIB     | STX        | Y   | 108 | Ebberts       |
| FS InVision      | FS 5335P RIB    | STXP       | Y   | 103 | AC,P5V,EDC-EL |
| FS InVision      | FS 5525VDG RIB  | VT2PDG     | Y   | 105 | AC,P5V,EDC-EL |
| FS InVision      | FS 5594X RIB    | STX        | Y   | 105 | AC,P5V,EDC-EL |
| FS InVision      | FS 5725X RIB    | STX        | Y   | 107 | AC,P5V,EDC-EL |
| FS InVision      | FS 5835V RIB    | VT2P       | Y   | 108 | AC,P5V,EDC-EL |
| Golden Harvest   | G03B19-AA       | AA         | Y   | 103 | CM,C5,Va      |
| Golden Harvest   | G08B38-AA       | AA         | Y   | 108 | CM,C5,Va      |
| Integra          | 5443 DGVT2PRIB  | VT2PDG     | N   | 104 | AC,P5V,SU+Zn  |
| Integra          | 5584 PWE        | PCE        | N   | 105 | AC,P5V        |
| Integra          | 5802 VT2PRIB    | VT2P       | Y   | 108 | AC,P5V,SU+Zn  |
| M & W Seeds      | MW 44V83 GC     | V          | Y   | 107 | Ti            |
| M & W Seeds      | MW C104 PWR GC  | PC         | Y   | 104 | Ti            |
| NK Brand         | NK0835-AA       | AA         | Y   | 108 | CM,C5,Va      |
| Partners Brand   | PB 7928-VT2PRIB | VT2P       | Y   | 109 | ACi           |
| Pioneer          | P0035AM GC      | AM         | Y   | 100 | Lum           |
| Pioneer          | P0720AM GC      | AM         | Y   | 107 | Lum, L1       |
| Pioneer          | P0859AM CK      | AM         | Y   | 108 | Lum           |
| Renk             | RK625DGVT2P     | VT2PDG     | N   | 104 | AC,P2         |
| Renk             | RK703PWE        | PCE        | N   | 106 | Lum,P5V       |
| Renk             | RK707TRE        | TRE        | N   | 105 | AC,P5V,B300   |
| Rob-See-Co       | RC5422-PCE      | PCE        | N   | 104 | CM,C2,Vi,Va   |
| Rob-See-Co       | RC5694-VT2P     | VT2P       | Y   | 106 | AC,P2         |
| Seed Consultants | SC1042Q         | QR         | Y   | 104 | Lum, L1       |
| Seed Consultants | SC1054AM        | AM         | Y   | 105 | Lum, L1       |
| Seed Consultants | SC1084AM        | AM         | Y   | 108 | Lum, L1       |
| Wyckoff          | 2432 TRE RIB    | TRE        | Y   | 105 | AC,P5V        |
| Wyckoff          | 2515 VT2P RIB   | VT2P       | Y   | 107 | AC,P2         |
| Wyckoff          | 2583 TRE RIB    | TRE        | Y   | 108 | AC,P2         |
| Wyckoff          | 2584 VT2P RIB   | VT2P       | Y   | 108 | AC,P2         |
| Wyckoff          | 2632 SS RIB     | STX        | Y   | 108 | AC,P5V        |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2023 Corn Grain - Ohio Northwest [ OHNW ]

### Full-Season Test Products (40 Total)

| Company/Brand    | Product/Brand  | Technology | RIB | RM  | Seed Treat.   |
|------------------|----------------|------------|-----|-----|---------------|
| Augusta          | A1160-AA       | AA         | N   | 110 | CM,C2         |
| Augusta          | A2061-PWE      | PCE        | N   | 111 | CM,C2         |
| Augusta          | A2262-3110     | 3110       | N   | 112 | CM,C2         |
| Augusta          | A6162-DV       | DV         | N*  | 112 | CM,C2         |
| Buckeye Hybrids  | RR9012 AA      | AA         | Y   | 110 | CM,C2,Vi,Va   |
| Buckeye Hybrids  | RR9206 VT2P    | VT2P       | Y   | 112 | CM,C2,Vi,Va   |
| Dyna-Gro         | D50VC09RIB     | VT2P       | Y*  | 110 | AC,P5V        |
| Ebberts          | 6220VT2P RIB   | VT2P       | Y   | 110 | Ebberts       |
| Ebberts          | 6444VT2P RIB   | VT2P       | Y   | 114 | Ebberts       |
| Ebberts          | 6883DGV2P RIB  | VT2PDG     | Y   | 112 | Ebberts       |
| FS InVision      | FS 6017V RIB   | VT2P       | Y   | 110 | AC,P5V,EDC-EL |
| FS InVision      | FS 6025X RIB   | STX        | Y   | 110 | AC,P5V,EDC-EL |
| FS InVision      | FS 6133VDG RIB | VT2PDG     | Y   | 111 | AC,P5V,EDC-EL |
| FS InVision      | FS 6137PC      | PCE        | N   | 111 | CM,C2,Vi,Va   |
| FS InVision      | FS 6217T RIB   | TRE        | Y   | 112 | AC,P5V,EDC-EL |
| Golden Harvest   | G10B61-AA      | AA         | Y   | 110 | CM,C5,Va      |
| Golden Harvest   | G10L16-DV      | DV         | Y   | 110 | AVC,C1,Va     |
| Golden Harvest   | G11V76-AA      | AA         | Y   | 111 | CM,C5,Va      |
| Golden Harvest   | G12S75-D       | D          | Y   | 112 | AVC,C1,Va     |
| Integra          | 6061 STXRIB    | STX        | Y   | 110 | AC,P5V,SU+Zn  |
| Integra          | 6244 PWE       | PCE        | N   | 112 | AC,P5V        |
| Integra          | 6274 VT2PRIB   | VT2P       | Y   | 112 | AC,P5V        |
| NK Brand         | NK1040-AA      | AA         | Y   | 110 | CM,C5,Va      |
| NK Brand         | NK1082-DV      | DV         | Y   | 110 | AVC,C1,Va     |
| NK Brand         | NK1188-AA      | AA         | Y   | 111 | CM,C5,Va      |
| Pioneer          | P0859AM CK     | AM         | Y   | 108 | Lum           |
| Renk             | RK766SSPRO     | STXP       | N   | 109 | AC,P5V,B300   |
| Renk             | RK773TRE       | TRE        | N   | 109 | AC,P5V,B300   |
| Renk             | RK811PWE       | PCE        | N   | 111 | Lum,P5V       |
| Rob-See-Co       | RC5929-VT2P    | VT2P       | Y   | 109 | AC,P5V        |
| Rob-See-Co       | RC6131-TRE     | TRE        | Y   | 111 | CM,C2,Vi,Va   |
| Rob-See-Co       | RC6232-DGV2P   | VT2PDG     | Y   | 112 | AC250         |
| Seed Consultants | SC1093AM       | AM         | Y   | 109 | Lum, L1       |
| Seed Consultants | SC1112AM       | AM         | Y   | 111 | Lum, L1       |
| Seed Consultants | SC1122Q        | QR         | Y   | 112 | Lum, L1       |
| Wyckoff          | 2656 PCE       | PCE        | N   | 111 | CM,C2,Vi,Va   |
| Wyckoff          | 2667 DGV2P RIB | VT2PDG     | Y   | 111 | AC,P2         |
| Wyckoff          | 2678 VT2P RIB  | VT2P       | Y   | 111 | AC,P2         |
| Wyckoff          | 2679 DGV2P RIB | VT2PDG     | Y   | 112 | AC,P2         |
| Wyckoff          | 2711 VT2P RIB  | VT2P       | Y   | 112 | AC,P2         |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## Footnotes and Abbreviations Descriptions

### Brand Footnotes

---

|    |  |
|----|--|
| CK | Identifies a check product included in early- and full-season tests.   |
| GC | Grower Comparison product included by FIRST when space permits.  |
| ^  | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Innotech™ is a trademark of Syngenta. Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience. |

### Corn Grain Technologies

---

|        |   |
|--------|---|
| 3110   | Agrisure® Viptera® 3110 (Vip, CB,LL,GT)                                     |
| 3111   | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT)                                   |
| AA     | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120                      |
| AM     | Optimum® AcreMax®   |
| D      | Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122            |
| DV     | DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222 |
| PC     | PowerCore®  |
| PCE    | PowerCore® Enlist®  |
| QR     | Qrome®  |
| STX    | SmartStax®  |
| STXP   | SmartStax® Pro with RNAi Technology   |
| TRE    | Trecepta®   |
| V      | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220                 |
| VT2P   | VT Double PRO®  |
| VT2PDG | DroughtGard® with VT Double PRO®  |

---

NOTE: The refuge component genetics may vary in a refuge blend seed product.

## Corn Grain Seed Treatments\*

---

|               |  |
|---------------|--|
| NA            | Not Available  |
| AC250         | Acceleron® 250   |
| ACi           | Acceleron® Standard Insecticide-Fungicide                        |
| AC,P2         | Acceleron® 250   |
| AC,P5,B360    | Acceleron® 500 with BioRise™ B-360 ST                            |
| AC,P5V        | Acceleron® Poncho 500/Votivo                                     |
| AC,P5V,B300   | Acceleron® Poncho 500/Votivo with B-300 SAT                      |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU+Zn  | Acceleron® Poncho 500/Votivo, StepUp SP, StepUp Zn               |
| AVC,C1,Va     | Avicta® Complete 1250 with Vayantis®                             |
| CM,C2         | CruiserMaxx® 250   |
| CM,C2,Vi,Va   | CruiserMaxx® 250 with Vibrance, Vayantis®                        |
| CM,C5,Va      | CruiserMaxx® 500 with Vayantis®                                  |
| Ebberts       | Ebberts Complete Corn (Ebberts Field Seeds)                      |
| Lum           | LumiGEN™ (Corteva Agriscience)                                   |
| Lum, L1       | LumiGEN, Lumisure 1250   |
| Lum,P5V       | LumiGEN™ Poncho 500/Votivo                                       |
| Ti            | Titan Corn 250 (M & W Seeds)                                     |

---

\* Seed treatments may include unspecified plant health promoting components.